

Match Overview

1	Internet 26 words crawled on 29-Jun-2020 pesquisa.bvsalud.org	1%
2	Crossref 20 words Megan Soohwa Jeon, Haryana M. Dhillon, Meera R. Agar. " ... leep disturbance of adults with a brain tumor and their family c	1%

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 56539

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Investigation of sleep quality of patients with postoperative glioma at home

Yang Huang, Zijuan Jiang, Juan Deng, Yujuan Qi

Abstract

BACKGROUND

The sleep quality of patients with postoperative glioma at home has not been reported worldwide. In this study, the participants were postoperative glioma patients, and the



Current investigation on sleep quality of patients with pc

ALL IMAGES VIDEOS

61,500 Results Any time

Attention dysfunction of postoperative patients with glioma

<https://wjso.biomedcentral.com/articles/10.1186/1477-7819-12-317>

Oct 15, 2014 · Attention dysfunction has been observed among many kinds of nervous system diseases, including glioma. This study aimed to investigate the correlation between glioma localization, malignancy, postoperative recovery time and attention deficit. A total of 45 patients with glioma who underwent surgical resection and 18 healthy volunteers were enrolled.

Cited by: 4 Author: Dazhao Fang, Jian Jiang, Xiaoyang Sun, ...
Publish Year: 2014

Search Tools

Turn off Hover Translation (关闭取词)

Esmolol does not improve quality of postsurgical recovery ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6203464>

Oct 12, 2018 · The main finding of the current investigation was the lack of benefit of intraoperative esmolol on patient-reported quality of recovery when compared to saline after ambulatory gynecological surgery. In addition, patient receiving intraoperative esmolol did not have any improvements on outcomes in the post-anesthesia discharge unit (e.g., pain ...

Author: Gildasio S. De Oliveira, Mark C. Kend... Publish Year: 2018

Rehabilitation of patients with glioma - ScienceDirect



Investigation of sleep quality of patients with postoperative glioma at ho



ALL IMAGES VIDEOS

151,000 Results Any time

Obstructive Sleep Apnea Screening and Postoperative ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4575681>

A recent **investigation** at Barnes-Jewish Hospital located in St. Louis, Missouri, found that an estimated 22% of adults presenting for inpatient surgery screened as high risk for obstructive **sleep** apnea (OSA). Surgical **patients** with OSA have multiple comorbidities and are ...

Cited by: 100 **Author:** Ellen M. Lockhart, Mark D. Willingham, Ar...

Publish Year: 2013

Improvement of sleep quality after treatment in patients ...

<https://www.nature.com/articles/s41598-020-71145-0>

Aug 24, 2020 · The short-form 36-item questionnaire (SF-36) and the EuroQol (EQ-5D), the most widely used health-related **quality** of life measures for **patients** with LSS, do not measure the **quality of sleep** ...

Search Tools

Turn off Hover Translation (关闭取词)



Investigation of sleep quality of patients with postoperative glioma



ALL IMAGES VIDEOS MAPS NEWS SHOPPING

164,000 Results Any time ▾

[Obstructive Sleep Apnea Screening and Postoperative ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4575681>

A recent **investigation** at Barnes-Jewish Hospital located in St. Louis, Missouri, found that an estimated 22% of adults presenting for inpatient surgery screened as high risk for obstructive **sleep** apnea (OSA). Surgical **patients** with OSA have multiple comorbidities and are ...

Cited by: 100 **Author:** Ellen M. Lockhart, Mark D. Willingham, Ar...

Publish Year: 2013

[Improvement of sleep quality after treatment in patients ...](#)

<https://www.nature.com/articles/s41598-020-71145-0>

Aug 24, 2020 · The short-form 36-item questionnaire (SF-36) and the EuroQol (EQ-5D), the most widely used health-related **quality** of life measures for **patients** with LSS, do not measure the **quality of sleep** ...

[Practical strategies for management of fatigue and sleep ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3480250>

Sleep-Wake Disturbance. **Sleep**-wake disturbances are defined as perceived or actual alterations in night **sleep** with resultant daytime impairment. 17 **Sleep**-wake disturbances occur in 15%–20% of the general population and 33%–57% of those with solid tumors, 7, 18 including brain. 19 There are a limited number of studies exploring factors associated with alterations in **sleep** in **patients** with ...

Cited by: 59 **Author:** Terri S. Armstrong, Mark R. Gilbert

Publish Year: 2012

PEOPLE ALSO ASK

Does sleep help with brain tumor? ▾

What is poor sleep in hospital? ▾

What is sleep related sleep? ▾