

Name of Journal: *World Journal of Transplantation*

Manuscript NO: 56747

Manuscript Type: ORIGINAL ARTICLE

Retrospective Cohort Study

Exploring the safety and efficacy of adding ketoconazole to tacrolimus in pediatric renal transplant immunosuppression

Méndez S *et al.* Safety and efficacy of adding ketoconazole to tacrolimus

Sindy Méndez, Brooke M Ramay, Angie Aguilar-González, Randall Lou-Meda

Abstract

BACKGROUND

Guatemala is a developing country in Central America with limited health resources. In order to expand successful renal transplant care to children and adolescents at the lowest possible cost, our pediatric renal transplant clinic used a post-transplant tacrolimus-sparing strategy *via* inhibition of CYP3A4.

Match Overview

- | Match Number | Crossref | Words | Similarity |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|------------|
| 1 | Crossref | 47 words | 1% |
| William G Couser: "The contribution of chronic kidney disease to the global burden of major noncommunicable diseases", <i>Kidney International</i> , 2018 | | | |
| 2 | Crossref | 39 words | 1% |
| "Poster Abstracts", <i>American Journal of Transplantation</i> , 2018 | | | |
| 3 | Crossref | 13 words | <1% |
| L Soltero, H Carbajal, C Rodríguez-Montalvo, A Valdés. "Co-administration of tacrolimus and ketoconazole in renal transplant recipients", <i>World Journal of Transplantation</i> , 2018 | | | |



Exploring the safety and efficacy of adding ketoconazole to tacrolin



ALL IMAGES VIDEOS MAPS NEWS SHOPPING

28,800 Results Any time ▾

[Long-term outcome of ketoconazole and tacrolimus co ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4202487>

Aug 06, 2014 · **Tacrolimus** is mainly metabolized by cytochrome P450 enzymes and **ketoconazole** is a potent inhibitor of P450. **Transplant** programs often use **ketoconazole** to reduce the **tacrolimus** dose and financial cost. But the long-term **safety** of this combination in kidney **transplant** ...

Cited by: 3 **Author:** Enver Khan, Mary Killackey, Damodar Ku...

Publish Year: 2014

[Co-administration of ketoconazole to tacrolimus-treated ...](#)

<https://academic.oup.com/ndt/article/19/6/1613/1857420>

Mar 19, 2004 · In conclusion, concomitant ketoconazole–tacrolimus administration in kidney transplant recipients is safe and results in outstanding dose reduction. Moreover, it results in **significant improvement of graft function, fungal skin infection as well as significant reduction in the frequency of gastrointestinal episodes and patient hospitalization.**

Cited by: 10 **Author:** Khalid Farouk El-Dahshan, Mohamed Ad...

Publish Year: 2004

[Current state of renal transplant immunosuppression ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3782235>

Aug 24, 2012 · A randomized, open-label study to compare the **efficacy** and **safety** of two different sirolimus (SRL) regimens with **tacrolimus** (TAC) + mycophenolate mofetil (MMF) in de novo **renal** allograft recipients: Preliminary 2-year **efficacy** results from the ORION trial (Abstract 287) Am J **Transplant.**

Cited by: 26 **Author:** Hari Varun Kalluri, Karen L Hardinger

Publish Year: 2012

[Immunosuppression in pediatric liver transplant recipients ...](#)

<https://aasldpubs.onlinelibrary.wiley.com/doi/full/10.1002/lt.24677>

Nov 22, 2016 · **Tacrolimus** is widely used in **pediatric transplant** recipients as the most common maintenance therapy in the Studies of **Pediatric** Liver Transplantation (SPLIT) registry. 29 CNIs as a group have known nephrotoxicity by causing vasoconstriction, and **renal** dysfunction has been estimated at a range of 24% to > 70% of LT recipients. 2 In children ...

Cited by: 14 **Author:** Tamir Miloh, Andrea Barton, Justin Wheel...

Exploring the safety and efficacy of adding ketoconazole to tacrolimus ir



Sign in



ALL

IMAGES

VIDEOS

57,600 Results

Any time ▼

Long-term outcome of ketoconazole and tacrolimus co ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4202487>

Aug 06, 2014 · **Tacrolimus** is mainly metabolized by cytochrome P450 enzymes and **ketoconazole** is a potent inhibitor of P450. **Transplant** programs often use **ketoconazole** to reduce the **tacrolimus** dose and financial cost. But the long-term **safety** of this combination in kidney **transplant** ...

Cited by: 3

Author: Enver Khan, Mary Killackey, Damodar Ku...

Publish Year: 2014

Co-administration of ketoconazole to tacrolimus-treated ...

<https://academic.oup.com/ndt/article/19/6/1613/1857420> ▼

Mar 19, 2004 · In conclusion, concomitant ketoconazole–tacrolimus administration in kidney transplant recipients is safe and results in outstanding dose reduction. Moreover, it results in **significant improvement of graft function, fungal skin infection as well as significant reduction in the frequency of gastrointestinal episodes and patient hospitalization.**

Cited by: 10

Author: Khalid Farouk El-Dahshan, Mohamed Ad...

Search Tools

Turn off Hover Translation (关闭取词)