

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 56801

Manuscript Type: CASE REPORT

Perianorectal abscesses and fistula due to ingested jujube pit in infant-2 cases : Case report and literature review

Ying-Hua Liu, Zhi-Bao Lv, Jiang-Bin Liu, Qing-Feng Sheng

Abstract

BACKGROUND

About 90% of perianal infection is caused by cryptoglandular infection. Only a few cases of peritonitis or intra-abdominal abscesses secondary to perforation of the digestive tract by ingested foreign body has been reported. Most common sites of impaction and perforation include the appendix, cecum and the terminal ileum. The rectum is an unusual site of foreign body impaction. This report intends to highlight that ingested foreign body impacted in rectum is an extremely rare cause of perianal

Match Overview

1	Crossref 108 words L Kocierz, E Leung, V Thumbé. "An unusual cause of perianal fistula", <i>Journal of Surgical Case Reports</i> , 2011	4%
2	Internet 73 words crawled on 18-Aug-2019 www.wjpc.com	3%
3	Internet 47 words crawled on 09-May-2016 onlinelibrary.wiley.com	2%
4	Internet 31 words crawled on 15-Jul-2020 www.research.manchester.ac.uk	1%
5	Crossref 28 words Roberto Grassi, Angela Faggian, Francesco Somma, Carlo Nicola De Cecco, Andrea Laghi, Filipe Caseiro-Alves. "Appli	1%
6	Crossref 26 words Yoseph Gurevich, Benjamin Sahn, Toba Weinstein. "Foreign body ingestion in pediatric patients", <i>Current Opinion in P</i>	1%
7	Internet 24 words crawled on 30-Dec-2019 pubs.rsna.org	1%
8	Crossref 24 words Ioannis Tsonis, Lydia Karamani, Panagiotis Xaplanteri, Fevri Kolonitsiou et al. "Spontaneous cerebral abscess du	1%



国内版

国际版

Perianorectal abscesses and fistula due to ingested juju



ALL

IMAGES

VIDEOS

55 Results

Any time ▾

Factors predictive of risk for complications in patients ...

https://www.researchgate.net/publication/51019805_Factors_predictive_of_risk_for..

.

Factors predictive of risk for complications in patients with oesophageal foreign bodies Article in Digestive and Liver Disease 43(8):632-5 · April 2011 with 19 Reads How we measure 'reads'

Proposal for methods of diagnosis of fish bone foreign ...

https://www.researchgate.net/publication/276150628_Proposal_for_methods_of_diagnosis...

The fish bone foreign bodies were most commonly located in the upper esophagus (n = 65, 98.5%), followed by the lower esophagus (n = 1, 1.5%).ConclusionCT is a useful method for ...

Full text of "NEW" - Internet Archive

https://www.archive.org/stream/NEW_1/NEW.txt&ld=20140121&ap=2&app=1&c=uk.dogpl&s... ▾

This banner text can have markup.. web; books; video; audio; software; images; Toggle navigation

MedWorm: Esophagoscopy Research

<https://medworm.com/research/esophagoscopy.xml>

Rare complication of bronchoesophageal **fistula due** to pulmonary mucormycosis after induction chemotherapy for acute myeloid leukemia: a case **report** A 6-year-old neutered male, Golden retriever presented with regurgitation and excitement-induced coughing.

Full text of "The Australasian Medical Gazette"

https://archive.org/stream/australasianmed22unkngoog/australasianmed22unkngoog_djvu.txt ▾

Full text of "The Australasian Medical Gazette" See other formats ...

Perianorectal abscesses and fistula due to ingested jujube pit in infant-2



ALL

IMAGES

VIDEOS

67 Results

Any time ▼

Adaptive Zoom



Full text of "Journal of the Medical Association of the ...

<https://archive.org/stream/journalofmedical1919...> ▼

An icon used to represent a menu that can be toggled by interacting with this icon.

Full text of "St. Louis medical and surgical journal"

archive.org/stream/stlouismedicala07unkngoog/st... ▼

An icon used to represent a menu that can be toggled by interacting with this icon.

Factors predictive of risk for complications in patients ...

https://www.researchgate.net/publication/51019805_Factors_predictive_of_risk_for...

The frequency of severe complications, such as an esophageal perforation or **abscess due** to an **ingested** fish bone, was reported to be 0.3% (3). ... Endoscopic Ultrasound-guided Drainage of a ...

Proposal for methods of diagnosis of fish bone foreign ...

<https://www.researchgate.net/publication/276150628...>

Large diameter of the **jujube pit** constituting the esophageal foreign body (≥ 25 mm) and long duration between **pit** ingestion and presentation (> 12 h) were associated with increased complications ...

Port Manteaux Word Maker - OneLook

<https://www.onelook.com/pm> ▼

Port Manteaux churns out silly new words when you feed it an idea or two. Enter a word (or two) above and you'll get back a bunch of portmanteaux created by jamming together words that are conceptually related to your inputs.. For example, enter "giraffe" and you'll get ...



Perianorectal abscesses and fistula due to ingested jujube pit in info



ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

9,720 Results

Any time ▾

[Multicenter investigation of pediatric gastrointestinal ...](#)

<https://link.springer.com/article/10.1186/s12887-020-1990-9> ▾

Feb 28, 2020 · To describe the incidence and management of gastrointestinal tract Buckyball magnets ingestions in a multicenter Chinese pediatric patient population, and discuss the preventive measures. Medical records of 74 pediatric patients from 9 large Chinese hospitals during the past 10 years, who were diagnosed as buckyball magnets **ingestion** and got invasive treatment, were retrospectively ...

Author: Kai Wang, Dan Zhang, Xianling Li, Ze... **Publish Year:** 2020

[Imaging Foreign Bodies: Ingested, Aspirated, and Inserted ...](#)

<https://www.researchgate.net/publication/281352522...>

There is a significant female predominance in **ingestion** of **jujube pits** (65.5%, $P = .005$). The most common symptoms were odynophagia (49.2%) and sore throat (47.7%). The majority (96.8%) of FB ...

[Complications of Foreign Bodies in the Esophagus](#)

<https://www.researchgate.net/publication/12251048...>

There is a significant female predominance in **ingestion** of **jujube pits** (65.5%, $P = .005$). The most common symptoms were odynophagia (49.2%) and sore throat (47.7%). The majority (96.8%) of FB ...

[Proposal for methods of diagnosis of fish bone foreign ...](#)

<https://www.researchgate.net/publication/276150628...>

The prevalence of a **jujube pit** as an esophageal foreign body has increased in the Jiaodong Peninsula. ... **Case reports** were included, since they high-lightened rare and serious complications ...

[Foreign Bodies in the Gastrointestinal Tract and Anorectal ...](#)

https://www.researchgate.net/publication/51072224_Foreign_Bodies_in_the...

There is a significant female predominance in **ingestion** of **jujube pits** (65.5%, $P = .005$). The most common symptoms were odynophagia (49.2%) and sore throat (47.7%). The majority (96.8%) of FB ...

[Magnet-associated intestinal perforation results in a new ...](#)

https://www.researchgate.net/publication/228063919_Magnet-associated_intestinal...

However for the remaining 20% patients who have fish bones, **jujube pits**, batteries, or magnets ingestions, active intervention is needed. Unlike other foreign bodies, **ingested** magnets can catch