

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 56817

Manuscript Type: OPINION REVIEW

Special features of SARS-CoV2 in daily practice

Charitos IA *et al.* SARS-CoV2 healthcare management

### Abstract

The <sup>14</sup>severe acute respiratory syndrome-coronavirus-2 (commonly known as SARS-CoV-2) is a novel <sup>41</sup>coronavirus (designated as 2019-nCoV), which was isolated for the first time after the Chinese health authorities reported a cluster of pneumonia cases in Wuhan, China in December 2019. Optimal management of the Coronavirus Disease-2019 disease is evolving quickly and treatment guidelines, based on scientific evidence

### Match Overview

1	Internet 214 words crawled on 01-Jun-2020 <a href="https://files.covid19treatmentguidelines.nih.gov">files.covid19treatmentguidelines.nih.gov</a>	4%
2	Internet 187 words crawled on 01-May-2020 <a href="https://www.publicnow.com">www.publicnow.com</a>	3%
3	Internet 79 words crawled on 20-Aug-2020 <a href="https://raw.githubusercontent.com">raw.githubusercontent.com</a>	1%
4	Internet 70 words crawled on 28-Apr-2020 <a href="https://relief.unboundmedicine.com">relief.unboundmedicine.com</a>	1%
5	Internet 65 words crawled on 02-Jul-2020 <a href="https://www.ncbi.nlm.nih.gov">www.ncbi.nlm.nih.gov</a>	1%
6	Internet 64 words crawled on 12-May-2020 <a href="https://www.cdc.gov">www.cdc.gov</a>	1%
7	Internet 61 words crawled on 12-Jun-2020 <a href="https://www.researchsquare.com">www.researchsquare.com</a>	1%



国内版

国际版

Chat with Bing

Special features of SARS-Cov2 in daily practice



Sign in



ALL

IMAGES

VIDEOS

1,650,000 Results

Any time

## Asymptomatic Spread of SARS-CoV-2 in a Nursing Home

<https://www.jwatch.org/na51462/2020/05/06/...>

May 06, 2020 · Nursing homes are now recognized as niduses of infection with SARS-CoV-2. On February 29, 2020, because of known COVID-19 in their area, a nursing home in King County, Washington, instituted enhanced infection control measures and soon identified a resident and staff member who were infected.

## Serological testing for SARS-CoV-2 antibodies | American ...

<https://www.ama-assn.org/delivering-care/public...>

**Cross-reactivity:** While this may not be true of all serology tests for **SARS-CoV-2**, **cross-reactivity** has been a noted concern among some offered tests. **Cross-reactivity** occurs when a test for antibodies for **SARS-CoV-2** identifies not only antibodies for this virus, but also for other coronaviruses, such as those causing the common cold.

## COVID-19 Obstetric Practice Recommendations

<https://www.jwatch.org/na51340>

If the nucleic acid SARS-CoV-2 tests were sufficiently available, the support person with symptoms of a viral upper respiratory infection would have such testing. For pregnant women with COVID-19, betamethasone administration should be limited to those at high risk for preterm delivery within 7 days

## Search Tools

Turn off Hover Translation (关闭取词)

Andrea Ballini

发给 m.liu

2020-08-28 06:20 隐藏信息

发件人: Andrea Ballini <andrea.ballini@uniba.it>

收件人: m.liu <m.liu@wjgnet.com>

时间: 2020年8月28日 (周五) 06:20

大小: 367 KB

 56817-Manuscript-File-re... (255 KB)

Dear Dr. Liu,

thank you very much for your kind e-mail. Please find, in the attached file, the re-checked version (minimal changes underlined in blue) of the manuscript in object.

Thanks again and best regards,

Andrea Ballini

BPG Editorial Office <[editorialoffice@wjgnet.com](mailto:editorialoffice@wjgnet.com)> ha scritto:



2,880,000 Results

Any time ▼

## [Dermatologists and SARS-CoV-2: The Impact of the Pandemic ...](#)

<https://pubmed.ncbi.nlm.nih.gov/32320091>

The ongoing SARS-CoV-2 pandemic is having a huge impact on dermatological practice including the **marked reduction of face-to-face consultations** in favour of **teledermatology**, the uncertainties concerning the outcome of COVID-19 infection in patients with common inflammatory disorders such as psoriasis or atopic dermatitis receiving immunosuppressive/immunomodulating systemic therapies; ...

**Cited by:** 14

**Author:** P. Gisondi, S. Piaserico, A. Conti, L. Naldi

**Publish Year:** 2020

## [Considerations for SARS-CoV-2 PCR diagnostic testing ...](#)

<https://www.ama-assn.org/delivering-care/public...> ▼

Aug 20, 2020 - Individuals should seek testing for **SARS-CoV-2** when they have a medical need for that test, meaning that they are demonstrating symptoms of COVID-19, they have a known exposure to COVID-19, they need a test before seeing a physician or getting a procedure or they are a health care professional that may have had exposure or risks exposing others.

## [Infection Control: Severe acute respiratory syndrome ...](#)

<https://www.cdc.gov/coronavirus/2019-ncov/hcp/...> ▼

Jul 15, 2020 - Create a Process to Respond to **SARS-CoV-2** Exposures Among HCP and Others  
Healthcare facilities should have a process for notifying the health department about suspected or confirmed cases of **SARS-CoV-2** infection, and should establish a plan, in consultation with local public health authorities, for how exposures in a healthcare facility will be ...

## [SARS-CoV-2 in Aerosols - NEJM Journal Watch](#)

<https://www.jwatch.org/na51479/2020/05/04/sars-cov-2-aerosols> ▼

May 04, 2020 - In our efforts to prevent the spread of **SARS-CoV-2**, a critical question to answer is how the virus is transmitted. If it acts like the SARS coronavirus, the MERS coronavirus, and other respiratory viruses, **SARS-CoV-2** would spread primarily through large droplets and environmental contamination.

**Author:** Richard T. Ellison

**Publish Year:** 2020

## [What Role Do Children Play in Household Transmission of ...](#)

<https://www.jwatch.org/na52000> ▼