

Match Overview

1	Internet 28 words crawled on 04-Nov-2018 thieme-connect.de	1%
2	Internet 18 words crawled on 12-Aug-2020 tcr.amegroups.com	1%
3	Crossref 11 words S.C. Wentz, C. Shi. "Pancreatic Cancer and Its Precursor Lesions", Elsevier BV, 2014	1%

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 56977

Manuscript Type: CASE REPORT

Traumatic neuroma of remnant cystic duct mimicking duodenal subepithelial tumor:

A case report

Dong-Hwan Kim, Ji-Ho Park, Jin-Kyu Cho, Jung-Wook Yang, Tae-Han Kim, Sang-Ho Jeong, Young-Hye Kim, ²Young-Joon Lee, Soon-Chan Hong, Eun-Jung Jung, Young-Tae Ju, Chi-Young Jeong, Ju-Yeon Kim



Traumatic Neuroma of Remnant Cystic Duct Mimick



Sign in



ALL

IMAGES

VIDEOS

284,000 Results

Any time ▾

Amputation neuroma derived from a remnant cystic duct 30 ...

<https://www.researchgate.net/publication/336476423...>

Amputation neuroma derived from a **remnant cystic duct** 30 years after **cholecystectomy**: A **case report** Article (PDF Available) in International Journal of **Surgery Case Reports** 64 · October 2019 with ...

Search Tools

Turn off Hover Translation (关闭取词)

Remnant cystic duct adenocarcinoma presenting as gastric ...

<https://academic.oup.com/jscr/article/2016/5/rjw045/2522540> ▾

May 06, 2016 · The presented **case of remnant cystic duct** carcinoma with invasion to pylorus and bulbus of **duodenum** leading to gastric outlet obstruction was the first of its kind. We reviewed all cases of **remnant cystic duct** carcinoma that we found in the literature and summarized its definition, presentation, extent of invasion and clinical outcome after ...

Author: Samuel Tsoon Wuan Lo, Yue Cheng, ... **Publish Year:** 2016

Review of imaging in post-laparoscopy cholecystectomy ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5761176>

Calculi in the **cystic duct remnant** accounts for less than 2.5% of the **cases**. Patients usually present with symptoms of biliary colic. Typically, **cystic duct stump remnant** is defined as **residual cystic duct stump length** greater than 1 cm. A **cystic duct measuring** >5 ...

国内版

国际版



Traumatic neuroma of remnant cystic duct mimicking duodenal subepith



Sign in



ALL

IMAGES

VIDEOS

57,700 Results

Any time ▼

Amputation neuroma derived from a remnant cystic duct 30 ...

<https://www.researchgate.net/publication/336476423...>

Oct 01, 2019 · Amputation **neuroma** derived from a **remnant cystic duct** 30 years after cholecystectomy: **A case report** Article (PDF Available) in International Journal of Surgery **Case Reports** 64 · October 2019 with ...

(PDF) Traumatic Neuroma around the Celiac Trunk after ...

<https://www.researchgate.net/publication/6283015...>

Traumatic neuromas occurring in the abdomen, however, are rare. In the abdominal region, **traumatic neuromas** occur in the **cystic duct** stump and the common bile ducts as well as around the celiac trunk.

[Amputation neuroma mimicking common bile duct cancer: ...

<https://www.researchgate.net/publication/23658359...>

Amputation neuroma or **traumatic neuroma** is a **tumor-like secondary hyperplasia** that may develop after an accidental or **surgical trauma**. **Amputation neuroma** of the **bile duct** has occasionally been...

Search Tools

Turn off Hover Translation (关闭取词)



132,000 Results Any time ▾

Amputation neuroma derived from a remnant cystic duct 30 ...

<https://www.researchgate.net/publication/336476423...>

Oct 01, 2019 - Amputation **neuroma** arising from a **remnant cystic duct** after cholecystectomy is rare. Herein, we present a **case** of amputation **neuroma** derived from a **remnant cystic duct** along with a ...

Remnant cystic duct adenocarcinoma presenting as gastric ...

<https://academic.oup.com/jscr/article/2016/5/rjw045/2522540> ▾

May 06, 2016 - This is the first report of **remnant cystic duct carcinoma** presenting with gastric outlet obstruction with invasion to the pylorus and **proximal duodenum**. The anatomical relations of the **cystic duct** make it easy to see how a **remnant cystic duct carcinoma** can invade to the biliary tract, stomach, **duodenum** [1, 4] and hepatic/transverse colon .

Author: Samuel Tsoon Wuan Lo, Yue Cheng, ... **Publish Year:** 2016

Intrapancreatic Distal Common Bile Duct Carcinoma

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5598556>

Other incidental observations, each seen o, included pancreas divisum, squamoid **cyst** of the pancreatic **duct**, **duodenal** lymphangioma, **duodenal** well-differentiated neuroendocrine **tumor**, and **traumatic neuroma** adjacent to and involved by the DCBDC.

Cited by: 10 **Author:** Raul S. Gonzalez, Pelin Bagci, Olca Bast...

Publish Year: 2016

(PDF) Amputation neuroma mimicking lymph node metastasis ...

<https://www.researchgate.net/publication/321759390...>

PDF | Background: Amputation **neuromas** (ANs) are reactive hyperplasia of nerve tissues that occur after a **trauma** or surgery involving the peripheral... | Find, read and cite all the research you ...

Tumors and Tumor-Like Lesions of the Schwann Cell Lineage ...

https://link.springer.com/referenceworkentry/10.1007/978-3-319-26956-6_68 ▾

Oct 20, 2016 - Ianelli A, Fabiani P, Karimjee BS, Converset S, Saint-Paul MC, Gugenheim J (2003) **Traumatic neuroma** of the **cystic duct** with biliary obstruction. **Report of a case**. Acta Gastroenterol Belg 66:28–29 Google Scholar