

Letter to the editor: Peliosis hepatis complicated by por



ALL

IMAGES

VIDEOS

9,460 Results

Any time ▾

[PDF] LETTER TO THE EDITOR DECITABINE FOR ACUTE MYELOID ...<https://journals.sagepub.com/doi/pdf/10.1177/1721727X1100900310>

A 66 year-old male with diabetes, **hypertension** and chronic **renal** failure underwent **renal transplantation** in 1998. He received daclizumab, prednisone, cyclosporine A, and mycophenolate mofetil but still experienced graft rejection in 2002. Immunosuppressive agents were discontinued and hemodialysis was instituted. He was then otherwise

Letter to the Editor: Suggestions for Rational Management ...<https://aasldpubs.onlinelibrary.wiley.com/doi/pdf/10.1002/hep.30797>

Difficult & **Complicated** Liver Diseases and Artificial Liver Center, Beijing Youan Hospital, Capital Medical University, Beijing, China Search for more papers by this author Huaibin Zou M.D.

Author: Lei Luo, Lei Luo, Huaibin Zou, Sujun ... **Publish Year:** 2019

Alloimmune hepatitis following peripheral stem cell ...<https://www.nature.com/articles/1705646>

Mar 19, 2007 · bone marrow **transplantation**; **letter** to the **editor**; ... that developed in a patient **following** ... with Cushingoid facies and without stigmata of chronic liver disease or **portal hypertension** ...

Cited by: 10

Author: Shahid Habib, M. A. Nalesnik, J. Ahmad...

Publish Year: 2007

Portal vein stenosis following living donor liver ...https://www.researchgate.net/publication/23570561_Portal_vein_stenosis_following

..

Portal vein stenosis **following** living donor liver **transplant**: Manifestations and **management**: **Letter** to the **Editor** Article in Transplant International 22(4):496-9 · April 2009 with 34 Reads

[PDF] Letter to the Editor Acute postoperative visual loss ...

Peliosis hepatis complicated by portal hypertension following renal trans



Sign in



ALL

IMAGES

VIDEOS

28,100 Results

Any time ▾

[Peliosis hepatis complicated by portal hypertension ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3942847)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3942847>

Mar 07, 2014 · In some cases, PH may induce **intraperitoneal hemorrhage and portal hypertension**. This study analyzed a 46-year-old male who received a **transplanted kidney** nine years prior and had undergone long-term **immunosuppressive therapy following the renal transplantation**.

Cited by: 6

Author: Chia-Ying Yu, Liang-Che Chang, Li-Wei ...

Publish Year: 2014

[Peliosis hepatis: Personal experience and literature review](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4674738)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4674738>

Dec 14, 2015 · **Peliosis hepatis (PH)** is a disease characterized by multiple and small, blood-filled cysts within the parenchymatous organs. PH is a very rare disease, more common in adults, and when it affects the liver, it comes to the surgeon's attention only in an extremely urgent situation after the lesion's rupture with the resulting **hemoperitoneum**.

Cited by: 15

Author: Daniele Crocetti, Andrea Palmieri, Giuse...

Peliosis hepatis

Uncommon Vascular Condition

Peliosis hepatis is an uncommon vascular condition characterised by multiple, randomly distributed, blood-filled cavities throughout the liver. The size of the cavities usually ranges between a few millimetres and 3 cm in diameter. In the past, it was a mere histological curiosity occasionally found at autopsies, but has been increasingly recognised with wide-ranging conditions from AIDS to the use of anabolic steroids. It also occasionally affects spleen, lymph nodes, lungs, kidneys, adrenal glands, bone marrow, and other parts of gastrointestinal tract

Match Overview

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 57023

Manuscript Type: LETTER TO THE EDITOR

Peliosis hepatis complicated by portal hypertension following renal transplantation

Grigory Demyashkin, Margarita Zatsepina

Abstract

Peliosis hepatis is a rare benign disease, but in last years the number of identified cases has increased. This disease is known to be sometimes accompanied by hepatocellular carcinoma. In the recent article, Yu *et al* describe a case of liver peliosis, characterized by an increased proliferative index. Therefore, additional diagnosis of patients should

There are no matching sources for this report.



Peliosis hepatitis complicated by portal hypertension following renal



ALL

IMAGES

VIDEOS

25,900 Results

Any time ▾

Peliosis hepatitis complicated by portal hypertension ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3942847>

Mar 07, 2014 · In some cases, PH may induce intraperitoneal hemorrhage and portal hypertension. This study analyzed a 46-year-old male who received a transplanted kidney nine years prior and had undergone long-term immunosuppressive therapy following the renal transplantation.

Cited by: 6

Author: Chia-Ying Yu, Liang-Che Chang, Li-Wei C...

Publish Year: 2014

Peliosis hepatitis: Personal experience and literature review

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4674738>

Dec 14, 2015 · Peliosis hepatitis (PH) is a disease characterized by multiple and small, blood-filled cysts within the parenchymatous organs. PH is a very rare disease, more common in adults, and when it affects the liver, it comes to the surgeon's attention only in an extremely urgent situation after the lesion's rupture with the resulting hemoperitoneum.

Cited by: 15

Author: Daniele Crocetti, Andrea Palmieri, Giusep...

Publish Year: 2015

PEOPLE ALSO ASK

What are the complications of peliosis hepatitis? ▾

Is peliosis hepatitis malignancy? ▾

Can peliosis hepatitis occur? ▾

What is hepatitis parietalis? ▾

[Feedback](#)

[PDF] Peliosis hepatitis in recipients of renal transplants ...

<https://www.semanticscholar.org/paper/Peliosis...>

Peliosis hepatitis, an uncommon liver lesion characterised by blood-filled cavities bordered by hepatocytic plates, was found in 12 patients three to 17 months after renal transplantation.