

## Match Overview

1	Internet 22 words crawled on 19-Jun-2019 <a href="http://www.professionalabstracts.com">www.professionalabstracts.com</a>	1%
2	Internet 20 words crawled on 22-Dec-2019 <a href="http://insights.ovid.com">insights.ovid.com</a>	1%
3	Internet 15 words <a href="http://link.springer.com">link.springer.com</a>	1%
4	Internet 13 words crawled on 09-Sep-2020 <a href="http://bmcophthalmol.biomedcentral.com">bmcophthalmol.biomedcentral.com</a>	1%
5	Crossref 12 words "Waldenström's Macroglobulinemia", Springer Science and Business Media LLC, 2017	1%

**Name of Journal:** *World Journal of Clinical Cases*

**Manuscript NO:** 57153

**Manuscript Type:** CASE REPORT

**Optical coherence tomography angiography characteristics in Waldenström  
macroglobulinemia retinopathy: A case report**

Li J *et al.* Optical coherence tomography angiography and Waldenström  
macroglobulinemia retinopathy

Jun Li, Rui Zhang, Feng Gu, Zhe-Li Liu, Peng Sun



ALL

IMAGES

VIDEOS

9,430 Results

Any time ▾

Including results for **optical coherence tomography angiography characteristics in waldenstrom's macroglobulinemia retinopathy a case report**.

Do you want results only for Optical Coherence Tomography Angiography Characteristics in Waldenström's Macroglobulinaemia Retinopathy: A case report ?

### Serous Macular Detachment in Waldenström ...

<https://entokey.com/serous-macular-detachment-in...> ▾

Jan 09, 2017 · Rarely, patients with Waldenström macroglobulinemia and hyperviscosity-related retinopathy develop **serous macular detachment**. This condition has been previously described in case reports, 2 of which included time-domain optical coherence tomography (OCT) imaging. We report a series of 8 eyes of 4 patients with Waldenström macroglobulinemia and hyperviscosity syndrome who ...

### Serous macular detachment in Waldenström ...

<https://www.ncbi.nlm.nih.gov/pubmed/23218691>

angiography (FA) and OCT. RESULTS: Four patients (8 eyes) with Waldenström macroglobulinemia and serous retinal detachment were identified. All eyes had varying degrees of venous stasis retinopathy and intraretinal edema overlying the macular detachment. Three patients had no FA leakage, while 1 patient had macular leakage in a petaloid

Cited by: 21

Author: Paul S. Baker, Sunir J. Garg, Mitchell S. ...

Publish Year: 2013

### Serous Macular Detachment in Waldenström ...

<https://www.sciencedirect.com/science/article/pii/S0002939412006484>

Mar 01, 2013 · Optical coherence tomography demonstrates **intraretinal edema** and a **small area of subfoveal fluid** in each eye (Bottom row). The patient's blood pressure was 110/70. Systemic evaluation revealed mild anemia, normal fasting blood glucose, and no carotid stenosis. SPEP was abnormal, with an elevated M (IgM) spike of 6200 mg/dL.

Cited by: 21

Author: Paul S. Baker, Sunir J. Garg, Mitchell S. ...

Publish Year: 2013

### Serous Macular Detachment in Waldenstrom ...

<https://www.researchgate.net/publication/233876797...>

Aug 25, 2020 · Waldenstrom's macroglobulinemia (WM) is a lymphoplasmacytic lymphoma characterized by an **overproduction of monoclonal IgM**. 1 Increased serum viscosity from the

Optical coherence tomography angiography characteristics in Waldenstrom



ALL

IMAGES

VIDEOS

8,570 Results

Any time ▼

Including results for optical coherence tomography angiography characteristics in **waldenstrom** macroglobulinemia retinopathy a case report.

Do you want results only for Optical coherence tomography angiography characteristics in Waldenström macroglobulinemia retinopathy: A case report?

## Serous macular detachment in Waldenström ...

<https://www.ncbi.nlm.nih.gov/pubmed/23218691>

angiography (FA) and OCT. RESULTS: Four patients (8 eyes) with Waldenström macroglobulinemia and serous retinal detachment were identified. All eyes had varying degrees of **venous stasis retinopathy** and **intraretinal edema** overlying the macular detachment. Three patients had no FA leakage, while 1 patient had macular leakage in a petaloid

**Cited by:** 21

**Author:** Paul S. Baker, Sunir J. Garg, Mitchell S. Fin...

**Publish Year:** 2013

## Spectral-domain optical coherence tomography of retinal ...

<https://www.researchgate.net/publication/335235946...>

To report characteristic optical coherence tomography (OCT) patterns as a guide in diagnosis of Waldenstrom macroglobulinemia in a patient presenting with bilateral vision loss.

## Waldenstrom Macroglobulinemia-Associated Retinopathy

[webeye.ophth.uiowa.edu/eyeforum/cases/216-Waldenstrom-retinopathy.htm](http://webeye.ophth.uiowa.edu/eyeforum/cases/216-Waldenstrom-retinopathy.htm) ▼

Aug 21, 2015 · **Waldenstrom macroglobulinemia** is a rare disease with an incidence of 3 cases per million people per year in the US. This results in roughly 1,000 to 1,500 new diagnoses each year. The major risk factors are male gender, Caucasian race, and age over 60 (4).

## Serous Macular Detachment in Waldenström ...

<https://entokey.com/serous-macular-detachment-in...> ▼

Jan 09, 2017 · Rarely, patients with Waldenström macroglobulinemia and hyperviscosity-related



ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

4,300 Results

Any time ▼

Including results for optical coherence tomography angiography characteristics in **waldenstrom's** macroglobulinemia retinopathy a case report.

Do you want results only for Optical coherence tomography angiography characteristics in Waldenström macroglobulinemia retinopathy: A case report?

### Serous macular detachment in Waldenström macroglobulinemia ...

<https://www.ncbi.nlm.nih.gov/pubmed/23218691>

Data collection included clinical examination, as well as findings on **fluorescein angiography (FA)** and OCT. RESULTS: **Four patients (8 eyes) with Waldenström macroglobulinemia and serous retinal detachment were identified.** All eyes had varying degrees of venous stasis retinopathy and intraretinal edema overlying the macular detachment.

Cited by: 21

Author: Paul S. Baker, Sunir J. Garg, Mitchell S. ...

Publish Year: 2013

### Serous Macular Detachment in Waldenström Macroglobulinemia ...

<https://entokey.com/serous-macular-detachment-in...> ▼

Jan 09, 2017 · Rarely, patients with Waldenström macroglobulinemia and hyperviscosity-related retinopathy develop **serous macular detachment**. This condition has been previously described in case reports, 2 of which included time-domain optical coherence tomography (OCT) imaging. We report a series of 8 eyes of 4 patients with Waldenström macroglobulinemia and hyperviscosity syndrome who ...

### Spectral-domain optical coherence tomography of retinal ...

<https://www.researchgate.net/publication/335235946...>

To report characteristic optical coherence tomography (OCT) patterns as a guide in diagnosis of **Waldenstrom macroglobulinemia** in a patient presenting with bilateral vision loss.

### Waldenstrom Macroglobulinema-Associated Retinopathy

<webeye.ophth.uiowa.edu/eyeforum/cases/216-Waldenstrom-retinopathy.htm> ▼

Aug 21, 2015 · **Waldenstrom macroglobulinemia** is a rare disease with an incidence of 3 cases per million people per year in the US. This results in roughly 1,000 to 1,500 new diagnoses each year. The major risk factors are male gender, Caucasian race, and age over 60 (4).