

**5**  
**Name of Journal:** *World Journal of Clinical Cases*

**Manuscript NO:** 57348

**Manuscript Type:** CASE REPORT

**Catastrophic vertebral artery and subclavian artery pseudoaneurysms caused by a fishbone: A case report and literature review**

Huang W *et al.* Two successive pseudoaneurysms caused by fishbone

Wei Huang, Guang-Qiang Zhang, Jian-Jun Wu, Bin Li, Shu-Gao Han, Ming Chao, Kai Jin

## Abstract

### BACKGROUND

Fishbones are the most common cause of oesophageal foreign bodies and tend to

## Match Overview

<b>1</b>	<b>Internet</b> 50 words crawled on 08-Jun-2019 <a href="http://www.wjgnet.com">www.wjgnet.com</a>	<b>3%</b>
<b>2</b>	<b>Internet</b> 28 words crawled on 25-Oct-2018 <a href="http://www.ant-tnsjournal.com">www.ant-tnsjournal.com</a>	<b>2%</b>
<b>3</b>	<b>Internet</b> 24 words crawled on 13-Apr-2016 <a href="http://www.ijcem.com">www.ijcem.com</a>	<b>1%</b>
<b>4</b>	<b>Internet</b> 15 words crawled on 07-Aug-2020 <a href="http://www.spandidos-publications.com">www.spandidos-publications.com</a>	<b>1%</b>
<b>5</b>	<b>Internet</b> 14 words crawled on 15-Feb-2020 <a href="http://f6publishing.blob.core.windows.net">f6publishing.blob.core.windows.net</a>	<b>1%</b>
<b>6</b>	<b>Internet</b> 11 words <a href="http://s3.amazonaws.com">s3.amazonaws.com</a>	<b>1%</b>



国内版

国际版

Catastrophic vertebral artery and subclavian artery pseudoaneu



ALL

IMAGES

VIDEOS

3,380 Results

Any time ▾

## Left Subclavian Artery Pseudoaneurysm after a Traffic ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4010066>

The left subclavian artery pseudoaneurysm is a rare entity with few cases reported in the literature. Most injuries were related to **iatrogenic manipulation with catheters for canalization of central lines**. In rare cases, this injury has been described secondary to a blunt trauma.

**Cited by:** 4

**Author:** J. Enamorado-Enamorado, J. J. Egea-G...

**Publish Year:** 2011

## Left Subclavian Artery Pseudoaneurysm after a Traffic ...

<https://www.hindawi.com/journals/cricc/2011/451819> ▾

The left **subclavian artery** pseudoaneurysm is a rare entity with few cases reported in the **literature**. Most injuries were related to iatrogenic manipulation with catheters for canalization of central lines. In rare cases, this injury has been described secondary to a blunt trauma. We present an unusual **case** of pseudoaneurysm that includes the origin of left **subclavian artery** in the ...

**Cited by:** 4

**Author:** J. Enamorado-Enamorado, J. J. Egea-G...

**Publish Year:** 2011

## Left Subclavian Artery Pseudoaneurysm after a Traffic ...

[europepmc.org/articles/PMC4010066](http://europepmc.org/articles/PMC4010066)

The **subclavian artery** lesions are rare and potentially **catastrophic** representing less than 5% of all vascular lesions. The vast majority of the **subclavian artery** lesions are the result from penetrating trauma, and approximately 25% of these injuries are **caused** by blunt trauma.

## (PDF) A traumatic pseudoaneurysm of the vertebral artery

[https://www.researchgate.net/publication/49942411\\_A\\_traumatic\\_pseudoaneurysm\\_of\\_the...](https://www.researchgate.net/publication/49942411_A_traumatic_pseudoaneurysm_of_the...)

This case report describes a **traumatic pseudoaneurysm arising** from the **right V4 segment of the vertebral artery**, near the origin of the posterior inferior **cerebellar artery**.



国内版

国际版

Catastrophic vertebral artery and subclavian artery pseudoaneurysm

Sign in

ALL

IMAGES

VIDEOS

5,120 Results

Any time ▾

Left Subclavian Artery Pseudoaneurysm after a Traffic ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4010066>

The first reported **case** of endovascular repair of a **subclavian artery** was in an attempt to prevent massive bleeding by iatrogenic perforation. This type of approach is currently being used to exclude **pseudoaneurysms**. However, experience in **subclavian** arteries remains limited because of ...

**Cited by:** 4      **Author:** J. Enamorado-Enamorado, J. J. Egea-Gu...  
**Publish Year:** 2011

(PDF) A traumatic pseudoaneurysm of the vertebral artery

<https://www.researchgate.net/publication/49942411...>

We **report a case** where a pseudoaneurysm of the cervical **vertebral artery** was excluded by placement of two covered stents, preserving patency of the parent **artery**, in a 15-year-old patient. Read ...

Left Subclavian Artery Pseudoaneurysm after a Traffic ...

[https://www.hindawi.com/journals/cricc/2011/451819 ▾](https://www.hindawi.com/journals/cricc/2011/451819)

The left **subclavian artery** pseudoaneurysm is a rare entity with few cases reported in the **literature**. Most injuries were related to iatrogenic manipulation with catheters for canalization of central lines. In rare cases, this injury has been described secondary to a blunt trauma. We present an unusual **case** of pseudoaneurysm that includes the origin of left **subclavian artery** in the context of ...

**Cited by:** 4      **Author:** J. Enamorado-Enamorado, J. J. Egea-Gu...  
**Publish Year:** 2011

Left Subclavian Artery Pseudoaneurysm after a Traffic ...

See results for

Pseudoaneurysm

A pseudoaneurysm, also known as a false aneurysm, is a collection of blood that forms between the two outer layers of an artery, the tunica me...

Search Tools

Turn off Hover Translation (关闭取词)





ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

14,300 Results

Any time ▾

### [Left Subclavian Artery Pseudoaneurysm after a Traffic ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4010066>

The first reported **case** of endovascular repair of a **subclavian artery** was in an attempt to prevent massive bleeding by iatrogenic perforation. This type of approach is currently being used to exclude **pseudoaneurysms**. However, experience in **subclavian** arteries remains limited because of ...

Cited by: 4

Author: J. Enamorado-Enamorado, J. J. Egea-Gu...

Publish Year: 2011

### [\[PDF\] Can a routine, bedside procedure result in a catastrophe ...](#)

[https://heljves.com/gallery/vol\\_1\\_issue\\_3\\_2019\\_10.pdf](https://heljves.com/gallery/vol_1_issue_3_2019_10.pdf)

**Case** description: We **report** a rare **case** of two concurrent left **subclavian artery pseudoaneurysms**, secondary to a complicated left **subclavian** vein catheterization. The first became apparent at the time of catheter removal and was treated by percutaneous thrombin injection while the second became obvious only 7-days later, after causing compressive

### [Left Subclavian Artery Pseudoaneurysm after a Traffic ...](#)

<https://www.hindawi.com/journals/cricc/2011/451819> ▾

The left **subclavian artery** pseudoaneurysm is a rare entity with few cases reported in the literature. Most injuries were related to iatrogenic manipulation with catheters for canalization of central lines. In rare cases, this injury has been described secondary to a blunt trauma. We present an unusual **case** of pseudoaneurysm that includes the origin of left **subclavian artery** in the context of ...

Cited by: 4

Author: J. Enamorado-Enamorado, J. J. Egea-Gu...

Publish Year: 2011

### [Left Subclavian Artery Pseudoaneurysm after a Traffic ...](#)

[europepmc.org/articles/PMC4010066](https://europepmc.org/articles/PMC4010066)

The **subclavian artery** lesions are rare and potentially **catastrophic** representing less than 5% of all vascular lesions. The vast majority of the **subclavian artery** lesions are the result from penetrating trauma, and approximately 25% of these injuries are **caused** by blunt trauma.

### [\[PDF\] s c u l a r Medi Journal of Vascular V a S J Medicine ...](#)

<https://www.longdom.org/open-access/successful-treatment-of-iatrogenic-vertebral...>