

国内版

国际版

Metabolic syndrome and liver disease in the era of bariatric surgery: Wha

Chat with Bing

Sign in

ALLIMAGESVIDEOS

89,100 ResultsAny time

Bariatric Surgery - Metabolic Syndrome

https://bariatric.surgery.ucsf.edu/conditions...

Metabolic Risk Factors

Overview

Outlook

The five conditions described below are metabolic risk factors. You can have any one of these risk factors by itself, but they tend to occur together. You must have at least three metabolic risk factors to be diagnosed with metabolic syndrome. 1. A large waistline. This also is called abdominal obesity or \"having an apple shape.\" Excess fat in the abdominal area is a greater risk factor for heart disease than excess fat in other parts of the body, such as on the hips. 2. A high triglyceride l...

See more on bariatric.surgery.ucsf.edu

Metabolic Syndrome and Bariatric Surgery

https://www.news-medical.net/health/Metabolic...

Feb 26, 2019 • \"Metabolic syndrome\" is the collective term for the health factors that increase the risk of metabolic conditions such as heart disease, stroke, diabetes, non-alcoholic fatty liver disease and ...

The Role of Bariatric Surgery in the Management of ...

Bariatric Surgery

Medical Specialty

A surgery that helps reduce food consumption and help weight loss by removing a part of stomach thereby reducing its size.

Type of procedure: Minimally invasive

Recovery time: Can take several weeks

Duration: Few hours

Hospital stay: Typically a few days

May treat

Obesity

Very common

Obesity is a medical condition in which excess body fat has

...



国内版

国际版

Metabolic syndrome and liver disease in the era of bariatric surgery: Wh



Sign in



ALL

IMAGES

VIDEOS

609,000 Results

Any time

General Surgery - Metabolic Syndrome

<https://generalsurgery.ucsf.edu/conditions...>

Metabolic Risk Factors

Overview

Outlook

The five conditions described below are metabolic risk factors. You can have any one of these risk factors by itself, but they tend to occur together. You must have at least three metabolic risk factors to be diagnosed with metabolic syndrome. 1. A large waistline. This also is called abdominal obesity or "having an apple shape." Excess fat in the abdominal area is a greater risk factor for heart disease than excess fat in other parts of the body, such as on the hips. 2. A high triglyceride level (or you're on medicine to tr...

[See more on generalsurgery.ucsf.edu](#)

Metabolic Syndrome and Bariatric Surgery

<https://www.news-medical.net/health/Metabolic...>

Mar 16, 2017 · "Metabolic svndrome" is the collective term for the health factors that increase the risk of


Search Tools

[Turn off Hover Translation \(关闭取词\)](#)

29-Aug-2020 01:44AM

4062 words • 12 matches • 8 sources

FAQ

iThenticate®

57493-Review.docx

Quotes Excluded
Bibliography Excluded

4%
(SIMILAR)

Name of journal: *World Journal of Hepatology*

Manuscript NO: 57493

Manuscript Type: REVIEW

Metabolic syndrome and liver disease in the era of bariatric surgery: What you need to know!

Ioannis A Ziogas, Konstantinos Zapsalis, Dimitrios Giannis, Georgios Tsoulfas

Abstract

Match Overview

1

Crossref 38 words
Konbu, N., T. Psaltopoulou, N. Soupos, E. Polychronopoulou, D. Xinopoulos, A. Linos, and D. B. Panagiotakos. "Meta

1%

2

Internet 37 words
crawled on 14-Jul-2020
www.science.gov

1%

3

Crossref 38 words
Raga Chalasani, Zobair Younossi, Joel E. Lavine, Michael Charlton et al. "The diagnosis and management of nonalco

1%

4

Internet 21 words
crawled on 03-Dec-2018
asaspubs.onlinelibrary.wiley.com

<1%

5

Internet 21 words
crawled on 18-Aug-2020
en.wikipedia.org

<1%

6

Crossref 15 words
Jeffrey I. Mechanick. "AMERICAN ASSOCIATION OF CLINICAL ENDOCRINOLOGISTS, THE OBESITY SOCIETY,

<1%

7

Internet 15 words
www.ncbi.nlm.nih.gov

<1%

PAGE: 1 OF 18

Text-Only Report

国内版 国际版



Metabolic syndrome and liver disease in the era of bariatric surgery



ALL

IMAGES

VIDEOS

91,100 Results

Any time ▾

General Surgery - Metabolic Syndrome

<https://generalsurgery.ucsf.edu/conditions--procedures/metabolic-syndrome.aspx>



Metabolic Risk Factors

Overview

Outlook

The five conditions described below are metabolic risk factors. You can have any one of these risk factors by itself, but they tend to occur together. You must have at least three metabolic risk factors to be diagnosed with metabolic syndrome. 1. A large waistline. This also is called abdominal obesity or "having an apple shape." Excess fat in the abdominal area is a greater risk factor for heart disease than excess fat in other parts of the body, such as on the hips. 2. A high triglyceride level ...

[See more on generalsurgery.ucsf.edu](https://generalsurgery.ucsf.edu)

Metabolic Syndrome and Bariatric Surgery

<https://www.news-medical.net/health/Metabolic-Syndrome-and-Bariatric-Surgery.aspx>

Mar 16, 2017 · "**Metabolic syndrome**" is the collective term for the health factors that increase the risk of **metabolic** conditions such as heart **disease**, stroke, diabetes, non-alcoholic fatty **liver disease** ...

Effects of Bariatric Surgery on Liver Function Tests in ...

<https://link.springer.com/article/10.1007/s11695-016-2482-8>

Dec 13, 2016 · Nonalcoholic fatty **liver disease** (NAFLD) affects over 80% of obese patients and is fueled by the **metabolic syndrome**. Weight loss is strongly advocated as a central treatment for NAFLD and has been shown to induce histological improvement. We aimed to define the patterns of improvement in NAFLD with weight loss and determine target weight goals for NAFLD resolution.

Cited by: 19

Author: Geraldine J. Ooi, Paul R. Burton, Paul R....

Publish Year: 2017