

国内版 国际版



Managing acute appendicitis during the COVID-19 pandemic in Jiax



ALL

IMAGES

VIDEOS

5,900 Results

Any time ▾

Non-operative management of acute appendicitis in a ...

<https://www.sciencedirect.com/science/article/pii/S2213576620301469>

1. Introduction. In late December 2019, reports emerged from Wuhan, China of a novel coronavirus SARS-CoV-2, which caused severe acute respiratory distress syndrome referred to as COVID-19 []. This illness quickly spread to the United States []. As the virus spread, reports of severe perioperative complications, including fatalities, began to emerge in the literature [].

Cited by: 1

Author: Brian A. Jones, Bethany J. Slater

Publish Year: 2020

Acute Appendicitis During Coronavirus Disease 2019 (COVID ...

<https://www.sciencedirect.com/science/article/pii/S1546144020306414>

Jun 28, 2020 · During the acute COVID-19 pandemic period, the number of abdominal CT scans performed on patients suspected of having acute appendicitis decreased by 57%. A higher proportion of acute appendicitis diagnoses have been made during the acute pandemic period than in the nonquarantine period.

Author: Javier Romero, Sergio Valencia, Andre... Publish Year: 2020

Emergency surgery during the COVID-19 pandemic: what ...

<https://publishing.rcseng.ac.uk/doi/10.1308/rcsann.2020.0097>

Apr 30, 2020 · Even during the COVID-19 pandemic, NOM (ie nil by mouth, nasogastric decompression) should always be the first approach in patients with adhesive small bowel obstruction (ASBO) unless there are signs of peritonitis, strangulation or bowel ischaemia. NOM is effective in approximately 70–90% of patients with ASBO.

Cited by: 1

Author: B. de Simone, E. Chouillard, S. Di Saveri...

Publish Year: 2020

Acute cholecystitis during COVID-19 pandemic: a ...

<https://wjcs.biomedcentral.com/articles/10.1186/s13017-020-00317-0>

Jun 08, 2020 · The British Intercollegiate General Surgery Guidance on COVID-19 stated that during the COVID-19 pandemic, "whenever non-operative management is possible (such as for early appendicitis and acute cholecystitis), this should be implemented" [1].

Author: Fabio Cesare Campanile, Mauro Podd... Publish Year: 2020

国内版

国际版



Managing acute appendicitis during the COVID-19 pandemic in Jiax



ALL

IMAGES

VIDEOS

3,930 Results

Any time ▾

Non-operative management of acute appendicitis in a ...

<https://www.sciencedirect.com/science/article/pii/S2213576620301469>

Aug 01, 2020 · 1. Introduction. In late December 2019, reports emerged from Wuhan, China of a novel coronavirus SARS-CoV-2, which caused severe acute respiratory distress syndrome referred to as COVID-19 [1]. This illness quickly spread to the United States [2]. As the virus spread, reports of severe perioperative complications, including fatalities, began to emerge in the literature [3].

Cited by: 2 Author: Brian A. Jones, Bethany J. Slater

Publish Year: 2020

Emergency surgery during the COVID-19 pandemic: what you ...

<https://publishing.rcseng.ac.uk/doi/10.1308/rcsann.2020.0097>

Apr 30, 2020 · Even during the COVID-19 pandemic, NOM (ie nil by mouth, nasogastric decompression) should always be the first approach in patients with adhesive small bowel obstruction (ASBO) unless there are signs of peritonitis, strangulation or bowel ischaemia. NOM is effective in approximately 70–90% of patients with ASBO.

Cited by: 5 Author: B De Simone, E Chouillard, S Di Saverio, L P...

Publish Year: 2020

Acute cholecystitis during COVID-19 pandemic: a ...

<https://wjvs.biomedcentral.com/articles/10.1186/s13017-020-00317-0>

Jun 08, 2020 · The British Intercollegiate General Surgery Guidance on COVID-19 stated that during the COVID-19 pandemic, "whenever non-operative management is possible (such as for early appendicitis and acute cholecystitis), this should be implemented" [1].

Cited by: 1 Author: Fabio Cesare Campanile, Mauro Podda, Alb...

Publish Year: 2020

effects of COVID-19 pandemic on the provision of urgent ...

<https://academic.oup.com/jscr/article/2020/4/rjaa109/5823876>


Apr 23, 2020 · Corona virus pandemic has affected all the 50 states in the USA. States such as NY, CA and WA being the most affected. According to the CDC website, as of 28 March 2020, the total number of cases in the USA is >103 300 and number of deaths to 1668 [1]. In the coming weeks, COVID-19 rates are expected to begin skyrocketing and hit a peak in late April/May/June given lessons learned from China ...

Cited by: 2 Author: Abhiman Cheeyandira

Publish Year: 2020

Delayed diagnosis of paediatric appendicitis during the ...

<https://onlinelibrary.wiley.com/doi/full/10.1111/apa.15376>



Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 57666

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Managing acute appendicitis during the COVID-19 pandemic in Jiaying, China

Yuan Zhou, Lu-Sha Cen

Abstract

BACKGROUND

COVID-19 has been leading to a worldwide pandemic and had a profound impact on our routine surgical activities. Acute appendicitis is the most common abdominal emergency worldwide. Therefore, it is highly essential to assess the pandemic influence

Match Overview

- 1 **Crossref** 13 words
Hamilton C. Zampolli, Alejandro R. Rodriguez. "Laparoscopic and robotic urology surgery during global Pandemic COVI" <1%
- 2 **Crossref** 13 words
K. Sim, J. Veziari. "Urgent digestive surgery, a collateral victim of the COVID-19 crisis?". *Journal of Visceral Surgery*. 20 <1%
- 3 **Internet** 13 words
crawled on 02-Aug-2020
link.springer.com <1%
- 4 **Crossref** 12 words
Zlatan Zvezdic, Semir Vranic. "Decreased number of acute appendicitis cases in pediatric population during the COVID-1" <1%



国内版 国际版



Managing acute appendicitis during the COVID-19 pandemic in Ji



ALL IMAGES VIDEOS

4,620 Results Any time ▾

Non-operative management of acute appendicitis in a ...

<https://www.sciencedirect.com/science/article/pii/S2213576620301469>

Aug 01, 2020 · 1. Introduction. In late December 2019, reports emerged from Wuhan, China of a novel coronavirus SARS-CoV-2, which caused severe acute respiratory distress syndrome referred to as COVID-19 [1]. This illness quickly spread to the United States [2]. As the virus spread, reports of severe perioperative complications, including fatalities, began to emerge in the ...

Cited by: 2

Author: Brian A. Jones, Bethany J. Slater

Publish Year: 2020

Emergency surgery during the COVID-19 pandemic: what you ...

<https://publishing.rcseng.ac.uk/doi/10.1308/rcsann.2020.0097>

Apr 30, 2020 · During the COVID-19 pandemic, all efforts should be deployed in order to evaluate the feasibility of postponing surgery until the patient is no longer considered potentially infectious or at risk of perioperative complications.

Cited by: 5

Author: B De Simone, E Chouillard, S Di Saverio, ...

Publish Year: 2020

Acute cholecystitis during COVID-19 pandemic: a ...

<https://wjeb.biomedcentral.com/articles/10.1186/s13017-020-00317-0> ▾

Jun 08, 2020 · The British Intercollegiate General Surgery Guidance on COVID-19 stated that during the COVID-19 pandemic, "whenever non-operative management is possible (such as for early appendicitis and acute cholecystitis), this should be implemented" [1].

Cited by: 1

Author: Fabio Cesare Campanile, Mauro Podda, ...

Publish Year: 2020

effects of COVID-19 pandemic on the provision of urgent ...

<https://academic.oup.com/jscr/article/2020/4/rjaa109/5823876> ▾

Apr 23, 2020 · Corona virus pandemic has affected all the 50 states in the USA. States such as NY, CA and WA being the most affected. According to the CDC website, as of 28 March 2020, the total