

Match Overview

| | | |
|---|---|----|
| 1 | Crossref 33 words Shahina Bano. "Retroperitoneal lymphangiectasia—radiologic appearances, complications and management alternatives: a | 2% |
| 2 | Crossref 20 words G. H. Jones, H. R. Kalaher, N. Misra, J. Curtis, R. J. Parker. "Empyema and Respiratory Failure Secondary to Nephrople... | 1% |
| 3 | Crossref 15 words Nisar A. Wani, Tasleem Kosar, Tariq Gojwari, Umar A. Qures... i. "Perinephric Fluid Collections Due to Renal Lymphangiecta | 1% |
| 4 | Internet 12 words crawled on 19-Aug-2018 www.jove.com | 1% |

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 57860

Manuscript Type: CASE REPORT

Pleural effusion and ascites in extrarenal lymphangiectasia caused by post-biopsy hematoma: A case report

Perirenal hematoma-associated pleural effusion of lymphatic origin

Abstract

BACKGROUND

The renal system has a specific pleural effusion associated with it in the form of "urothorax", a condition where obstructive uropathy or occlusion of the lymphatic ducts leads to extravasated fluids (urine or lymph) crossing the diaphragm *via* innate perforations or lymphatic channels. As a rare disorder that may cause pleural effusion, renal lymphangiectasia is a congenital or acquired abnormality of the lymphatic system of the kidneys. Only vaguely mentioned in a report from the American Journal of



ALL

IMAGES

VIDEOS

7,490 Results

Any time ▼

Late-Onset Primary Intestinal Lymphangiectasia ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3595916>

Introduction. Primary intestinal **lymphangiectasia** (PIL), first described by Waldmann et al. in 1961,1) is a **rare** disorder characterized by dilated intestinal lacteals that **cause** leakage of the lymph into the small bowel lumen, which results in protein-losing enteropathy (PLE).2) Most patients are diagnosed with PIL in childhood. Clinical presentation of the disease includes general edema ...

Cited by: 8

Author: Kotaro Suehiro, Noriyasu Morikage, Masan...

Publish Year: 2012

Pathology of Intestinal Lymphangiectasia - Dr Sampurna Roy MD

www.histopathology-india.net/IntLymph.htm ▼

Intestinal **lymphangiectasia** (IL) is a **rare** disease characterized by severe edema, thickening of the small-bowel wall, protein-losing enteropathy, **ascites**, and **pleural effusion**. Intestinal **lymphangiectasia** is characterized by obstruction of lymph drainage from the small intestine and lacteal dilation that distorts the villus architecture.

Lymphangiectasis - an overview | ScienceDirect Topics

<https://www.sciencedirect.com/topics/medicine-and-dentistry/lymphangiectasis>

Pulmonary **lymphangiectasia** may present with respiratory distress in a newborn or in early infancy due to obstruction of the lymphatics draining the lung parenchyma. Obstruction of pulmonary lymphatics **causes** pulmonary edema and **pleural effusion**. The condition is usually bilateral and affects both lungs diffusely.

PEOPLE ALSO ASK

Can lupus cause inflammatory bowel disease?





ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

139,000 Results

Any time ▾

[Renal Lymphangiectasia: A Curious Cause of Pleural Effusion](#)

<https://www.researchgate.net/publication/291822239...>

PDF | Renal **lymphangiectasia** is a disorder of the lymphatic system of the kidneys, which can be congenital or acquired. Although the exact etiology... | Find, read and cite all the research you ...

[Archives of the Journal of Radiology Case Reports ...](#)

www.radiologycases.com/casereports/jrcr-archives.cgi?&se=GU ▾

Renal **lymphangiectasia** presented by **pleural effusion and ascites** by Saif Ahmed Ali Al-Dofri :

Published: 2009 Oct Issue: 3(10) :: Pages: 5-10 Abstract: A young male patient complaining of vague abdominal pain, dyspnea, generalized weakness and abdominal distension for 6 months was referred for abdominal ultrasound. Ultrasound showed enlarged ...

[Renal lymphangiectasia](#)

https://www.researchgate.net/publication/6155604_Renal_lymphangiectasia

Download Citation | Renal **lymphangiectasia** | Renal **lymphangiectasia** is a benign disorder of renal lymphatics. Seldom observed, the pathophysiology is unclear. The clinical course may vary ...

[Bilateral Foot Swelling & Edema of Lower Extremity ...](#)

<https://www.symptoma.com/en/ddx/bilateral-foot...> ▾

Bilateral Foot Swelling & Edema of Lower Extremity & **Pleural Effusion** Symptom Checker: Possible **causes** include Heart Failure. Check the full list of possible **causes** and conditions now! Talk to our Chatbot to narrow down your search.

[Abdominal Manifestations of Systemic Lupus Erythematosus ...](#)

<https://journals.sagepub.com/doi/10.1016/j.carj.2009.06.001>

Ascites occurs in approximately 10% of patients with SLE . Possible **causes** include serositis, pancreatitis, nephritis and nephrotic syndrome, constrictive pericarditis, and peritoneal inflammation secondary to vasculitis. Chylous **ascites** is particularly unusual . **Ascites** is an infrequent finding in patients with lupus nephritis and, when ...

Cited by 4 Authors: John M. Kirby, Karthi S. Jha, Zeyu M.