

Match Overview

| | | |
|----|---|----|
| 1 | Crossref 22 words Mehmet Aziret, Fahri Yılmaz, Yasin Kalpakçı, Özkan Subaşı, Adem Şentürk, Kerem Karaman, Metin Ercan. "Sclerosing a | 1% |
| 2 | Internet 22 words crawled on 29-Mar-2020 f6publishing.blob.core.windows.net | 1% |
| 3 | Internet 16 words crawled on 07-Apr-2016 www.termedia.pl | 1% |
| 4 | Crossref 15 words Takahiro Kiyohara. "Apocrine carcinoma of the vulva in a band-like arrangement with inflammatory and telangiectatic f... | 1% |
| 5 | Crossref 15 words Kai Kou, Haiwen Zhang, Conggui Zhang, Enbo Xie, Yuguo Chen, Guangyi Wang, Guoyue Lv. "A case of adrenocortical | 1% |
| 6 | Crossref 14 words "Scientific Program of 32nd World Congress of Endourology & SWL Program Book", Journal of Endourology, 2014. | 1% |
| 7 | Crossref 14 words Dansong Wang. "Primary small cell carcinoma of the pancreas: rare type of pancreatic cancer and review of the literature" | 1% |
| 8 | Internet 13 words www.ncbi.nlm.nih.gov | 1% |
| 9 | Internet 12 words crawled on 06-Feb-2020 guncelpatoloji.org | 1% |
| 10 | Internet 11 words crawled on 12-Apr-2020 www.smj.org.sg | 1% |
| 11 | Internet 10 words crawled on 05-Nov-2016 www.pagepress.org | 1% |
| 12 | Internet 10 words crawled on 07-May-2020 obgyn.pericles-prod.literatunonline.com | 1% |

2
Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 58235

Manuscript Type: CASE REPORT

Sclerosing angiomatoid nodular transformation of the spleen: A case report and literature review

Li SX *et al.* Sclerosing angiomatoid nodular transformation of the spleen

Shu-Xuan Li, Ye-Hui Fan, Hao Wu, Guo-Yue Lv

Abstract

BACKGROUND

Sclerosing angiomatoid nodular transformation (SANT) is a rare disease of the spleen. It



ALL

IMAGES

VIDEOS

30,700 Results

Any time ▾

Sclerosing Angiomatoid Nodular Transformation (SANT) of the spleen is a **rare benign vascular lesion with extensive sclerosis first described by Martel** and colleagues in 2004. 1 In this paper we report a case of SANT of the spleen managed at our institution, and present a review of 97 other cases found in the literature.

Author: Gavin A. Falk, Nishank P. Nooli, Gareth Morris-Stiff, Thomas P. Plesec, Steven Rosenblatt

Cited by: 33

Publish Year: 2012

[Sclerosing Angiomatoid Nodular Transformation \(SANT\) o...](#)

www.sciencedirect.com/science/article/pii/S2210261212001174

Was this helpful?



[Sclerosing angiomatoid nodular transformation of the ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4950498>

Jun 15, 2016 · Sclerosing angiomatoid nodular transformation of the spleen (SANT) is an **extremely rare benign lesion of the spleen (1,2)**, which was first characterized by Martel et al(1) in 2004. To date, a total of 133 cases of SANT have been reported in the English literature; however, the exact incidence rate remains unclear.

Cited by: 7

Author: Tian-Bao Wang, Bao-Guang Hu, Da-Wei ...

Publish Year: 2016

[Sclerosing Angiomatoid Nodular Transformation of the ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6548910>

May 15, 2019 · Sclerosing angiomatoid nodular transformation (SANT) of the spleen is an **extremely rare benign lesion**. We herein report a case of asymptomatic SANT of the spleen in a middle-aged woman with early breast carcinoma and an undiagnosed splenic mass, which was successfully treated by laparoscopic splenectomy and diagnosed postoperatively.

Cited by: 1

Author: Ryohei Nomura, Hiromi Tokumura, Yu Kat...

Publish Year: 2019

Sclerosing angiomatoid nodular transformation of the spleen: A cas



ALL

IMAGES

VIDEOS

61,900 Results

Any time ▾

Sclerosing Angiomatoid Nodular Transformation of the ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6548910>

May 15, 2019 · Sclerosing angiomatoid nodular transformation (SANT) of the spleen is an **extremely rare benign splenic lesion**. The lesion was first alluded to, under the designation of cord capillary hemangioma, in an abstract by Krishnan et al. in 1993 . Martel et al. first established this benign splenic angiomatoid lesion as SANT in 2004 . To date, 167 cases of SANT have been described in the ...

Cited by: 1

Author: Ryohei Nomura, Hiromi Tokumura, Yu Kat...

Publish Year: 2019

Sclerosing angiomatoid nodular transformation of the ...

<https://www.ncbi.nlm.nih.gov/pubmed/29126417>

Nov 10, 2017 · The presence of visceral vascular lesions in this syndrome is exceedingly rare. CASE PRESENTATION: We report a 26-year-old female who was diagnosed with Maffucci syndrome along with sclerosing angiomatoid nodular transformation (SANT) of the spleen. The patient underwent a laparoscopic splenectomy.

Cited by: 1

Author: Xiao-Dan Huang, Hao-Sen Jiao, Zheng Ya...

Publish Year: 2017

Sclerosing angiomatoid nodular transformation of the ...

<https://pubmed.ncbi.nlm.nih.gov/28865487>

Background: Sclerosing angiomatoid nodular transformation is a **benign disorder of splenic tissue** and is often mistaken as a potentially malignant entity in the diagnostic process. To the best of our knowledge, this is the first report of sclerosing angiomatoid nodular transformation **mimicking metastasis of melanoma in the literature**.

Cited by: 1

Author: Ilhan Demirci, Horst Kinkel, Dirk Antoine, ...

Publish Year: 2017

[PDF] Sclerosing Angiomatoid Nodular Transformation of the ...

https://www.jstage.jst.go.jp/article/internalmedicine/58/10/58_1948-18/_pdf/-char/en

Sclerosing angiomatoid nodular transformation (SANT) of the spleen is an **extremely rare benign lesion**. We herein report a case of asymptomatic SANT of the spleen in a middle-aged woman with early breast carcinoma and an undiagnosed splenic mass, which was successfully treated by laparoscopic splenectomy and



ALL

IMAGES

VIDEOS

86,300 Results

Any time ▾

Sclerosing Angiomatoid Nodular Transformation of the ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6548910>

May 15, 2019 - Sclerosing angiomatoid nodular transformation (SANT) of the spleen is an **extremely rare benign splenic lesion**. The lesion was first alluded to, under the designation of cord capillary hemangioma, in an abstract by Krishnan et al. in 1993 . Martel et al. first established this benign splenic angiomatoid lesion as SANT in 2004 . To date, 167 cases of SANT have been described in the ...

Cited by: 1**Author:** Ryohei Nomura, Hiromi Tokumura, Yu Ka...**Publish Year:** 2019

Sclerosing angiomatoid nodular transformation of the ...

<https://pubmed.ncbi.nlm.nih.gov/28865487>

Background: Sclerosing angiomatoid nodular transformation is a **benign disorder of splenic tissue** and is often mistaken as a potentially malignant entity in the diagnostic process. To the best of our knowledge, this is the first report of sclerosing angiomatoid nodular transformation **mimicking metastasis of melanoma in the literature**.

Cited by: 1**Author:** Ilhan Demirci, Horst Kinkel, Dirk Antoine, ...**Publish Year:** 2017

Sclerosing angiomatoid nodular transformation of the ...

<https://www.ncbi.nlm.nih.gov/pubmed/27446372>

Sclerosing angiomatoid nodular transformation (SANT) is a **rare benign splenic vascular lesion**. Since it was first defined in 2004, a total of 132 cases of SANT have ...

Cited by: 8**Author:** Tian-Bao Wang, Bao-Guang Hu, Da-Wei ...**Publish Year:** 2016

Sclerosing angiomatoid nodular transformation of the ...

<https://www.ncbi.nlm.nih.gov/pubmed/29126417>

Nov 10, 2017 · The presence of visceral vascular lesions in this syndrome is exceedingly rare. CASE PRESENTATION: We **report a 26-year-old female who was diagnosed with Maffucci syndrome** along with sclerosing angiomatoid nodular transformation (SANT) of the spleen. The patient underwent a