

国内版

国际版

Chat with Bing

Sign in

Cutaneous metastases of pancreatic carcinoma on the labia majora: a ca

ALLIMAGESVIDEOS

25,400 ResultsAny time

Endometrial carcinoma metastatic to the clitoris: A case ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3930815>

The majority of metastatic tumors consisted of nodules and involved the labia majora. Only one case involved the clitoris. In 87% of cases, the patient died at a mean of 7.5 months after diagnosis, reflecting the fact that this is normally a terminal condition.

Cited by: 2Author: Antônio Chambó Filho, Elediane Garbelot...

Publish Year: 2014

[Survival After Cutaneous Metastasis: A Study of 200 Cases ...

<https://www.ncbi.nlm.nih.gov/pubmed/?term=11908133>

A Case Report of Locally Advanced Anal Cancer with Solitary Cutaneous Nodular Metastasis in the Ipsilateral Labia Majora Treated with Definitive Chemoradiotherapy. Sakanaka K, Ishida Y, Mizowaki T. Sakanaka K, et al. Case Rep Oncol. 2019 Sep 19;12(3):721-727. doi: 10.1159/000503171. eCollection 2019 Sep-Dec. Case Rep Oncol. 2019.

Cited by: 167Author: P Schoenlaub, A Sarraux, E Grosshans, ...

Search Tools

Turn off Hover Translation (关闭取词)

ALL IMAGES VIDEOS

49,300 Results Any time ▾

Endometrial carcinoma metastatic to the clitoris: A case ...<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3930815>

Jan 02, 2014 · Giordano et al. reported a **case** of hepatic and vulval **metastasis** in the form of a plaque on the commissure of the **labia majora** 8 months after hysterectomy for a grade 3 endometrioid adenocarcinoma. The same authors recommend investigating distant **metastasis** in visceral organs following diagnosis of vulval **metastasis** from an endometrial **carcinoma**.

Cited by: 2

Author: Antônio Chambô Filho, Elediane Garbeloto, ...

Publish Year: 2014

[Survival After Cutaneous Metastasis: A Study of 200 Cases ...<https://www.ncbi.nlm.nih.gov/pubmed/?term=11908133>

A **Case Report** of Locally Advanced Anal **Cancer** with Solitary **Cutaneous** Nodular **Metastasis** in the Ipsilateral **Labia Majora** Treated with Definitive Chemoradiotherapy. Sakanaka K, Ishida Y, Mizowaki T. Sakanaka K, et al. **Case Rep Oncol**. 2019 Sep 19;12(3):721-727. doi: 10.1159/000503171. eCollection 2019 Sep-Dec. **Case Rep Oncol**. 2019.

Cited by: 166

Author: P Schoenlaub, A Sarraux, E Grosshans, E H...

Publish Year: 2001

Metastatic Cutaneous Breast Carcinoma: A Case Report and ...<https://www.researchgate.net/publication/41623491...>

Cutaneous metastases develop most commonly at the same time as internal **metastases**.^{3,8} The incidence of **cutaneous metastases** for all types of carcinomas ranges from 0.7% to ...

EP1151 A case report on primary cutaneous mucoepidermoid ...https://ijac.bmi.com/content/29/Suppl_4/A598.2 ▾

Name of Journal: *World Journal of Gastrointestinal Oncology*

Manuscript NO: 58329

Manuscript Type: CASE REPORT

Cutaneous metastases of pancreatic carcinoma to the labia majora: A case report and review of the literature

Shi *et al.* Metastases of carcinoma to labia majora

Abstract

BACKGROUND

Cutaneous metastases originating from pancreatic cancer are relatively rare. The most common reported site of metastasis is the umbilicus, and this manifestation is known as the Sister Mary Joseph's nodule. Non-umbilical cutaneous metastases are far less common, with only a few cases reported in the literature. Our case is the first case report, to our knowledge, on metastasis involving the labia majora and flat papules.

Match Overview

1	Crossref 78 words Hai-Yan Zhou, Xian-Bao Wang, Fang Gao, Bing Bu, Shu Zhang, Zhehai Wang, "Cutaneous metastasis from pancreatic c...	4%
2	Crossref 39 words Dae-Won Jun, Oh Young Lee, Chan Kum Park, Ho Soon Cho, I. Byung Chul Yoon, Min Ho Lee, Dong Hoo Lee, "Cutaneou...	2%
3	Internet 33 words crawled on 27-Jul-2016 www.wjgnet.com	2%
4	Internet 27 words crawled on 09-Sep-2017 www.bioline.org.br	2%
5	Internet 18 words crawled on 20-Sep-2014 efiloo.com	1%
6	Internet 16 words crawled on 12-Apr-2019 link.springer.com	1%
7	Crossref 15 words Itoh, K., "Endometrial carcinoma in septate uterus detected ... months after full-term delivery: case report and review of the li	1%



国内版 国际版

Cutaneous metastases of pancreatic carcinoma to the labia majori



ALL

IMAGES

VIDEOS

49,600 Results

Any time ▾

[Survival After Cutaneous Metastasis: A Study of 200 Cases ...

<https://www.ncbi.nlm.nih.gov/pubmed/?term=11908133>

A Case Report of Locally Advanced Anal **Cancer** with Solitary **Cutaneous** Nodular **Metastasis** in the Ipsilateral **Labia Majora** Treated with Definitive Chemoradiotherapy. Sakanaka K, Ishida Y, Mizowaki T. Sakanaka K, et al. **Case Rep Oncol.** 2019 Sep 19;12(3):721-727. doi: 10.1159/000503171. eCollection 2019 Sep-Dec. **Case Rep Oncol.** 2019.

Cited by: 166

Author: P Schoenlaub, A Sarraux, E Grosshans, ...

Publish Year: 2001

Metastatic Cutaneous Breast Carcinoma: A Case Report and ...

https://www.researchgate.net/publication/41623491_Metastatic_Cutaneous_Breast..

.

Cutaneous metastases develop most commonly at the same time as internal **metastases**.^{3,8} The incidence of **cutaneous metastases** for all types of carcinomas ranges ...

Endometrial carcinoma metastatic to the clitoris: A case ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3930815>

Jan 02, 2014 · Introduction. **Metastatic skin** lesions developing from a primary **cancer** are a relatively rare phenomenon; however, when found and identified, this discovery may lead to the diagnosis of an important internal malignant disease that is clinically silent .An extensive meta-analysis carried out by Krathen et al. in 2003 reported an overall incidence of **skin metastases** ...

Cited by: 2

Author: Antônio Chambô Filho, Elediane Garbel...

Publish Year: 2014

EP1151 A case report on primary cutaneous mucoepidermoid ...

https://ijgc.bmj.com/content/29/Suppl_4/A598.2 ▾

Nov 01, 2019 · Methodology This is a **case** of a 68 year-old woman with a history of vulvar pruritus and vulvar mass at the left **labia majora**. Punch biopsy **and review** of slides revealed Invasive Squamous Cell Carcinoma, Non-Keratinizing type