

**2** Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 58390

Manuscript Type: ORIGINAL ARTICLE

*Retrospective Study*

Endoscopic gastric fenestration of debridng pancreatic walled-off necrosis: a pilot study

Endoscopic gastric fenestration of walled-off necrosis

Fang Liu, Liang Wu, Xiang-Dong Wang, Jian-Guo Xiao, Wen Li

## Match Overview

- | Match Number | Source  | Words    | Similarity |
|--------------|---|----------|------------|
| 1            | Crossref  | 20 words | 1%         |
|              | Jing Li, Yang Yu, Peng Li, Shu-Tian Zhang. "Advancement ...<br>n the endoscopic treatment of pancreatic fluid collections", C |          |            |
| 2            | Internet  | 18 words | <1%        |
|              | crawled on 18-Nov-2019<br>f6publishing.blob.core.windows.net  |          |            |



国内版

国际版

Endoscopic gastric fenestration of debriding pancreatic walled-off



ALL

IMAGES

VIDEOS

7,940 Results

Any time ▾

## Clinical impact of EUS treatment of walled-off pancreatic ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5546896>

Aug 07, 2017 · According to the Atlanta classification 1, **walled-off pancreatic necrosis** (WOPN) is an encapsulated collection of fluid and solid **debris** that usually develops more than 4 weeks after an episode of **acute necrotizing pancreatitis**. **Infected pancreatic necrosis**, which is a major risk factor for sepsis-related multiple organ failure, is the main life-threatening complication of **acute pancreatitis**.

**Cited by:** 2**Author:** Ilaria Tarantino, Dario Ligresti, Fabio Tu...**Publish Year:** 2017

## Endotherapy for pancreatic necrosis: An update

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6386747>

ANCs lack a **well-defined wall**. When an ANC persists beyond 4 weeks and becomes encapsulated, the term **walled-off pancreatic necrosis** (WOPN) is used. ANC or WOPN may be infected or sterile. The natural history of ANC and WOPN is not well described. The presence of **necrosis** in a **pancreatic** collection is considered an important prognostic marker.

**Cited by:** 1**Author:** Ashish K Jha, Mahesh K Goenka, Rame...**Publish Year:** 2018

## Debridement and drainage of walled-off pancreatic necrosis ...

<https://www.sciencedirect.com/science/article/pii/S0016510707030489>

May 01, 2008 · Performed by an experienced **endoscopic-operating** team, the **wide drainage of pancreatic necrosis** into the **gastric lumen** without the need of laparotomy or laparoscopy (with pneumoperitoneum) appears to be a possible effective and definitive treatment for patients in whom anatomic considerations allow its use.

**Cited by:** 22**Author:** Andreas Fischer, Hans-Juergen Schrag,...**Publish Year:** 2008

## Advancements in the endoscopic treatment of pancreatic ...



ALL

IMAGES

VIDEOS

8,440 Results

Any time ▾

### Endotherapy for pancreatic necrosis: An update

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6386747>

ANCs lack a well-defined wall. When an ANC persists beyond 4 weeks and becomes encapsulated, the term **walled-off pancreatic necrosis** (WOPN) is used. ANCs or WOPN may be infected or sterile. The natural history of ANC and WOPN is not well described. The presence of **necrosis** in a **pancreatic** collection is considered an important prognostic marker.

Cited by: 2

Author: Ashish K Jha, Mahesh K Goen...

Publish Year: 2018

### Endoscopic extra-cavitary drainage of pancreatic necrosis ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4477029>

**Walled-off pancreatic necrosis** (WON) is a **liquefied necrosis** greater than 30% of the gland size, and is a later complication of **acute necrotizing pancreatitis** usually occurring more than 4 ...

Cited by: 8

Author: Ioana B. Smith, Juan P. Gutierr...

Publish Year: 2015

### Debridement and drainage of walled-off pancreatic necrosis ...

<https://www.sciencedirect.com/science/article/pii/S0016510707030489>

May 01, 2008 · Standard management of **walled-off pancreatic necrosis** (WOPN), a known complication of acute and **chronic pancreatitis**, is open **surgical debridement and drainage**, a procedure associated with substantial morbidity and mortality. What this study adds to our knowledge

Cited by: 22

Author: Andreas Fischer, Hans-Juerge...

Publish Year: 2008

### Clinical impact of EUS treatment of walled-off pancreatic ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5546896>

Aug 07, 2017 · **Walled-off pancreatic necrosis** (WOPN) represents the major risk factor for sepsis-related multiple organ failure. **Surgical debridement** is an invasive approach associated with high rates of adverse events (AEs) and





Endoscopic gastric fenestration of debridng pancreatic walled-off r X



ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

17,200 Results

Any time ▼

## [Endotherapy for pancreatic necrosis: An update](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6386747>

ANCs lack a well-defined wall. When an ANC persists beyond 4 weeks and becomes encapsulated, the term **walled-off pancreatic necrosis** (WOPN) is used. ANCs or WOPN may be infected or sterile. The natural history of ANC and WOPN is not well described. The presence of **necrosis** in a **pancreatic** collection is considered an important prognostic marker.

Cited by: 2

Author: Ashish K Jha, Mahesh K Goenka, Rames...

Publish Year: 2018

## [Endoscopic extra-cavitary drainage of pancreatic necrosis ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4477029>

**Walled-off pancreatic necrosis** (WON) is a **liquefied necrosis** greater than 30 % of the gland size, and is a later complication of **acute necrotizing pancreatitis** usually occurring more than 4 weeks after the initial insult 1 2 3.

Cited by: 8

Author: Ioana B. Smith, Juan P. Gutierrez, Jayap...

Publish Year: 2015

## [Clinical impact of EUS treatment of walled-off pancreatic ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5546896>

Aug 07, 2017 · **Walled-off pancreatic necrosis** (WOPN) represents the major risk factor for sepsis-related multiple organ failure. **Surgical debridement** is an invasive approach associated with high rates of adverse events (AEs) and death. As an alternative, **endoscopic ultrasound-guided cysto-gastro-anastomosis** has emerged as an effective treatment for WOPNs.

Cited by: 3

Author: Ilaria Tarantino, Dario Ligresti, Fabio Tuzz...

Publish Year: 2017

## [Advancements in the endoscopic treatment of pancreatic ...](#)

<https://www.sciencedirect.com/science/article/pii/S2095882X2030030X>

Sep 01, 2020 · A novel lumen-apposing metal stent with an anti-reflux valve for **endoscopic** ultrasound-guided drainage of pseudocysts and **walled-off necrosis: a pilot study** PloS One, 14 (2019), p. e0221812, 10.1371/journal.pone.0221812