

Match Overview

1	Crossref 91 words Lim, Seon Hee, Donghee Kim, Jin Hwa Kang, Ji Hyun Song, Sun Young Yang, Jeong Yun Yim, Su Jin Chung, Joo Sung Ki	2%
2	Internet 40 words crawled on 10-Jul-2020 www.intechopen.com	1%
3	Internet 35 words crawled on 23-Jun-2019 link.springer.com	1%
4	Internet 33 words crawled on 30-Oct-2020 synapse.koreamed.org	1%
5	Crossref 13 words "Abstracts of the IDF Congress in Paris 2003", Diabetologia, 2003	<1%
6	Crossref 12 words "APASL Seoul 2008 Meeting", Hepatology International, 2008	<1%

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 58726

Manuscript Type: ORIGINAL ARTICLE

Case Control Study

Fatty liver is an independent risk factor for gallbladder polyps

Fatty liver and gallbladder polyps

Abstract

BACKGROUND

Gallbladder polyps (GBPs) are known to be associated with obesity and metabolic diseases. However, to date, the relationship between GBPs and abnormal body fat distribution, such as fatty liver, visceral **obesity**, or sarcopenia, has not yet been established.

AIM

Fatty liver is an independent risk factor for gallbladder polyps



ALL

IMAGES

VIDEOS

613,000 Results

Any time ▾

Fatty liver, an ectopic regional fat deposit, was found to be closely associated with **GBPs independent** of known **metabolic risk factors, insulin resistance,** and CT-measured VAT, confirming a relevant clinical relationship between the two diseases. **Hepatic Fat, Not Visceral Fat, Is Associated With Gallbladder Polyps: A Study of 2643 Healthy Subjects.**

Author: Seon Hee Lim, Donghee Kim, Jin Hwa Kang, Ji Hyun Song, Sun Young Yang, Jeong Yoon Yim, Su Jin Chung,...

Cited by: 3

Publish Year: 2015

[Hepatic fat, not visceral fat, is associated with ...](#)

➤ pubmed.ncbi.nlm.nih.gov/25376159/

Was this helpful?



PEOPLE ALSO ASK

What are risk factors for gallbladder polyps?



What is the treatment for gallbladder polyps?



Can gallbladder polyps be cured?



Is surgery necessary for gallbladder polyps?



Feedback

[Hepatic fat, not visceral fat, is associated with ...](#)

<https://pubmed.ncbi.nlm.nih.gov/25376159>

Fatty liver, an ectopic regional fat deposit, was found to be closely associated with **GBPs**

Fatty liver is an independent risk factor for gallbladder polyps



ALL IMAGES VIDEOS

661,000 Results Any time ▼

Conclusion: Fatty liver, an ectopic regional fat deposit, was found to be closely associated with **GBPs independent of known metabolic risk factors, insulin resistance, and CT-measured VAT**, confirming a relevant clinical relationship between the two diseases. Keywords: fatty liver; gallbladder polyps; insulin resistance; visceral fat.

Author: Seon Hee Lim, Donghee Kim, Jin Hwa Kang, Ji Hyun Song, Sun Young Yang, Jeong Yoon Yim, Su Jin Chung,...

Cited by: 3

Publish Year: 2015

Hepatic fat, not visceral fat, is associated with ...

➡ pubmed.ncbi.nlm.nih.gov/25376159/

Was this helpful?

PEOPLE ALSO ASK

What are risk factors for gallbladder polyps?

What is the treatment for polyps in the gallbladder?

Can gallbladder polyps be cured?

Is surgery necessary for gallbladder polyps?

ALL

IMAGES

VIDEOS

913,000 Results

Any time ▾

Conclusion: Fatty liver, an ectopic regional fat deposit, was found to be closely associated with **GBPs independent of known metabolic risk factors, insulin resistance, and CT-measured VAT**, confirming a relevant clinical relationship between the two diseases. Keywords: fatty liver; gallbladder polyps; insulin resistance; visceral fat.

Author: Seon Hee Lim, Donghee Kim, Jin Hwa Kang, Ji Hyun Song, Sun Young Yang, Jeong Yoon Yim, Su Jin Chung,...

Cited by: 3

Publish Year: 2015

Hepatic fat, not visceral fat, is associated with ...

➤ pubmed.ncbi.nlm.nih.gov/25376159/

Was this helpful?  

PEOPLE ALSO ASK

What are risk factors for gallbladder polyps? ▾

What is the treatment for polyps in the gallbladder? ▾

Are gallbladder polyps dangerous? ▾

Is surgery necessary for gallbladder polyps? ▾

Feedback

Hepatic fat, not visceral fat, is associated with ...

<https://pubmed.ncbi.nlm.nih.gov/25376159/>

Conclusion: Fatty liver, an ectopic regional fat deposit, was found to be closely associated with **GBPs**