

PEER-REVIEW REPORT

Name of journal: World Journal of Clinical Cases

Manuscript NO: 58759

Title: Effectiveness of sharp recanalization of superior vena cava-right atrium junction occlusion

Reviewer's code: 04383208

Position: Editorial Board

Academic degree: MBBS

Professional title: Research Scientist, Senior Researcher

Reviewer's Country/Territory: United States

Author's Country/Territory: China

Manuscript submission date: 2020-12-09

Reviewer chosen by: Ya-Juan Ma

Reviewer accepted review: 2021-01-27 19:17

Reviewer performed review: 2021-01-27 19:22

Review time: 1 Hour

Scientific quality	<input type="checkbox"/> Grade A: Excellent <input checked="" type="checkbox"/> Grade B: Very good <input type="checkbox"/> Grade C: Good <input type="checkbox"/> Grade D: Fair <input type="checkbox"/> Grade E: Do not publish
Language quality	<input checked="" type="checkbox"/> Grade A: Priority publishing <input type="checkbox"/> Grade B: Minor language polishing <input type="checkbox"/> Grade C: A great deal of language polishing <input type="checkbox"/> Grade D: Rejection
Conclusion	<input type="checkbox"/> Accept (High priority) <input checked="" type="checkbox"/> Accept (General priority) <input type="checkbox"/> Minor revision <input type="checkbox"/> Major revision <input type="checkbox"/> Rejection
Re-review	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Peer-reviewer statements	Peer-Review: <input checked="" type="checkbox"/> Anonymous <input type="checkbox"/> Onymous Conflicts-of-Interest: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

SPECIFIC COMMENTS TO AUTHORS

Well written manuscript on the topic.

PEER-REVIEW REPORT

Name of journal: World Journal of Clinical Cases

Manuscript NO: 58759

Title: Effectiveness of sharp recanalization of superior vena cava-right atrium junction occlusion

Reviewer's code: 05408822

Position: Peer Reviewer

Academic degree: MAMS, MD

Professional title: Assistant Professor, Doctor, Surgeon

Reviewer's Country/Territory: South Korea

Author's Country/Territory: China

Manuscript submission date: 2020-12-09

Reviewer chosen by: Ya-Juan Ma

Reviewer accepted review: 2021-01-28 02:53

Reviewer performed review: 2021-02-03 01:39

Review time: 5 Days and 22 Hours

Scientific quality	[<input checked="" type="radio"/>] Grade A: Excellent [<input type="radio"/>] Grade B: Very good [<input type="radio"/>] Grade C: Good [<input type="radio"/>] Grade D: Fair [<input type="radio"/>] Grade E: Do not publish
Language quality	[<input checked="" type="radio"/>] Grade A: Priority publishing [<input type="radio"/>] Grade B: Minor language polishing [<input type="radio"/>] Grade C: A great deal of language polishing [<input type="radio"/>] Grade D: Rejection
Conclusion	[<input checked="" type="radio"/>] Accept (High priority) [<input type="radio"/>] Accept (General priority) [<input type="radio"/>] Minor revision [<input type="radio"/>] Major revision [<input type="radio"/>] Rejection
Re-review	[<input checked="" type="radio"/>] Yes [<input type="radio"/>] No
Peer-reviewer statements	Peer-Review: [<input checked="" type="radio"/>] Anonymous [<input type="radio"/>] Onymous Conflicts-of-Interest: [<input type="radio"/>] Yes [<input checked="" type="radio"/>] No

SPECIFIC COMMENTS TO AUTHORS

It is judged as a technique for patients with difficult access. Congratulations on your great skill and good results. I am wondering if there is any prevention method for the occurrence of thromboembolism during the procedure.