

**Name of Journal:** *World Journal of Clinical Cases*

**Manuscript NO:** 59187

**Manuscript Type:** CASE REPORT

**Treatment of cervical spine metastasis with minimally invasive cervical spondylectomy: A case report and review of literature**

Li-Ming He, Xun Ma, Chen Chen, Hong-Yi Zhang

## Abstract

### BACKGROUND

Cervical spondylectomy for the treatment of cervical tumors was traumatic, bleeding, and risky. This study reported the experience with minimally invasive cervical spondylectomy for a cervical metastasis and reviewed the literature on cervical

## Match Overview

1	<b>Internet</b> 78 words crawled on 05-May-2020 <a href="#">journals.lww.com</a>	3%
2	<b>Internet</b> 54 words crawled on 10-Jun-2019 <a href="#">academic.oup.com</a>	2%
3	<b>Crossref</b> 51 words Arvind G. Kulkarni, Ankit Patel, N. V. Ankith. "A technical ... ase report on use of tubular retractors for anterior cervical	2%
4	<b>Internet</b> 36 words crawled on 12-Apr-2020 <a href="#">worldwidescience.org</a>	1%
5	<b>Crossref</b> 31 words Takashi Igarashi, Hideki Murakami, Satoru Demura, Sato shi Kato, Katsuhito Yoshioka, Noriaki Yokogawa, Hiroyuki	1%
6	<b>Crossref</b> 22 words WenHua Yang, Liang Jiang, XiaoGuang Liu, Feng Wei, Mi ao Yu, FengLiang Wu, Lei Dang, Hua Zhou, Hua Zhang,	1%
7	<b>Crossref</b> 20 words Xingwen Wang, Eldan Eichbaum, Fengzeng Jian, Dean C hou. "Two-Stage En Bloc Resection of Multilevel Cervic...	1%
8	<b>Internet</b> 17 words crawled on 20-Jul-2020 <a href="#">www.wheelsonline.com</a>	1%
9	<b>Crossref</b> 16 words Masashi Uehara, Jun Takahashi, Shugo Kuraishi, Masayu	1%





ALL

IMAGES

VIDEOS

14,200 Results

Any time ▼

## Minimally invasive lateral approaches for the treatment of ...

[jss.amegroups.com/article/view/4861/html](https://jss.amegroups.com/article/view/4861/html) ▼

Abstract: Although primary tumors of the spine and neural elements are rare, **metastatic** disease to the spine is quite common. Traditionally, surgical treatment for spinal tumor patients involves open decompression with or without stabilization. The single-position **minimally invasive** (MIS) lateral approach, which has been recently described over the recent decade, allows simultaneous access to ...

**Author:** Joseph L. Laratta, Ryan Weegens, Kyle ... **Publish Year:** 2020

## When Less Is More

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5551976>

Oct 15, 2016 · Systematic **review**. The aim of this study was to **review** the techniques, indications, and outcomes of **minimally invasive** surgery (MIS) and separation surgery with subsequent radiosurgery in the treatment of patients with **metastatic** spine disease. The utilization ...

**Cited by:** 36 **Author:** Scott L. Zuckerman, Ilya Laufer, Arjun Sahg...

**Publish Year:** 2016

## Percutaneous Endoscopic Interlaminar Decompression of ...

<https://www.sciencedirect.com/science/article/pii/S187887501932813X>

## Search Tools

Turn on Hover Translation (开启取词)

Treatment of cervical spine metastasis with minimally invasive cerv



ALL

IMAGES

VIDEOS

45,600 Results

Any time ▼

## [Minimally invasive lateral approaches for the treatment of ...](#)

[jss.amegroups.com/article/view/4861/html](https://jss.amegroups.com/article/view/4861/html) ▼

Abstract: Although primary tumors of the **spine** and neural elements are rare, **metastatic** disease to the **spine** is quite common. Traditionally, surgical **treatment** for **spinal** tumor patients involves open decompression with or without stabilization. The single-position **minimally invasive** (MIS) lateral approach, which has been recently described over the recent decade, allows simultaneous access to ...

**Author:** Joseph L. Laratta, Ryan Weegens, Kyle ...**Publish Year:** 2020

## [\(PDF\) Palliative Surgery in Treating Painful Metastases of ...](#)

<https://www.researchgate.net/publication/301947008...>

In addition, a **literature review** was performed and patients with upper **cervical spine metastases** were analyzed. The mean follow-up period was 12.5 months (range, 3–26 months) in this consecutive ...

## [Stabilization of metastatic lesions affecting the second ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4426522>

**Metastatic** disease affecting the **cervical spine** is less common and that affecting the axis even less common again.[2,3] It is estimated that approximately 0.5-1% of **spinal metastatic** lesions affect the craniocervical junction of which the C2 vertebra is a single component. Lesions at this level have the potential to cause significant morbidity.

**Cited by:** 2**Author:** Joseph F Baker, Asseer Shafqat, Aiden Dev...**Publish Year:** 2015

## [Diagnosis and Management of Metastatic Cervical Spine ...](#)

<https://www.researchgate.net/publication/51797544...>

**Cervical spine metastasis** is typically treated with **piecemeal decompression** or **palliative surgery** because en **bloc resection** is associated with high morbidity and mortality [4].

## [Decision Making in Patients With Metastatic Spine. The ...](#)

<https://www.frontiersin.org/articles/10.3389/fonc.2019.00915> ▼

Sep 19, 2019 · Noteworthy, according to the recent literature evidence, cases that once required **radical surgical resection** followed by **low-dose conventional radiotherapy**, can now be more effectively treated by **minimally invasive spinal approaches** followed by **spine SRS** with decreased morbidity, improved local control, and more durable **pain control**.

**Cited by:** 3**Author:** Alfredo Conti, Güliz Acker, Güliz Acker, Ann...**Publish Year:** 2019



ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

46,600 Results

Any time ▾

### [\(PDF\) Palliative Surgery in Treating Painful Metastases of ...](#)

<https://www.researchgate.net/publication/301947008...>

In addition, a **literature review** was performed and patients with upper **cervical spine metastases** were analyzed. The mean follow-up period was 12.5 months (range, 3–26 months) in this consecutive ...

### [Minimally invasive lateral approaches for the treatment of ...](#)

[jss.amegroups.com/article/view/4861/html](https://jss.amegroups.com/article/view/4861/html) ▾

Abstract: Although primary tumors of the **spine** and neural elements are rare, **metastatic** disease to the **spine** is quite common. Traditionally, surgical **treatment** for **spinal** tumor patients involves open...

**Author:** Joseph L. Laratta, Ryan Weegens, Kyle ... **Publish Year:** 2020

### [Stabilization of metastatic lesions affecting the second ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4426522>

**Metastatic** disease affecting the **cervical spine** is less common and that affecting the axis even less common again.[2,3] It is estimated that approximately 0.5-1% of **spinal metastatic** lesions affect the...

**Cited by:** 2 **Author:** Joseph F Baker, Asseer Shafqat, Aiden Dev...

**Publish Year:** 2015

### [Diagnosis and Management of Metastatic Cervical Spine ...](#)

<https://www.researchgate.net/publication/51797544...>

**Cervical spine metastasis** is typically treated with **piecemeal decompression** or **palliative surgery** because en **bloc resection** is associated with high morbidity and mortality [4].

### [Minimally Invasive versus Conventional Open Surgery for ...](#)

[www.morthoj.org/2020/v14n3/ankylosed-spine-reference.php](http://www.morthoj.org/2020/v14n3/ankylosed-spine-reference.php) ▾

Westerveld LA, Verlaan JJ, Oner FC. **Spinal** fractures in patients with ankylosing **spinal** disorders: a systematic **review** of the **literature** on **treatment**, neurological status and complications. Eur **Spine J**....

### [Decision Making in Patients With Metastatic Spine. The ...](#)

<https://www.frontiersin.org/articles/10.3389/fonc.2019.00915> ▾