

国内版 国际版



Delayed diagnosis of prosopagnosia following a hemorrhagic strc



ALL IMAGES VIDEOS

139,000 Results Any time ▾

### Stroke Outcome in Those Over 80 | Stroke

<https://www.ahajournals.org/doi/abs/10.1161/STROKEAHA.107.511402>

Early mortality following stroke: a prospective review. *Stroke*. 1984; 15: 492–496. Crossref Medline  
Google Scholar; 20 Data quality of the discharge abstract database following the first-year  
implementation of ICD-10-CA/CCI. Final report. September 2004:1–81. Ottawa, Canada: Canadian  
Institute for Health Information. Google Scholar

Cited by: 183 Author: Gustavo Saposnik, Robert Cote, Stephen...  
Publish Year: 2008

### Acute Post-stroke Hemiparkinsonism and Hemiparesis: A ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6701904>

Jun 20, 2019 · A study of the Lausanne stroke registry, with 2,500 first stroke patients found that 1%  
developed a movement disorder . New onset involuntary movements after a stroke is an important  
consideration when evaluating patients. Post-stroke movement disorders are defined as paroxysmal,  
recurrent, transient, or as a delayed, permanent syndrome . Thus ...

Author: Raguraj Chandradevan, Ian H Rutkofs... Publish Year: 2019

### Mild traumatic brain injury presenting with delayed ...

<https://jmedicalcasereports.biomedcentral.com/...> ▾

Aug 18, 2015 · Current literature estimates the risk of delayed intracranial hemorrhage as between  
0.6 and 6% after mild head injury for patients on warfarin. Due to resource allocation issues, the need to  
actually diagnose delayed intracranial haemorrhage has been questioned, especially if it does not  
require surgery. The purpose of our case report is to consider the functional implications during the six  
...

Cited by: 2 Author: Pearl Chung, Fary Khan  
Publish Year: 2015

### Psychosis following a stroke to the cerebellum and ...

<https://cerebellumandataxias.biomedcentral.com/...> ▾

Dec 09, 2015 · Neuroimaging studies and an increasing number of case reports indicate cognitive deficits  
and hallucinatory phenomena after isolated brainstem lesions. We report a 56-year-old man who  
developed persistent persecutory delusions, hallucinations, cognitive impairment and flattened affect  
following an extensive bilateral cerebellar stroke with ...

Cited by: 9 Author: Michael Bielawski, Helen Bondurant

国内版

国际版

Microsoft Bing

Delayed diagnosis of prosopagnosia following a hemorrhagic stroke

Sign in

ALL

IMAGES

VIDEOS

5,180,000 Results

Any time

Hemorrhagic Strokes in Seniors - AgingCare.com

https://www.agingcare.com/Articles/information...

When an artery in the brain bursts, blood spews out into the surrounding tissue and upsets not only the blood supply but the delicate chemical balance neurons require to function. This is called a **hemorrhagic stroke**. Such strokes account for approximately 20 percent of all strokes. **Hemorrhage** can occur in ...

Stroke Outcome in Those Over 80 | Stroke

https://www.ahajournals.org/dol/abs/10.1161/STROKEAHA.107.511402

Effect of socioeconomic status on treatment and mortality **after stroke**. **Stroke**. 2002; 33: 268–273. Crossref Medline Google Scholar; 37 Barker WH, Mullooly JP. **Stroke** in a defined **elderly** population, 1967–1985. A less lethal and disabling but no less common disease. **Stroke**. 1997; 28: 284–290. Crossref Medline Google Scholar

Cited by: 192

Author: Gustavo Saposnik, Robert Cote, Stephen P...

Publish Year: 2008

Hemorrhagic Stroke: Symptoms, Treatment, and Long-Term Outlook

https://www.healthline.com/health/hemorrhagic-stroke

Sep 18, 2018 · **Hemorrhagic stroke** is caused by a rupture in a weakened blood vessel in the brain.

Search Tools

Turn on Hover Translation (开启歌词)

激活 Windows


转到“设置”以激活 Windows

Feedback

18-Oct-2020 11:34AM

2618 words • 31 matches • 12 sources

FAQ

iThenticate®

59482\_Auto\_Edited.docx

Quotes Included  
Bibliography Included

12%  
SIMILAR

9

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 59482

Manuscript Type: CASE REPORT

4

Delayed diagnosis of prosopagnosia following a hemorrhagic stroke in an elderly man: A case report

A case report of acquired prosopagnosia

Yin Yuan, Feng Huang, Zhong-Hai Gao, Wen-Chao Cai, Jia-Xin Xiao, Yue-Er Yang, Pengli Zhu

Match Overview

1

Crossref 128 words  
"Paper Abstract", *Journal of the American Geriatrics Society*, 2020

5%

2

Internet 38 words  
crawled on 08-Aug-2020  
[www.vjgnet.com](http://www.vjgnet.com)

1%

3

Crossref 28 words  
Rosanna Cousins, "Prosopagnosia After Stroke: Potential ...  
s for Impairment and Treatment", *Topics in Stroke Rehabil*

1%

4

Internet 25 words  
crawled on 22-Jun-2020  
[www.labome.org](http://www.labome.org)

1%

5

Internet 23 words  
crawled on 09-Oct-2020  
[debuglies.com](http://debuglies.com)

1%

6

Internet 16 words  
crawled on 03-Jul-2019  
[f1000research.com](http://f1000research.com)

1%

1

2

PAGE: 1 OF 11

激活 Windows

转到"设置"以激活 Windows

Text-Only Report

国内版 国际版

Delayed diagnosis of prosopagnosia following a hemorrhagic strok



ALL IMAGES VIDEOS

5,230,000 Results Any time ▾

## Hemorrhagic Strokes in Seniors - AgingCare.com

<https://www.agingcare.com/Articles/information-about-Hemorrhagic-Strokes-in-Seniors...> ▾

When an artery in the brain bursts, blood spews out into the surrounding tissue and upsets not only the blood supply but the delicate chemical balance neurons require to function. This is called a **hemorrhagic stroke**. Such strokes account for approximately 20 percent of all strokes. **Hemorrhage** can occur in several ways.

## Stroke - Diagnosis and treatment - Mayo Clinic

<https://www.mayoclinic.org/diseases-conditions/stroke/diagnosis-treatment/drc-20350119> ▾

< **Diagnosis** Treatment Treatment Outcomes Clinical Trials >

To determine the most appropriate treatment for your stroke, your emergency team needs to evaluate the type of stroke you're having and the areas of your brain affected by the stroke. They also need to rule out other possible causes of your symptoms, such as a brain tumor or a drug reaction. Your doctor may use several tests to determine your risk of stroke, including: 1. Physical examination. Your doctor will ask you or a family member what symptoms you've been having, wh...

[See more on mayoclinic.org](#)

## Hemorrhagic Stroke: Survival Rate, Life Expectancy ...

<https://study.com/academy/lesson/hemorrhagic-stroke-survival-rate-life-expectancy...> ▾

Jun 30, 2017 · A **hemorrhagic stroke** is when the arteries in your brain bleed or rupture, causing a loss of blood supply to and/or bleeding on a part of your ...

PEOPLE ALSO ASK