

37

Name of Journal: *World Journal of Clinical Cases***Manuscript NO:** 59536**Manuscript Type:** MINIREVIEWS

Clinical features and potential mechanism of COVID-19 associated liver injury

Mei-Wen Han, Ming Wang, Meng-Ying Xu, Wei-Peng Qi, Peng Wang, Dong Xi

Match Overview

1	Crossref 116 words Ming Wang, Weiming Yan, Weipeng Qi, Di Wu et al. "Clinical characteristics and risk factors of liver injury in COVID- ..."	2%
2	Internet 110 words crawled on 26-Sep-2020 onlinelibrary.wiley.com	2%
3	Internet 76 words crawled on 12-Aug-2020 www.xiahepublishing.com	2%
4	Crossref 65 words Patricia P. Bloom, Eric A. Meyerowitz, Zoe Reinus, Michael Daidone et al. "Liver Biochemistries in Hospitalized Patient"	1%
5	Crossref 58 words Carol Rouphael, Giuseppe D'Amico, Kristin Ricci, Jacek Cywinski et al. "Successful orthotopic liver transplantation in a"	1%

Clinical features and potential mechanism of COVID-19 associated



Sign in



ALL

IMAGES

VIDEOS

8,810,000 Results

Any time ▼

[Characteristics and Mechanism of Liver Injury in 2019 ...](#)

<https://pubmed.ncbi.nlm.nih.gov/32274341>

The underlying **mechanisms** of **liver injury** in cases of **COVID-19** might include psychological stress, systemic inflammation response, drug toxicity, and progression of pre-existing **liver** diseases. However, there is insufficient evidence for SARS-CoV-2 infected hepatocytes or virus-related **liver injury** in **COVID-19** ...

Cited by: 62

Author: Jie Li, Jian Gao Fan

Publish Year: 2020

Search Tools

[Turn off Hover Translation \(关闭取词\)](#)

[Clinical Features of COVID-19-Related Liver Functional ...](#)

<https://www.sciencedirect.com/science/article/pii/S1542356520304821>

Jun 01, 2020 · We aimed to clarify the **features** of **COVID-19**-related **liver** damage to provide references for **clinical** treatment. Methods We performed a retrospective, single-center study of 148 consecutive patients with confirmed **COVID-19** (73 female, 75 male; mean age, 50 years) at the Shanghai Public Health **Clinical** Center from January 20 through January 31, 2020.

Cited by: 143

Author: Zhenyu Fan, Liping Chen, Jun Li, Xin Cheng,...

Publish Year: 2020

[Clinical Features of COVID-19-Related Liver Functional ...](#)

Clinical features and potential mechanism of COVID-19 associated li X



ALL

IMAGES

VIDEOS

8,050,000 Results

Any time ▾

[COVID-19-associated gastrointestinal and liver injury ...](#)

<https://covid19.aishchannel.com/news-from...> ▾

Nov 09, 2020 · In addition, there exist multiple abnormalities in **liver enzymes**. **COVID-19-related liver injury** may be due to **drug-induced liver injury**, systemic inflammatory reaction, and hypoxia–ischemia reperfusion injury. The direct toxic attack of **SARS-CoV-2** on the liver is still questionable.

[Characteristics and Mechanism of Liver Injury in 2019 ...](#)

<https://pubmed.ncbi.nlm.nih.gov/32274341>

The underlying **mechanisms** of **liver injury** in cases of **COVID-19** might include psychological stress, systemic inflammation response, drug toxicity, and progression of pre-existing **liver** diseases. However, there is insufficient evidence for SARS-CoV-2 infected hepatocytes or virus-related **liver injury** in **COVID-19** ...

Cited by: 71

Author: Jie Li, Jian Gao Fan

Publish Year: 2020

[Clinical Features of COVID-19-Related Liver Functional ...](#)

<https://www.sciencedirect.com/science/article/pii/S1542356520304821>

ALL

IMAGES

VIDEOS

7,930,000 Results

Any time ▾

COVID-19-associated gastrointestinal and liver injury ...

<https://covid19.aischannel.com/news-from...> ▾

Nov 09, 2020 · In addition, there exist multiple abnormalities in **liver enzymes**. **COVID-19-related liver injury** may be due to **drug-induced liver injury**, systemic inflammatory reaction, and hypoxia–**ischemia reperfusion injury**. The direct toxic attack of **SARS-CoV-2** on the liver is still questionable.

Clinical Features of COVID-19-Related Liver Functional ...

<https://www.sciencedirect.com/science/article/pii/S1542356520304821>

Jun 01, 2020 · We aimed to clarify the **features of COVID-19-related liver** damage to provide references for **clinical** treatment. Methods We performed a retrospective, single-center study of 148 consecutive patients with confirmed **COVID-19** (73 female, 75 male; mean age, 50 years) at the Shanghai Public Health **Clinical** Center from January 20 through January 31, 2020.

Cited by: 156**Author:** Zhenyu Fan, Liping Chen, Jun Li, Xin Cheng,...**Publish Year:** 2020

Acute Liver Injury in COVID-19: Prevalence and Association ...

<https://aasldpubs.onlinelibrary.wiley.com/doi/10.1002/hep.31404>

Coronavirus disease 2019 (COVID-19) has been **associated** with **acute liver injury** (ALI) manifested by increased **liver enzymes** in reports worldwide. **Prevalence of liver injury** and **associated clinical characteristics** are not well defined.

Cited by: 28**Author:** Meaghan M. Phipps, Luis H. Barraza, Elijah ...**Publish Year:** 2020

Pathophysiology of COVID-19: Mechanisms Underlying Disease ...

<https://journals.physiology.org/doi/full/10.1152/physiol.00019.2020>

Aug 12, 2020 · A more plausible mechanism behind **liver dysfunction** in COVID-19 is the observed systemic inflammatory response, as described previously, leading to **cytotoxic T-cell-mediated necrosis** and MOF. The **pleiotropic hepatic effects** of IL-6 could play a particularly important role, inducing expression of serum amyloid A, fibrinogen, and CRP (121).

Cited by: 6**Author:** Mary Kathryn Bohn, Alexandra Hall, Lusía S...**Publish Year:** 2020

Search Tools

Turn off Hover Translation (关闭取词)