

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 59608

Manuscript Type: ORIGINAL ARTICLE

Observational Study

Prevalence and predictors of nonalcoholic fatty liver disease in South Asian women with polycystic ovary syndrome

Shengir M *et al.* NAFLD in women with PCOS

Mohamed Shengir, Srinivasan Krishnamurthy, Peter Ghali, Marc Deschenes, Philip Wong, Tianyan Chen, Giada Sebastiani

Match Overview

1	Internet 178 words crawled on 22-May-2018 orca.cf.ac.uk	3%
2	Internet 150 words crawled on 24-Aug-2018 journals.plos.org	2%
3	Internet 148 words crawled on 18-Oct-2020 journals.lww.com	2%
4	Internet 79 words crawled on 19-May-2020 canlivj.utpjournals.press	1%
5	Crossref 32 words Jingxin Zhou, Jun Liu, Huiping Sheng, Ningning You, Jin Chen, Xiaoxiao Mi, Wenjun Yang, Shufei Zang, Junping Shi. "Ha	1%
6	Internet 31 words crawled on 29-Nov-2016 iris.unipa.it	1%
7	Internet 28 words crawled on 17-Feb-2020 bmcgastroenterol.biomedcentral.com	<1%
8	Internet 28 words core.ac.uk	<1%

Prevalence and predictors of nonalcoholic fatty liver disease in Sout



ALL

IMAGES

VIDEOS

45,000 Results

Any time ▾

Prevalence of Nonalcoholic Fatty Liver Disease in Women ...

<https://www.sciencedirect.com/science/article/pii/S1542356506010482>

Apr 01, 2007 · Background & Aims: Insulin resistance has been implicated in the pathogenesis of both **nonalcoholic fatty liver disease** (NAFLD) and **polycystic ovary syndrome** (PCOS). We hypothesized that NAFLD would be common in both obese and nonobese **women** with PCOS. The aim of this study was to estimate the **prevalence** of and identify associated factors for hepatic steatosis in **women** with ...

Cited by: 165

Author: Maya Gambarin-Gelwan, Sanjiv V Kinkha...

Publish Year: 2007

Prevalence and Profile of Nonalcoholic Fatty Liver Disease ...

<https://aasldpubs.onlinelibrary.wiley.com/doi/full/10.1002/hep4.1519>

May 21, 2020 · **Nonalcoholic fatty liver disease** (NAFLD) is one of the most common **liver** diseases in the world, with a global **prevalence** of approximately 25% and a **prevalence** of 24% in North America. (1 , 2) The incidence is increasing, especially in the Western world, due to the rising **prevalence** of obesity in the general population.

Cited by: 1

Author: Steven Young, Raseen Tariq, John Prove...

Publish Year: 2020

Prevalence of non alcoholic fatty liver disease in ...

<https://www.sciencedirect.com/science/article/pii/S1665268119316163>

Oct 01, 2010 · **Prevalence of non alcoholic fatty liver disease** in premenopausal, posmenopausal and **polycystic ovary syndrome women**.... The metabolic **syndrome** as a **predictor of nonalcoholic fatty liver disease**. Ann Intern Med, 143 (2005), pp. 722-728. Google Scholar. 13.

Cited by: 178

Author: Ylse Gutierrez-Grobe, Guadalupe Poncia...

Publish Year: 2010

Non-

Medical C

Fatty



A condition
no alcohol

Very c

Requi

Treatr

Can la

The cause

Prevalence and predictors of nonalcoholic fatty liver disease in Sout



ALL

IMAGES

VIDEOS

98,100 Results

Any time ▾

Prevalence of Nonalcoholic Fatty Liver Disease in Women ...

<https://www.sciencedirect.com/science/article/pii/S1542356506010482>

Apr 01, 2007 · Background & Aims: Insulin resistance has been implicated in the pathogenesis of both **nonalcoholic fatty liver disease** (NAFLD) and **polycystic ovary syndrome** (PCOS). We hypothesized that NAFLD would be common in both obese and nonobese **women** with PCOS. The aim of this study was to estimate the **prevalence** of and identify associated factors for hepatic steatosis in **women** with ...

Cited by: 169

Author: Maya Gambarin-Gelwan, Sanjiv V Kinkh...

Publish Year: 2007

Prevalence and Profile of Nonalcoholic Fatty Liver Disease ...

<https://aasldpubs.onlinelibrary.wiley.com/doi/full/10.1002/hep4.1519>

May 21, 2020 · **Nonalcoholic fatty liver disease** (NAFLD) is one of the most common **liver** diseases in the world, with a global **prevalence** of approximately 25% and a **prevalence** of 24% in North America. (1 , 2) The incidence is increasing, especially in the Western world, due to the rising **prevalence** of obesity in the general population.

Cited by: 1

Author: Steven Young, Raseen Tariq, John Prov...

Publish Year: 2020

Non-alcoholic fatty liver disease in women with polycystic ...

<https://www.researchgate.net/publication/317606598...>

Non-alcoholic fatty liver disease in women with **polycystic ovary syndrome**: systematic review and meta-analysis June 2017 Journal of endocrinological investigation 40(12)

PREVALENCE OF NON-ALCOHOLIC FATTY LIVER DISEASE IN ...

<https://www.scielo.br/scielo.php?script=sci...> ▾

PREVALENCE OF NON-ALCOHOLIC FATTY LIVER DISEASE IN WOMEN WITH POLYCYSTIC

OVARY SYNDROME AND ITS CORRELATION WITH METABOLIC SYNDROME and for the waist

ALL

IMAGES

VIDEOS

137,000 Results

Any time ▾

The Prevalence and Predictors of Non-alcoholic Fatty Liver ...

<https://www.touchendocrinology.com/obesity/journal...> ▾

Non-alcoholic fatty liver disease (NAFLD), the hepatic manifestation of the metabolic **syndrome**, is most commonly associated with obesity. 3 Among Indians, obesity is more commonly seen in **women** compared to men and is increasing in **prevalence** in children and adolescents, due to a sedentary lifestyle and unhealthy eating, along with which a ...

Prevalence and Profile of Nonalcoholic Fatty Liver Disease ...

<https://aasldpubs.onlinelibrary.wiley.com/doi/full/10.1002/hep4.1519>

May 21, 2020 - **Nonalcoholic fatty liver disease** (NAFLD) is one of the most common **liver** diseases in the world, with a global **prevalence** of approximately 25% and a **prevalence** of 24% in North America. (1 , 2) The incidence is increasing, especially in the Western world, due to the rising **prevalence** of obesity in the general population.

Cited by: 1

Author: Steven Young, Raseen Tariq, John Prove...

Publish Year: 2020

Prevalence of Nonalcoholic Fatty Liver Disease in Women ...

<https://www.sciencedirect.com/science/article/pii/S1542356506010482>

Apr 01, 2007 - Background & Aims: Insulin resistance has been implicated in the pathogenesis of both **nonalcoholic fatty liver disease** (NAFLD) and **polycystic ovary syndrome** (PCOS). We hypothesized that NAFLD would be common in both obese and nonobese **women** with PCOS. The aim of this study was to estimate the **prevalence** of and identify associated factors for hepatic steatosis in **women** with ...

Cited by: 169

Author: Maya Gambarin-Gelwan, Sanjiv V Kinkha...

Publish Year: 2007


Prevalence of Metabolic Syndrome and Nonalcoholic Fatty ...

<https://www.hindawi.com/journals/bmri/2020/2168381> ▾

Background and Objectives . The **prevalence** of the metabolic **syndrome** (MetS) and **nonalcoholic fatty liver disease** (NAFLD) is increasing worldwide. MetS-affected individuals stand the risk of coronary heart **disease**, stroke, and increased cardiovascular mortality while NAFLD results in advanced **liver** diseases,

Non-Alcoholic Fatty Liver Disease

Medical Condition



A condition in which fat accumulates in the liver in people who drink little or no alcohol.

- 🏠 Very common (More than 3 million cases per year in US)
- 🧪 Requires lab test or imaging
- 💊 Treatments can help manage condition, no known cure
- 🕒 Can last several years or be lifelong

The cause of non-alcoholic fatty liver disease is not clearly understood. It is associated with obesity, insulin resistance, hyperglycemia, and high levels of fat in blood. The condition does not usually cause symptoms. In some cases, fatigue, enlarged liver, and pain in the upper right abdomen is seen. Non-alcoholic fatty liver disease has no specific treatment. It involves treating underlying conditions such as obesity.