

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 59697

Manuscript Type: CASE REPORT

Subcutaneous panniculitis-like T-cell lymphoma invading central nervous system in long-term clinical remission with lenalidomide: A case report

Sun J *et al.* CNS T-cell lymphoma secondary to SPTCL

Jing Sun, Xiao-Shan Ma, Li-Mei Qu, Xue-Song Song

Match Overview

1	Internet 31 words crawled on 22-Dec-2020 www.wjgnet.com	2%
2	Internet 21 words crawled on 26-May-2016 hwmain.jco.ascopubs.org	1%
3	Crossref 17 words Mohammed Majeed, Paula Kovarik, Shekar Puttaswamy, Shane Borkowsky. "Panniculitis-like T-cell lymphoma wi...	1%
4	Internet 16 words crawled on 14-Oct-2020 ashpublications.org	1%
5	Crossref 15 words Alia Gupta, Uma Sundram. "Cutaneous lymphoma", Journal of Clinical Pathology, 2017	1%
6	Internet 14 words crawled on 28-Jul-2020 worldwidescience.org	1%
7	Internet 12 words crawled on 03-Oct-2020 www.spandidos-publications.com	1%

激活 Windows
转到“设置”以激活 Windows。

Central nervous system T-cell lymphoma secondary to subcutane



ALL

IMAGES

VIDEOS

38,400 Results

Any time ▾

[PDF] Long-term remission of subcutaneous panniculitis-like T ...

<https://www.spandidos-publications.com/10.3892/ol.2016.4635/download>

Subcutaneous panniculitislike T-cell lymphoma - (SPTCL) is an indolent cutaneous T-cell **lymphoma** with a favourable prognosis. The reported incidence of **central nervous system** (CNS) involvement in SPTCL is extremely low. SPTCL with CNS involvement is a fatal disease with no optimal treat-ment. The present study presents the **case** of a 27-year-old man

Long-term remission of subcutaneous panniculitis-like T ...

<https://www.europepmc.org/articles/PMC4907305> ▾

May 26, 2016 · Introduction. **Subcutaneous** panniculitis-like T-cell **lymphoma** (SPTCL) is a cytotoxic cutaneous T-cell **lymphoma** of predominantly α/β T-cell origin, which has an excellent prognosis, particularly when there is no association with haemophagocytic syndrome (HPS) (1,2).The incidence of SPTCL is <1% of all non-Hodgkin **lymphoma** cases.

Cited by: 1**Author:** Yajuan Qiu, Dandan Zhang, Mingzhi Zh...**Publish Year:** 2016

PEOPLE ALSO ASK

What is Anaplastic large cell lymphoma? ▾

What is peripheral T cell lymphoma? ▾

What are the different types of T cell lymphoma? ▾

Feedback

Successful Treatment of Disseminated Subcutaneous ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4259071>

1. Introduction. **Subcutaneous** panniculitis-like T-cell **lymphoma** (SPTL) is a type of T-cell **lymphoma** with clinicopathologic features simulating panniculitis and associated with an aggressive **clinical** course [1]. There are two subtypes: TCR α/β and TCR γ/δ [1]. While TCR

Subcutaneous panniculitis-like T-cell lymphoma invading central nei



Sign in



ALL

IMAGES

VIDEOS

9,300 Results

Any time ▾

Open links in new tab



Frontiers | New Therapies and Immunological Findings in ...

<https://www.frontiersin.org/articles/10.3389/fonc.2018.00198/full> ▾

Panniculitis-Like T-Cell Lymphoma. Subcutaneous panniculitis-like T-cell lymphoma (SPTCL) with α/β phenotype and SPTCL with γ/δ phenotype have been recognized as unique entities, considering their **clinical**, histological, and immunological characteristics (2, 190, 191).

Cited by: 13

Author: Kazuyasu Fujii

Publish Year: 2018

Two cases of cutaneous T cell lymphoma in Friesian cows in ...

<https://www.researchgate.net/publication/237165582...>

Subcutaneous panniculitis-like T-cell lymphoma (SPTCL) is an indolent cutaneous T-cell **lymphoma** with a favourable prognosis. The reported incidence of **central nervous system** (CNS) involvement in ...

Search Tools

Turn off Hover Translation (关闭取词)

PEOPLE ALSO ASK

What is peripheral T cell lymphoma?



What is cutaneous epidermotropic lymphoma?



What is Clinical Lymphoma?



激活 Windows

转到“设置”以激活 Windows。

Subcutaneous panniculitis-like T-cell lymphoma invading central ne



ALL

IMAGES

VIDEOS

9,460 Results

Any time ▾

Open links in new tab



Two cases of cutaneous T cell lymphoma in Friesian cows in ...

<https://www.researchgate.net/publication/237165582...>

Subcutaneous panniculitis-like T-cell lymphoma (SPTCL) is an indolent cutaneous T-cell lymphoma with a favourable prognosis. The reported incidence of central nervous system (CNS) involvement in ...

Frontiers | New Therapies and Immunological Findings in ...

<https://www.frontiersin.org/articles/10.3389/fonc.2018.00198/full> ▾



Panniculitis-Like T-Cell Lymphoma. Subcutaneous panniculitis-like T-cell lymphoma (SPTCL) with α/β phenotype and SPTCL with γ/δ phenotype have been recognized as unique entities, considering their clinical...

Cited by: 12

Author: Kazuyasu Fujii

Publish Year: 2018

PEOPLE ALSO ASK

What is cutaneous epidermotropic lymphoma? ▾

What is peripheral T cell lymphoma? ▾

What is Clinical Lymphoma? ▾

What is the criteria for epidermotropic lymphoma? ▾

Feedback

Peripheral T-cell lymphoma | Blood | American Society of ...

<https://ashpublications.org/blood/article/117/25/...> ▾

For nodal T-cell lymphomas (PTCL-NOS, AITL, and ALCL), the standard regimen used is a CHOP-based therapy. For extranodal subtypes, regimens may be individualized. For panniculitis-like T-cell lymphoma, distinction should be made between the α/β type and the γ/δ type, which is now included in the category of cutaneous γ/δ T-cell lymphoma.

Cited by: 382

Author: Francine M. Foss, Pier Luigi Zinzani, Juli...

Publish Year: 2011

Primary cutaneous aggressive epidermotropic CD8+ T-cell ...

<https://www.sciencedirect.com/science/article/pii/S0190962211022651>

Oct 01, 2012 - Primary cutaneous aggressive CD8+ epidermotropic T-cell lymphoma has a high

Search Tools

Turn off Hover Translation (关闭取词)