



59723_Auto_Edited.docx

Quotes Included
Bibliography Included3%
SIMILAR**Name of Journal:** *World Journal of Clinical Cases***Manuscript NO:** 59723**Manuscript Type:** CASE REPORT**Imaging Findings of Primary Pulmonary Synovial Sarcoma With Secondary Distant Metastases: A Case Report***PPSS With Secondary Distant Metastases*

rui li, Xin Teng, Wei-hong Han, Qing-wei Liu

Match Overview

1

Internet 57 words
crawled on 29-Sep-2020
www.wjgnet.com

3%





ALL

IMAGES

VIDEOS

209,000 Results

Any time ▼

[Primary pulmonary synovial sarcoma: A case with unique and ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4324527)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4324527>

Primary pulmonary synovial sarcoma (PPSS) is a rare malignancy. Its etiology, **imaging** features and optimal treatment are not well understood. **Pulmonary** pseudoaneurysms and lymphadenopathy are rare complications of **synovial** sarcomas. A 40-year-old woman ...

Cited by: 4

Author: Jaspreet S Kambo, Bonnie Richardson, ...

Publish Year: 2015

[Primary pulmonary synovial sarcoma requiring ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4210480)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4210480>

Synovial sarcoma is also recognized as a **primary pulmonary** neoplasm . PPSS is an aggressive tumor whose histological features are also seen in soft tissue **synovial sarcoma** [9]. PPSS occurs in older patients as well, however, in contrast to other soft tissue **synovial** sarcomas, with patients' ages ranging from 9 to 84 years (mean 43 years ...

[Primary pleuropulmonary synovial sarcoma mimicking a ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4878929)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4878929>

Metastatic **synovial sarcoma** was ruled out, and radical surgical excision of the lesion was performed. This article highlights the multiple atypical features **of primary** pleuropulmonary **synovial sarcoma** as seen in this **case** and reviews **imaging findings** described in the literature.

Cited by: 2

Author: Zeid Al-Ani, Jawad Naqvi, Teik Chooi Oh

Publish Year: 2016

[Primary Intraosseous Synovial Sarcoma with Molecular ...](https://www.hindawi.com/journals/crina/2020/5492754)

<https://www.hindawi.com/journals/crina/2020/5492754>



ALL

IMAGES

VIDEOS



Add the Give with Bing extension >

189,000 Results

Any time ▾

[Primary pulmonary synovial sarcoma requiring ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4210480>

Oct 18, 2014 · **Synovial sarcoma** is also recognized as a **primary pulmonary** neoplasm . PPSS is an aggressive tumor whose histological features are also seen in soft tissue **synovial sarcoma** [9]. PPSS occurs in older patients as well, however, in contrast to other soft tissue **synovial** sarcomas, with patients' ages ranging from 9 to 84 years (mean 43 years ...

[Primary Pulmonary Synovial Sarcoma in a Tertiary Referral ...](#)

<https://journals.lww.com/md-journal/fulltext/2015/...>

INTRODUCTION. **Primary pulmonary synovial sarcoma** (PPSS) is known as a distinct histologic subtype of **pulmonary sarcoma** after the identification of a pathognomonic chromosomal translocation in **synovial sarcoma**. 1 The first case was reported in 1995. 2 Despite its name, PPSS does not originate from the synovium but from immature mesenchymal elements. 3 Increasingly advanced diagnostic ...

Search Tools

[Turn on Hover Translation \(开启取词\)](#)

PEOPLE ALSO ASK

What is metastatic synovial sarcoma?



ALL IMAGES VIDEOS

185,000 Results Any time ▾

Primary pulmonary synovial sarcoma requiring ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4210480>

Oct 18, 2014 - Synovial sarcoma is also recognized as a primary pulmonary neoplasm . PPSS is an aggressive tumor whose histological features are also seen in soft tissue synovial sarcoma [9]. PPSS occurs in older patients as well, however, in contrast to other soft tissue synovial sarcomas, with patients' ages ranging from 9 to 84 years (mean 43 years ...

Primary Intraosseous Synovial Sarcoma with Molecular ...

<https://www.hindawi.com/journals/cripa/2020/5492754> ▾

Synovial sarcoma is a well-known malignant tumor usually originating within deep soft tissues of the lower extremities of adolescents and young adults. Rare radiologically confirmed examples of primary bone synovial sarcoma have been documented, generally in isolated case reports. Herein, we report two cases of primary intraosseous synovial sarcoma, with molecular confirmation, involving the ...

Author: Kelsey E McHugh, John D Reith, Nat... Publish Year: 2020

PEOPLE ALSO ASK

What is the prognosis of pulmonary metastasis? ▾

Can MRI detect pulmonary metastases? ▾

Are pulmonary sarcomas rare? ▾

What are radiographic features of pulmonary metastases? ▾

Feedback

Primary Pulmonary Synovial Sarcoma in a Tertiary Referral ...

<https://journals.lww.com/md-journal/Pages/article...>

Apr 08, 2015 - INTRODUCTION. Primary pulmonary synovial sarcoma (PPSS) is known as a distinct histologic subtype of pulmonary sarcoma after the identification of a pathognomonic chromosomal translocation in synovial sarcoma. 1 The first case was reported in 1995. 2 Despite its name, PPSS does not originate from the synovium but from immature mesenchymal elements. 3 Increasingly ...

Primary Pleuropulmonary Synovial Sarcoma: A Case

<https://www.hindawi.com/journals/cripu/2018/5190271> ▾

Primary pleuropulmonary synovial sarcoma is extremely rare. The diagnosis can only be made after having eliminated an extrapleuropulmonary localization in the past and at the time of diagnosis. Our

Search Tools

Turn off Hover Translation (关闭取词)