

Match Overview

1	Internet 142 words crawled on 06-Aug-2020 f6publishing.blob.core.windows.net	3%
2	Crossref 113 words Shih-Ya Hung, Hong-Chang Chen, William Tzu-Liang Chen. "A Randomized Trial Comparing the Bowel Cleansing Eff	2%
3	Internet 96 words crawled on 05-Aug-2020 www.nature.com	2%
4	Crossref 82 words Hookey, L.C.. "The safety profile of oral sodium phosphat ... for colonic cleansing before colonoscopy in adults", Gastroi	1%
5	Internet 78 words www.ncbi.nlm.nih.gov	1%
6	Internet 27 words crawled on 28-May-2020 escholarship.org	<1%
7	Internet 27 words crawled on 04-Jun-2020 www.wjgnet.com	<1%
8	Crossref 18 words Alaa Rostom, Emilie Jolicoeur. "Validation of a new scale ... or the assessment of bowel preparation quality", Gastrointe	<1%
9	Crossref 15 words Joe J. Tjandra. "Oral Sodium Phosphate (Fleet®) is a Supe the Colonoscopy Preparation to Prevent S&O Complicatio	<1%

1
Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 59941

Manuscript Type: ORIGINAL ARTICLE

Clinical Trials Study

Noninferiority clinical trial comparing the bowel cleansing efficacy of sodium phosphate tablets with a polyethylene glycol/bisacodyl kit (the Quiklean® study)

Hung SY *et al.* Quiklean® effective for bowel preparation

Shih-Ya Hung, Hung-Chang Chen, Tao-Wei Ke, Jiann-Hwa Chen, Koung-Hung Hsiao, Hwei-Ming Wang, Hua-Che Chiang, Sheng-Chi Chang, Yi-Chang Chen, Ming-Hao Hsieh, Yuan-Yao Tsai, Yo-Wen Hsieh, William Tzu-Liang Chen

A Noninferiority Clinical Trial Comparing the Bowel Cleansing Efficac



ALL

IMAGES

VIDEOS

31,100 Results

Any time ▾

(PDF) A Randomized Trial Comparing the Bowel Cleansing ...<https://www.researchgate.net/publication/340232252...>

A Randomized Trial Comparing the Bowel Cleansing Efficacy of Sodium Picosulfate/Magnesium Citrate and Polyethylene Glycol/Bisacodyl (The Bowklean Study) March 2020 Scientific Reports 10(1)

Clinical trial: sodium phosphate tablets are preferred and ...<https://onlinelibrary.wiley.com/doi/full/10.1111/j.1365-2036.2007.03496.x>

Background Patient acceptance of **bowel** preparation can affect colon cancer screening compliance.. Aim To compare patient acceptance, preference and tolerability of 32-**sodium phosphate tablets** vs. 2L **polyethylene glycol** solution plus 4 **bisacodyl tablets** for **bowel** preparation.. Methods A prospective, randomized, investigator-blinded, multicentre **trial** was performed.

Cited by: 28**Author:** G. R. Lichtenstein, N. Grandhi, M. Schm...**Publish Year:** 2007**Safety and Efficacy of OsmoPrep® Tablets Versus HalfLyte® ...**<https://clinicaltrials.gov/ct2/show/NCT01427296> ▾

Sep 01, 2011 · Safety and **Efficacy** of OsmoPrep® **Tablets** Versus HalfLyte® and **Bisacodyl** Tablet **Bowel** Prep Kit for Colon **Cleansing** The safety and scientific validity of this **study** is the responsibility of the **study** sponsor and investigators.

Low-salt bowel cleansing preparation (LoSo Prep) as ...<https://onlinelibrary.wiley.com/doi/full/10.1046/j.1365-2036.2002.01295.x>

Jul 25, 2002 · Background: Currently available colon **cleansing** preparations are often poorly tolerated.. Aim: To evaluate the **efficacy** of a low-volume, low-salt preparation for colonoscopy.. Methods: This was a pilot **study** in patients scheduled for colonoscopy. The preparation consisted of 34 g of magnesium citrate and four **bisacodyl tablets** the day before the procedure, and one **bisacodyl** suppository on

ALL

IMAGES

VIDEOS

246 Results

Any time ▼

(PDF) A Randomized Trial Comparing the Bowel Cleansing ...

<https://www.researchgate.net/publication/340232252...>

A Randomized Trial Comparing the Bowel Cleansing Efficacy of Sodium Picosulfate/Magnesium Citrate and Polyethylene Glycol/Bisacodyl (The Bowklean Study) March 2020 Scientific Reports 10(1)

Study of the Efficacy and Safety of Quiklean® and Klean ...

<https://www.clinicaltrials.gov/ct2/show/NCT03992365> ▼

Jun 20, 2019 · This will be a randomized, evaluator blind, active-controlled, parallel study to **compare** the safety and **efficacy** of investigational drug (**Quiklean®**) with standard comparator (Klean-Prep with Dulcolax®) in subjects undergoing **bowel** preparation for colonoscopy. This study will be conducted in two arms: Group A: **Quiklean®** (32 tablets)

Bowel cleansing before colonoscopy: Balancing efficacy ...

<https://www.europepmc.org/articles/PMC4707321> ▼

Jan 01, 2016 · POLYETHELENE GLYCOL. Four liters PEG-ELS (electrolyte lavage solution) administered in split doses is considered by most to be the standard against which all other **bowel** preparations are judged. A systemic review and meta-analysis by Enestvedt et al found an OR of 3.46 that a split dose 4 L PEG-ELS preparation would produce a good or excellent **bowel** preparation compared with other ...

Cited by: 16

Author: Nicole M Harrison, Michael C Hjelkrem

Publish Year: 2016

Low-volume polyethylene glycol and bisacodyl for bowel ...

<https://www.researchgate.net/publication/261516188...>

A Randomized Trial Comparing the Bowel Cleansing Efficacy of Sodium Picosulfate/Magnesium Citrate and Polyethylene Glycol/Bisacodyl (The Bowklean Study) Article Full-text available

Systematic review and meta-analysis: Sodium picosulfate ...

[ALL](#)[SHOPPING](#)[IMAGES](#)[VIDEOS](#)[MAPS](#)[NEWS](#)

225 Results

Any time ▾

(PDF) A Randomized Trial Comparing the Bowel Cleansing ...

<https://www.researchgate.net/publication/340232252...>

A Randomized **Trial Comparing the Bowel Cleansing Efficacy of Sodium** Picosulfate/Magnesium Citrate and **Polyethylene Glycol/Bisacodyl** (The Bowklean Study) March 2020 Scientific Reports 10(1)

Study of the Efficacy and Safety of Quiklean® and Klean ...

[https://www.clinicaltrials.gov/ct2/show/NCT03992365 ▾](https://www.clinicaltrials.gov/ct2/show/NCT03992365)

Jun 20, 2019 · This will be a randomized, evaluator blind, active-controlled, parallel study to **compare** the safety and **efficacy** of investigational drug (**Quiklean®**) with standard comparator (Klean-Prep with Dulcolax®) in subjects undergoing **bowel** preparation for colonoscopy. This study will be conducted in two arms: Group A: **Quiklean®** (32 **tablets**)

Bowel cleansing before colonoscopy: Balancing efficacy ...

[https://www.europepmc.org/articles/PMC4707321 ▾](https://www.europepmc.org/articles/PMC4707321)

Jan 01, 2016 · POLYETHELENE **GLYCOL**. Four liters PEG-ELS (electrolyte lavage solution) administered in split doses is considered by most to be the standard against which all other **bowel** preparations are judged. A systemic review and meta-analysis by Enestvedt et al found an OR of 3.46 that a split dose 4 L PEG-ELS preparation would produce a good or excellent **bowel** preparation compared with other ...

Cited by: 17**Author:** Nicole M Harrison, Michael C Hjelkrem**Publish Year:** 2016

(PDF) Polyethylene glycol and bisacodyl for colonoscopy ...

<https://www.researchgate.net/publication/261516655...>

Similarly, the **efficacy** of P/MC, as measured by the Ottawa scale, was non-inferior to 2L PEG-3350 and **bisacodyl tablets** in **cleansing** the ascending, mid, and recto-sigmoid segments of **the colon**.

Split-dose administration of a dual-action, low-volume ...

<https://www.sciencedirect.com/science/article/pii/S0016510713001842>