



60020_Auto_Edited.docx

Quotes Excluded
Bibliography Excluded1%
SIMILAR

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 60020

Manuscript Type: CASE REPORT

17 α -hydroxylase/17,20 carbon chain lyase deficiency caused by p.Tyr329fs
homozygous mutation: A case report

17OHD from p.Tyr329fs homozygous mutation

Dai Zhang, Jian-Ran Sun, Jiang Xu, Yan Xing, Mao Zheng, Shan-Dong Ye, Jie Zhu

Match Overview

1

Crossref 25 words

Siew-Lee Wong, San-Ging Shu, Chi-Ren Tsai. "Seventeen...
lpha-hydroxylase Deficiency", Journal of the Formosan Medi

1%

2

Crossref 13 words

Robert M. Carey, Shetal H. Padia. "Primary Mineralocorticoi
d Excess Disorders and Hypertension", Elsevier BV, 2016

<1%

激活 Windows
转到“设置”以激活 Windows。

17 α -hydroxylase/17,20 carbon chain lyase deficiency caused by p:



ALL

IMAGES

VIDEOS

1,530 Results

Any time ▾

Journal of Clinical Research in Pediatric Endocrinology

www.jcrpe.org/archives/archive-detail/article-preview/a-rare-cause-of-congenital...

▼
17 α -hydroxylase/17,20 lyase deficiency (17OHD) is a rare form of congenital adrenal hyperplasia (CAH), characterized by hypertension and varying degrees of ambiguous genitalia and delayed puberty. The disease is associated with bi-allelic **mutations** in the CYP17A1 gene located on chromosome 10q24.3. We aimed to present clinical and genetic ...

(PDF) A rare enzymatic defect, true isolated 17,20-lyase ...

https://www.researchgate.net/publication/337071706_A_rare_enzymatic_defect_true...

PDF | The cytochrome P450 17A1 catalyzes the formation of 17-hydroxysteroids and 17-ketosteroid. Most defects in CYP17A1 impair both enzymatic... | ...

A new compound heterozygous mutation in a female with 17 α ...

https://www.researchgate.net/publication/330233492_A_new_compound_heterozygous...

Download Citation | A new compound heterozygous **mutation** in a female with **17 α -hydroxylase/17,20-lyase deficiency**, slipped capital femoral epiphysis, and adrenal ...

Clinical and molecular genetic analysis for 7 patients ...

https://www.researchgate.net/publication/26274182_Clinical_and_molecular_genetic...

Request PDF | Clinical and molecular genetic analysis for 7 patients from 5 pedigrees with **17 α -hydroxylase/17, 20 lyase deficiency** | To investigate the clinical and genetic characteristics of 7 ...

A Rare Cause of Congenital Adrenal Hyperplasia: Clinical ...

<https://www.thefreelibrary.com/A+Rare+Cause+of+Congenital+Adrenal+Hyperplasi...>

17 α -hydroxylase/17,20 carbon chain lyase deficiency caused by p.T

Sign in



ALL


IMAGES

VIDEOS

1,730 Results

Any time ▾

Open links in new tab



Journal of Clinical Research in Pediatric Endocrinology

www.jcrpe.org/.../a-rare-cause-of-congenital.../16874 ▾

17 α -hydroxylase/17,20 lyase deficiency (17OHD) is a rare form of congenital adrenal hyperplasia (CAH), characterized by hypertension and varying degrees of ambiguous genitalia and delayed puberty. The disease is associated with bi-allelic **mutations** in the CYP17A1 gene located on chromosome 10q24.3. We aimed to present clinical and genetic ...

A Rare Cause of Congenital Adrenal Hyperplasia: Clinical ...

<https://www.thefreelibrary.com/A+Rare+Cause+of...> ▾

Sep 01, 2018 · Free Online Library: A Rare **Cause** of Congenital Adrenal Hyperplasia: Clinical and Genetic Findings and Follow-up Characteristics of Six Patients with 17-Hydroxylase **Deficiency** Including Two Novel **Mutations**.(ORIGINAL ARTICLE, **Report**) by "Journal of Clinical Research in Pediatric Endocrinology"; Health, general Adrenogenital syndrome Care and treatment Genetic aspects Risk ...

c-c lyase involved: Topics by Science.gov

<https://www.science.gov/topicpages/c/c-c+lyase+involved> ▾

Jun 08, 2018 · We studied two patients with clinical and hormonal findings suggestive of isolated 17,20-**lyase deficiency**. We found two patients **homozygous** for substitution **mutations** in CYP17, the gene encoding P450c17. When expressed in COS-1 cells, the mutants retained 17 alpha-hydroxylase activity but had minimal 17,20-**lyase** activity. Substrate competition ...

phenylalanine hydroxylase gene: Topics by Science.gov

Aug 29, 2018

Search Tools

[Turn off Hover Translation \(关闭取词\)](#)

激活 Windows

转到“设置”以激活 Windows。

ALL

IMAGES

VIDEOS

1,720 Results

Any time ▾

Journal of Clinical Research in Pediatric Endocrinology

www.jcrpe.org/archives/archive-detail/article-preview/a-rare-cause-of-congenital... ▾

17 α -hydroxylase/17,20 lyase deficiency (17OHD) is a rare form of congenital adrenal hyperplasia (CAH), characterized by hypertension and varying degrees of ambiguous genitalia and delayed puberty. The disease is associated with bi-allelic mutations in the CYP17A1 gene located on chromosome 10q24.3. We aimed to present clinical and genetic ...

A Rare Cause of Congenital Adrenal Hyperplasia: Clinical ...

<https://www.thefreelibrary.com/A+Rare+Cause+of...> ▾

Sep 01, 2018 - Free Online Library: A Rare Cause of Congenital Adrenal Hyperplasia: Clinical and Genetic Findings and Follow-up Characteristics of Six Patients with 17-Hydroxylase Deficiency Including Two Novel Mutations.(ORIGINAL ARTICLE, Report) by "Journal of Clinical Research in Pediatric Endocrinology"; Health, general Adrenogenital syndrome Care and treatment Genetic aspects Risk ...

18 Hydroxydeoxycorticosterone - an overview ...

<https://www.sciencedirect.com/topics/pharmacology-toxicology-and-pharmaceutical...>

Recent reports suggest that 17-hydroxylase deficiency is most common in Brazil, where mutations W406R and R362C dominate. Isolated 17,20-Lyase Deficiency. When only the 17,20-lyase activity is deficient, as has been suggested in 18 case reports, adrenal gluco- and mineralocorticoid synthesis is normal, but testosterone synthesis is impaired.

Cytochrome b5 modulates multiple reactions in ...

<https://www.researchgate.net/publication/269176548...>

The 17 α -hydroxylase/17, 20-lyase enzyme plays a pivotal role in the synthesis of cortisol and androgens. Deficiency therefore leads to impaired androgen synthesis in the male and is a cause of ...

alliin lyase alliinase: Topics by Science.gov

<https://www.science.gov/topicpages/a/alliin+lyase+alliinase.html> ▾

Jun 15, 2018 - We studied two patients with clinical and hormonal findings suggestive of isolated 17,20-lyase deficiency. We found two patients homozygous for substitution mutations in CYP17, the gene encoding P450c17. When expressed in COS-1 cells, the mutants retained 17 alpha-hydroxylase activity but had minimal 17,20-lyase activity. Substrate competition ...

phenylalanine hydroxylase expression: Topics by Science.gov

Aug 20, 2018

pectate lyase pel: Topics by Science.gov

Apr 29, 2018

www.science.gov

Jul 01, 2017

See more results

Search Tools

Turn off Hover Translation (关闭取词)