

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 60225

Manuscript Type: CASE REPORT

Epithelioid Angiomyolipoma of the Pancreas: A Case Report and Literature Review

Zhu QQ *et al.* A case Report of Epithelioid Angiomyolipoma.

Abstract

BACKGROUND

Angiomyolipomas (AMLs), belonging to the family of mesenchymal tumors, are considered benign lesions that occur mostly in the kidney or as a part of tuberous sclerosis (TSC). Epithelioid AML (EAML) is a rare type of AML that appears to have malignant potential. Extrarenal AMLs usually occur in the liver according to the retrieved literature reports. There have been only two previous reports of monofocal primary AML of the pancreas; however, no cases of primary monotypic EAML of the

Match Overview

1	Crossref 56 words Glenroy Heywood. "Primary Angiomyolipoma of the Pancreas", <i>Pancreas</i> , 05/2004	2%
2	Crossref 53 words Ann E. Anderson. "Epithelioid Angiomyolipoma of the Ovary: A Case Report and Literature Review", <i>International Journal of Gynecology and Obstetrics</i>	2%
3	Internet 47 words crawled on 11-Aug-2019 tessera.spandidos-publications.com	2%
4	Crossref 37 words L Insabato. "Primary monotypic epithelioid angiomyolipoma of bone", <i>Histopathology</i> , 3/2002	1%
5	Crossref 34 words Hye Hee Kim, Dong Hee Park. "Imaging Findings of Primary Epithelioid Angiomyolipoma of the Pancreas: A Case Report", <i>Journal of Korean Medical Association</i>	1%
6	Crossref 18 words Mohammad Ali Ghaed, Maziar Daniali, Paniz Motaghi, Hamid Jalali Sohi. "Huge renal epithelioid angiomyolipoma - a case report", <i>Journal of Clinical Medicine</i>	1%
7	Internet 13 words crawled on 16-May-2018 www.birpublications.org	1%
8	Internet 13 words crawled on 13-Sep-2020 www.wjgnet.com	1%

Epithelioid Angiomyolipoma of the Pancreas: A Case Report and Lit



Sign in



ALL

IMAGES

VIDEOS

89,100 Results

Any time ▾

Ruptured Hepatic Epithelioid Angiomyolipoma: A Case Report ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4067709>

Ruptured Hepatic **Epithelioid Angiomyolipoma: A Case Report and Literature Review** Shogo Tajima , a, *
Akira Suzuki , b and Kiyoshi Suzumura b a Department of ...

Cited by: 11

Author: Shogo Tajima, Akira Suzuki, Kiyoshi Suzum...

Publish Year: 2014

Search Tools

Turn on Hover Translation (开启取词)

Primary kidney malignant epithelioid angiomyolipoma: Two ...

<https://pubmed.ncbi.nlm.nih.gov/30095646>

Rationale: **Epithelioid angiomyolipoma (EAML)** is a subtype of **angiomyolipoma** with malignant potential. A diagnosis of malignant EAML of the kidney is based on extrarenal metastasis, and predicting early transformation is difficult. To propose criteria for indicators of malignant transformation, herein we **report 2 cases and review 17 cases reported in the literature (2000-2017)**.

Cited by: 3

Author: Rui Zhan, Yan-Qing Li, Chun-Yan Chen, Han-...

Publish Year: 2018

Pancreatic perivascular epithelioid cell tumor: A case ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4814656>

激活 Windows

转到“设置”以激活 Windows。

Epithelioid Angiomyolipoma of the Pancreas: A Case Report and Lit



ALL

IMAGES

VIDEOS

89,200 Results

Any time ▼

Ruptured Hepatic Epithelioid Angiomyolipoma: A Case Report ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4067709>

Ruptured Hepatic **Epithelioid Angiomyolipoma: A Case Report and Literature Review** Shogo Tajima , a, *
Akira Suzuki , b and Kiyoshi Suzumura b a Department of ...

Cited by: 11**Author:** Shogo Tajima, Akira Suzuki, Kiyoshi Suzum...**Publish Year:** 2014

Renal epithelioid angiomyolipoma: Histopathologic review ...

<https://onlinelibrary.wiley.com/doi/10.1111/pin.12458>

Epithelioid angiomyolipoma (EAML) is considered to be a potentially malignant tumor and requires a differential diagnosis from renal cell carcinoma. In this study, we assessed the clinicopathologic features of renal EAML and evaluated the prognostic significance. Among 78 **angiomyolipoma (AML)** patients, a total of 5 EAMLs were identified, accounting for 6.4% of the total **AML cases**.

Renal epithelioid angiomyolipoma with a negative ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3667146>

Svec A, Velenska Z. Renal **epithelioid angiomyolipoma** - a close mimic of renal cell carcinoma. **Report of a case and review of the literature**. Pathol Res Pract. 2005; 200:851–856. doi: 10.1016/j.prp.2004.09.004.

Cited by: 6**Author:** Samantha E Hohensee, Francisco G La Ros...**Publish Year:** 2013

Primary kidney malignant epithelioid angiomyolipoma: Two ...

<https://pubmed.ncbi.nlm.nih.gov/30095646>

Rationale: **Epithelioid angiomyolipoma (EAML)** is a subtype of **angiomyolipoma** with malignant potential. A diagnosis of malignant EAML of the kidney is based on extrarenal metastasis. and predicting early

ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

89,200 Results

Any time ▾

Ruptured Hepatic Epithelioid Angiomyolipoma: A Case Report ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4067709>

In the present **case**, the **epithelioid** cell component occupied 50–60% of the tumor, and E-cadherin and β -catenin were weakly positive in a membranous pattern. Therefore, applying the renal standard, this **case**...

Cited by: 11

Author: Shogo Tajima, Akira Suzuki, Kiyoshi Suzum...

Publish Year: 2014

Malignant epithelioid angiomyolipoma ('sarcoma ex ...

<https://pubmed.ncbi.nlm.nih.gov/11145246>

Malignant **epithelioid angiomyolipoma** is a recently described rare tumor of the kidney. Its existence has been questioned, however, on the basis of incomplete evidence of malignant behavior, the absence of a...

Gastric Angiomyolipoma, a Very Rare Cause of Upper ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5051102>

Sep 20, 2012 · **Angiomyolipoma (AML)** is a relatively rare neoplasm, composed of variable proportions of adipose tissue, spindle and epithelioid smooth muscle-like cells and abnormal thick-walled blood vessel...

Cited by: 2

Author: Raghava Reddy Levaka Veera, Swapna Red...

Publish Year: 2012

Renal epithelioid angiomyolipoma: Histopathologic review ...

<https://onlinelibrary.wiley.com/doi/10.1111/pin.12458>

Epithelioid angiomyolipoma (EAML) is considered to be a potentially malignant tumor and requires a differential diagnosis from renal cell carcinoma. In this study, we assessed the clinicopathologic feature...

Imaging Appearance of Renal Epithelioid Angiomyolipoma: A ...

<https://pubmed.ncbi.nlm.nih.gov/29505538>

Rationale: **Epithelioid angiomyolipoma (EAML)** is an extremely rare disease. It commonly occurs in middle-aged females and mainly involves the kidney. Histological and immunohistochemical examinatio...

Cited by: 5

Author: Jianguo Zhu, Haige Li, Liucheng Ding, Hon...

Publish Year: 2018

Primary kidney malignant epithelioid angiomyolipoma: Two ...

<https://pubmed.ncbi.nlm.nih.gov/30095646>