

PEER-REVIEW REPORT

Name of journal: World Journal of Clinical Cases

Manuscript NO: 60382

Title: Reconstructing abdominal wall defects by free composite tissue flap: a case report

Reviewer's code: 05318986

Position: Peer Reviewer

Academic degree: MD

Professional title: Doctor

Reviewer's Country/Territory: India

Author's Country/Territory: China

Manuscript submission date: 2020-10-27

Reviewer chosen by: Ya-Juan Ma

Reviewer accepted review: 2020-11-27 00:12

Reviewer performed review: 2020-11-30 06:45

Review time: 3 Days and 6 Hours

Scientific quality	<input type="checkbox"/> Grade A: Excellent <input checked="" type="checkbox"/> Grade B: Very good <input type="checkbox"/> Grade C: Good <input type="checkbox"/> Grade D: Fair <input type="checkbox"/> Grade E: Do not publish
Language quality	<input type="checkbox"/> Grade A: Priority publishing <input checked="" type="checkbox"/> Grade B: Minor language polishing <input type="checkbox"/> Grade C: A great deal of language polishing <input type="checkbox"/> Grade D: Rejection
Conclusion	<input type="checkbox"/> Accept (High priority) <input checked="" type="checkbox"/> Accept (General priority) <input type="checkbox"/> Minor revision <input type="checkbox"/> Major revision <input type="checkbox"/> Rejection
Re-review	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Peer-reviewer statements	Peer-Review: <input checked="" type="checkbox"/> Anonymous <input type="checkbox"/> Onymous Conflicts-of-Interest: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No



**Baishideng
Publishing
Group**

7041 Koll Center Parkway, Suite
160, Pleasanton, CA 94566, USA
Telephone: +1-925-399-1568
E-mail: bpgoffice@wjgnet.com
<https://www.wjgnet.com>

SPECIFIC COMMENTS TO AUTHORS

Was CTscan done postoperatively before discharge to check for bowel attachment or adhesion to plate like adhesive barrier? If so, what is the finding?