1

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 60448

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Serum vitamin D and vitamin-D-binding protein levels in children with chronic hepatitis B

Cai-Zhi Huang, Jie Zhang, Lin Zhang, Cui-Hua Yu, Yi Mo, Li-Ya Mo

国内版 国际版

Microsoft Bing

Serum vitamin D and vitamin-D-binding protein levels in children w

ALL IMAGES VIDEOS

176,000 Results Any time

Effect of Vitamin D Binding Protein (DBP) Genotype on the ...

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4070170

Falleti E, Bitetto **D**, Fabris C, et al. **Vitamin D binding protein** gene polymorphisms and baseline **vitamin D levels** as predictors of antiviral response in **chronic hepatitis** ...

Cited by: 17 **Author:** Aledie Navas-Nazario, Fang Yong Li, Ver...
Publish Year: 2014

Is vitamin D deficiency a risk factor for COVID-19 in ...

https://onlinelibrary.wiley.com/doi/full/10.1002/ppul.25106

Patients diagnosed with COVID-19 were divided into two groups. Those who had deficient and insufficient **vitamin D levels** were determined as Group 1 (n: 29, 72.5%) and normal patients were determined as Group 2 (n: 11, 27.5%). 18 **children** in the COVID-19 patient group had **vitamin D** deficient and 11 **children** had **vitamin D** insufficient values.. Eight **children** in the healthy group had **vitamin** ...

Cited by: 2 **Author:** Kamil Yılmaz, Velat Şen
Publish Year: 2020

Association of serum 25-hydroxyvitamin D levels with ...

https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0239481

Nov 05, 2020 · 25-Hydroxyvitamin **D** [25(OH)**D**] has been reported to be associated with several **chronic** liver diseases. The relationship between 25(OH)**D** and autoimmune **hepatitis** (AIH) pathogenesis is incompletely understood. We investigated the association of **serum** total and free 25(OH)**D levels** with necroinflammatory activity and cytokine **levels** in 66 patients with AIH diagnosed in our hospital.

Author: Kazumichi Abe, Masashi Fujita, Mana... **Publish Year:** 2020

Vitamin D binding protein gene polymorphisms and baseline ...

https://aasldpubs.onlinelibrary.wiley.com/doi/abs/10.1002/hep.25848

May 18, 2012 · **Vitamin D binding protein** (GC) gene polymorphisms are known to influence **vitamin D levels**. This study was performed to assess whether the interaction between basal circulating **vitamin D** and the GC polymorphism plays a role in influencing the rate of antiviral responses in patients affected by **chronic hepatitis** C.

Cited by: 87 **Author:** Edmondo Falleti, Davide Bitetto, Carlo Fa...
Publish Year: 2012

Vitamin D–Binding Protein Deficiency and Homozygous ...

https://www.nejm.org/doi/full/10.1056/NEJMoa1807841

No clinical reference ranges are available for free 25(OH)**D** or for **vitamin** D–binding **protein**. 1,25(OH) 2 **D** 2 denotes 1,25-dihydroxyvitamin **D** 2, 1,25(OH) 2 **D** 3 1,25-dihydroxyvitamin **D** 3, 24,25(OH ...

国内版 国际版

Microsoft Bing

Serum vitamin D and vitamin-D-binding protein levels in children wit

Sign in

ALL IMAGES VIDEOS

Add the Give with Bing extension

179,000 Results Any time

Effect of Vitamin D Binding Protein (DBP) Genotype on the ...

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4070170

Falleti E, Bitetto **D**, Fabris C, et al. **Vitamin D binding protein** gene polymorphisms and baseline **vitamin D levels** as predictors of antiviral response in **chronic hepatitis** ...

Cited by: 17 **Author:** Aledie Navas-Nazario, Fang Yong Li, Veroni...

Publish Year: 2014

Nutrition Support of Children With Chronic Liver Diseases ...

https://journals.lww.com/jpgn/Fulltext/2019/10000/...

Oct 08, 2018 · **Vitamin D** should be provided as cholecalciferol (D3) due to its greater bioavailability and affinity for **vitamin D–binding protein** than ergocalciferol (D2). There is no consensus on upper limits of **serum levels**, but **serum levels** of 25-OH **vitamin D** >20 nmol/L should be achieved (78) .

Normal vitamin D levels are associated with spontaneous ...

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3692974

Jun 27, 2013 · AIM: To investigate a possible association between **serum vitamin D levels** and spontaneous **hepatitis B** surface antigen (HBsAg) seroclearance. METHODS: Fifty-three patients diagnosed **with chronic** inactive **hepatitis B** and spontaneous HBsAg seroclearance were followed up in

Search

Turn on H

Make a difference for a nonprofit, simply by searching on Bing

MAYBE LATER YES

174,000 Results Any time

Nutrition Support of Children With Chronic Liver Diseases ...

https://journals.lww.com/jpgn/Fulltext/2019/10000/...

Oct 08, 2018 · **Vitamin D** should be provided as cholecalciferol (D3) due to its greater bioavailability and affinity for **vitamin** D–binding **protein** than ergocalciferol (D2). There is no consensus on upper limits of **serum levels**, but **serum levels** of 25-OH **vitamin D** >20 nmol/L should be achieved (78) .

Effect of Vitamin D Binding Protein (DBP) Genotype on the ...

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4070170

Falleti E, Bitetto **D**, Fabris C, et al. **Vitamin D** binding **protein** gene polymorphisms and baseline **vitamin D levels** as predictors of antiviral response in **chronic hepatitis** ...

Cited by: 17 **Author:** Aledie Navas-Nazario, Fang Yong Li, Veroni...
Publish Year: 2014

Vitamin D Binding Protein, Total and Free Vitamin D Levels ...

https://www.frontiersin.org/articles/10.3389/fendo.2019.00317

Keywords: **vitamin D** binding **protein**, **vitamin D**, free 25(OH)**D**, free hormone hypothesis, megalin, polymorphisms, liver cirrhosis, pregnancy. Citation: Bikle DD and Schwartz J (2019) **Vitamin D** Binding **Protein**, Total and Free **Vitamin D Levels** in Different Physiological and Pathophysiological Conditions. Front. Endocrinol. 10:317. doi: 10.3389/fendo ...

Cited by: 68 **Author:** Zhongjian Xie, Xiangbing Wang, Daniel D. B...
Publish Year: 2019

Vitamin D–Binding Protein Deficiency and Homozygous ...

https://www.nejm.org/doi/full/10.1056/NEJMoa1807841

No clinical reference ranges are available for free 25(OH)**D** or for **vitamin** D–binding **protein**. 1,25(OH) 2 **D** 2 denotes 1,25-dihydroxyvitamin **D** 2, 1,25(OH) 2 **D** 3 1,25-dihydroxyvitamin **D** 3, 24,25(OH ...

Cited by: 18 **Author:** Clark M Henderson, Susan L Fink, Hanan B...
Publish Year: 2019