



**Baishideng  
Publishing  
Group**

7041 Koll Center Parkway, Suite  
160, Pleasanton, CA 94566, USA  
**Telephone:** +1-925-399-1568  
**E-mail:** bpgoffice@wjgnet.com  
**https://**www.wjgnet.com

## JOURNAL EDITOR-IN-CHIEF'S REVIEW REPORT

**Name of journal:** World Journal of Radiology

**Manuscript NO:** 60798

**Title:** Cone beam computed tomographic evaluation of pharyngeal airway in North Indian children with different skeletal patterns

**Journal Editor-in-Chief (Associate Editor):** Venkatesh Mani

**Country/Territory:** United States

**Editorial Director:** Ze-Mao Gong

**Date accepted review:** 2021-01-18 14:23

**Date reviewed:** 2021-01-19 05:05

**Review time:** 14 Hours

SCIENTIFIC QUALITY	LANGUAGE QUALITY	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input type="checkbox"/> Grade A: Priority publishing	<input type="checkbox"/> Accept
<input type="checkbox"/> Grade B: Very good	<input type="checkbox"/> Grade B: Minor language polishing	<input type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C: Good	<input type="checkbox"/> Grade C: A great deal of language polishing	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade D: Rejected	<input type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E: Poor		<input type="checkbox"/> Major revision

### JOURNAL EDITOR-IN-CHIEF (ASSOCIATE EDITOR) COMMENTS TO AUTHORS

Were the statistical analysis presented adjusted for age, gender and other demographic factors? If not, please do so. In the figures, please highlight the measured parameters better, especially the ANB angle.