

9,550 Results Any time ▾

[Emerging roles of long noncoding RNAs in ...](#)

<https://europepmc.org/article/PMC/PMC7743012>

primary biliary cholangitis pCCA perihilar cholangiocarcinoma PCNA ... lncRNAs may have more advantages as biomarkers for the diagnosis and prognosis of CCA. As mentioned above, ... Other lncRNAs associated with PFS and OS of CCA patients are summarized in Table 3.

[S100A6 protein as a marker for differential diagnosis of ...](#)

<https://www.researchgate.net/publication/11195841...>

A new marker useful for differential diagnosis of cholangiocarcinoma (CC) from hepatocellular carcinoma (HCC) has been identified and investigated. cDNA clone for S100A6 (calcylin) was identified ...

[Emerging roles of long noncoding RNAs in ...](#)

<https://onlinelibrary.wiley.com/doi/10.1002/cac2.12109>

Prostate cancer-associated 3 (PCA3), the first lncRNA identified to be abnormally expressed in cancer, is already being used as a biomarker in prostate cancer for clinical diagnosis. Along with increasing publications regarding the mechanism of lncRNAs, the roles of lncRNAs ...

Author: Yang Yang, Xueting Deng, Qianpeng ... Publish Year: 2020

Search Tools

Turn off Hover Translation (关闭翻译)



[Cells | Free Full-Text | Magnetic-Assisted Treatment of ...](#)

<https://www.mdpi.com/2073-4409/8/10/1279/htm>

The **S100 calcium binding protein A6** (S100A6) was identified as a universal marker of activated HSC, myofibroblasts (MFB), for both mRNA and **protein** expression . The so-called transdifferentiation of the resting and vitamin A storing HSC into MFB, which are proliferative and which express huge amounts of collagen, is central for fibrogenesis [22].

Cited by: 11 **Author:** Kateryna Levada, Alexander Omelyanc...

Publish Year: 2019

[\(PDF\) Magnetic-Assisted Treatment of Liver Fibrosis](#)

<https://www.researchgate.net/publication/336690556...>

The **S100 calcium binding protein A6** (S100A6) was identified as a universal marker of activated HSC, myofibroblasts (MFB), for both mRNA and **protein** expression [

[Tumor Markers - Medical Clinical Policy Bulletins | Aetna](#)

www.aetna.com/cpb/medical/data/300_399/0352.html

Zeta-chain-**associated protein** kinase 70, which is used as a prognostic marker in (CLL). Zap-70 is indicated to assess prognosis and need for aggressive therapy in patients with chronic lymphocytic leukemia (CLL) (Chin, et al., 2006). ZAP-70 is a 70-kD member of the Syk family of **protein** ...

[Diagnostic and prognostic biomarkers in ...](#)

https://www.researchgate.net/publication/331566935_Diagnostic_and_prognostic...

Upregulation of six proteins in tumor interstitial fluid, including **S100 calcium binding protein A6** (S100A6), **S100 calcium binding protein A9**, aldo-keto reductase family 1 member C4, neuropilin-1 ...

[Decoding the role of extracellular vesicles in liver ...](#)

<https://www.sciencedirect.com/science/article/pii/S2542568417000472>



Name of Journal: *World Journal of Gastroenterology*
Manuscript NO: 60827
Manuscript Type: ORIGINAL ARTICLE

Basic Study
S100 calcium binding protein A6 and associated long noncoding ribonucleic acids as biomarkers in the diagnosis and staging of primary biliary cholangitis

Dong XH *et al.* Biomarkers for the diagnosis and staging of PBC

Xi-Hua Dong, Di Dai, Zhi-Dong Yang, Xiao-Ou Yu, Hua Li, Hui Kang

Match Overview

1	Internet 62 words crawled on 28-Nov-2018 www.ncbi.nlm.nih.gov	1%
2	Internet 59 words crawled on 02-Aug-2010 www.wjgnet.com	1%
3	Crossref 33 words Yi Shen, Dionyssios Katsaros, Lenora W. M. Loo, Brenda Y. Hernandez et al. "Prognostic and predictive values of l..."	<1%
4	Internet 26 words crawled on 21-Nov-2019 www.mdpi.com	<1%
5	Internet 24 words crawled on 10-Sep-2019 pubs.rsna.org	<1%
6	Internet 23 words crawled on 06-Apr-2018	<1%

国内版 国际版

S100 calcium binding protein A6 and associated long noncoding rit



ALL IMAGES VIDEOS

6,310 Results Any time ▾

Cells | Free Full-Text | Magnetic-Assisted Treatment of ...

<https://www.mdpi.com/2073-4409/8/10/1279/htm>

The S100 calcium binding protein A6 (S100A6) was identified as a universal marker of activated HSC, myofibroblasts (MFB), for both mRNA and protein expression. The so-called transdifferentiation of the resting and vitamin A storing HSC into MFB, which are proliferative and which express huge amounts of collagen, is central for fibrogenesis [22].

Cited by: 11 Author: Kateryna Levada, Alexander Omelyanchi...

Publish Year: 2019

(PDF) Magnetic-Assisted Treatment of Liver Fibrosis

<https://www.researchgate.net/publication/336690556...>

The S100 calcium binding protein A6 (S100A6) was identified as a universal marker of activated HSC, myofibroblasts (MFB), for both mRNA and protein expression [

Decoding the role of extracellular vesicles in liver ...

<https://www.sciencedirect.com/science/article/pii/S2542568417000472>

Sep 01, 2017 · Recent studies also suggest the involvement of long noncoding RNAs (lncRNAs) in the pathogenesis of ALD. ... a study screening for noninvasive biomarkers for diagnosis of primary sclerosing cholangitis (PSC), ... Serum extracellular vesicles contain protein biomarkers for primary sclerosing cholangitis and cholangiocarcinoma.

Cited by: 11 Author: Fengyan Deng, Nancy Magee, Yuxia Zhang

Publish Year: 2017

Tumor Markers - Medical Clinical Policy Bulletins | Aetna

www.aetna.com/cpb/medical/data/300_399/0352.html

Zeta-chain-associated protein kinase 70, which is used as a prognostic marker in (CLL). Zap-70 is indicated to assess prognosis and need for aggressive therapy in patients with chronic lymphocytic leukemia (CLL) (Chin, et al., 2006). ZAP-70 is a 70-kD member of the Syk family of protein ...

Diagnostic and prognostic biomarkers in ...

https://www.researchgate.net/publication/331566935_Diagnostic_and_prognostic...

Upregulation of six proteins in tumor interstitial fluid, including S100 calcium binding protein A6 (S100A6), S100 calcium binding protein A9, aldo-keto reductase family 1 member C4, neuropilin-1 ...