



61077_Auto_Edited.docx

Quotes Excluded
Bibliography Excluded3%
SIMILAR**Name of Journal:** *World Journal of Clinical Cases***Manuscript NO:** 61077**Manuscript Type:** CASE REPORT**Long-term control of melanoma brain metastases: A case of intracranial infection and involuntary drug reduction during the COVID-19 pandemic**

Melanoma with intracranial infection

Yang Wang, Bin Lian, Chuan-Liang Cui

Match Overview

1	Internet 15 words crawled on 03-Nov-2017 www.ahcmmedia.com	1%
2	Internet 14 words crawled on 22-Oct-2018 www.spandidos-publications.com	1%
3	Internet 13 words crawled on 23-Oct-2015 www.targetedonc.com	1%
4	Internet 12 words crawled on 22-Jul-2020 www.wjgnet.com	1%

激活 Windows

转到“设置”以激活 Windows

Text-Only Report

ALL

IMAGES

VIDEOS

51,400 Results

Any time ▼

Multidisciplinary patient-centered management of brain ...

<https://academic.oup.com/noa/article/2/1/vdaa034/5805565> ▼

Mar 16, 2020 · **Brain metastases** (BMs) are the most common **intracranial** neoplasm in adults and are 10 times more frequent than primary **brain** tumors. 1 BMs occur in 20–40% of all cancer patients and are associated with a poor median survival time of 6–12 months. 2 The most common primary tumors in patients with BM are lung, breast, **melanoma**, colorectal, and renal tumors. 2, 3 The frequency of BMs ...

Author: Joshua D Palmer, Daniel M Trifiletti, V... **Publish Year:** 2020

Zika Virus Infection — After the Pandemic | NEJM

<https://www.nejm.org/doi/10.1056/NEJMra1808246>

Zika Virus and Its Associated Diseases Zika is a mosquito-borne flavivirus that can cause congenital defects, including microcephaly. Although most Zika virus infections are asymptomatic, rash, fev...

Cited by: 98

Author: Didier Musso, Albert I Ko, David Baud

Publish Year: 2019

A Prospective Randomized Trial of Peri-Operative Seizure ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/pmid/23394340>

Long-term control of melanoma brain metastases: A case of intracr



Sign in



ALL

IMAGES

VIDEOS

51,500 Results

Any time ▾

New Targeted Treatment Helps Delay ALK+ mNSCLC Progression ...

<https://www.onclive.com/view/new-targeted...> ▾

Dec 16, 2020 · Confirmed **intracranial** ORR for patients with measurable **brain metastases** at baseline was 78% (95% CI: 52–94) for patients treated with ALUNBRIG ...

Gamma surgery for melanoma metastases in brain | Request PDF

<https://www.researchgate.net/publication/11478971...>

During the last decade, gamma knife radiosurgery (GKR) has become a primary choice of treatment of patients harboring small-to-medium sized **brain metastases** with reasonable expected survival, and ...

A Prospective Randomized Trial of Peri-Operative Seizure ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/pmid/23394340>

Sirven et al. 19 conducted a meta-analysis of randomized **control** trials of prophylactic AEDs in **brain** tumor patients conducted between 1996 and 2004 (including the Glantz 10 and Forsyth 8 trials) using phenytoin, valproic acid, and/or phenobarbital and found no evidence of benefit at 1 week or 6 months in patients with cerebral **metastases** ...

Cited by: 141

Author: Adam S. Wu, Victoria T. Trinh, Dima Suki, S...

Publish Year: 2013

Search Tools

Turn on Hover Translation (开启取词)

激活 Windows

转到“设置”以激活 Windows。

ALL

IMAGES

VIDEOS

9,190 Results

Any time ▾

Tyrosine Kinase Inhibitor Therapy for Brain Metastases in ...

www.ajnr.org/content/41/5/738 ▾


May 01, 2020 - SUMMARY: Treatment options for patients who develop **brain** metastases secondary to non-small-cell lung cancer have rapidly expanded in recent ...

Cited by: 1

Author: C. Dodson, T.J. Richards, T.J. Ric...

Publish Year: 2020

Search Tools

[Turn off Hover Translation \(关闭取词\)](#)

Adult Brain Tumor Symptoms, Symptoms, Causes, Types ...

https://www.medicinenet.com/adult_brain_tumors/ ▾

Adult **brain** and spinal cord tumors can be either primary or secondary. Secondary tumors are metastatic tumors that have spread by cancer cells in the **brain** to other organs. Symptoms of and adult **brain** tumor are headaches, nausea, vomiting, and personality changes. There are many types of non-cancerous and cancerous tumors. Treatment and life expectancy depend upon the type and stage of the tumor.

Challenges in heart transplantation during COVID-19: A ...

<https://www.sciencedirect.com/science/article/pii/S1053249820316168>

Sep 01, 2020 - The following **report** describes the landscape of heart transplant care **during the COVID-19 pandemic** at our institution in New York, the disease epicenter. Our objectives were to recognize the varied presentations in OHT recipients with **COVID-19**, **report** outcomes, and highlight the clinical dilemmas encountered in their management, particularly ...

Cited by: 2

Author: Aditi Singhvi, Maya Barghash, Anuradha ...

Publish Year: 2020

Interferon: Autoimmune Drugs for Potential COVID-19 ...

<https://www.medicinenet.com/interferon/article.htm> ▾

Interferon beta-1a, currently in use to treat multiple sclerosis, and interferon alfa-2b are both under investigation as potential treatments for people with **COVID-19** coronavirus disease, the deadly respiratory **pandemic** caused by the SARS-nCoV-2 virus.. Essentially, when confronted with a virus, each cell shoots an emergency flare of interferon to tell the immune system to marshall its defenses.

UpToDate

<https://www.uptodate.com/contents/propofol-drug-information>

Dosing: Pediatric (For additional information see "Propofol: Pediatric **drug** information"). Note: FDA has issued an emergency use authorization (EUA) **during** the coronavirus disease 2019 (**COVID-19**) **pandemic** to permit the emergency use of the unapproved product, Fresenius Propoven 2% (propofol 20 mg/mL) emulsion for ICU sedation in mechanically-ventilated patients >16 years of age.