



61282-Manuscript-File-revision.docx

Quotes Excluded
Bibliography Excluded19%
SIMILAR**Name of Journal:** *World Journal of Psychiatry***Manuscript NO:****Manuscript Type:** REVIEW**Sleep problems in children and adolescents following traumatic life events**Giannakopoulos G *et al.* Sleep and trauma

George Giannakopoulos, Gerasimos Kolaitis

Match Overview

1	Crossref 122 words Xiao Zhou, Xinchun Wu, Qiuyan Chen, Rui Zhen. "Why do adolescents have sleep problems after earthquakes? ..."	5%
2	Internet 89 words crawled on 01-Feb-2016 www.ejpt.net	4%
3	Crossref 62 words Katja Valli, Antti Revonsuo, Outi Pääkäs, Kamaran Hassan Ismail, Karzan Jalal Ali, Raija-Leena Punamäki. "The three"	3%
4	Internet 32 words crawled on 14-Nov-2020 doaj.org	1%
5	Internet 27 words crawled on 26-May-2019 academic.oup.com	1%
6	Internet 26 words crawled on 18-Sep-2017 skemman.is	1%



ALL

IMAGES

VIDEOS

61,800,000 Results

Any time ▾

First, there is an **association between traumatic stress** and different components of disrupted sleep in children and adolescents. Second, sleep disruption appears to be a core feature of other pediatric anxiety disorders, and the authors consider if this preexisting sleep vulnerability may explain in part why preexisting anxiety disorders are a risk factor for developing posttraumatic stress disorder following a traumatic event.

Author: Anthony Charuvastra, Marylene Cloitre

Cited by: 81

Publish Year: 2009

[Safe enough to sleep: sleep disruptions associated with ...](#)

pubmed.ncbi.nlm.nih.gov/19836694/

Was this helpful?

PEOPLE ALSO ASK

Are children exposed to traumatic events? ▾

What are the symptoms of anxiety in children? ▾

How to help your child cope with a traumatic event? ▾

Can kids talk about traumatic experiences? ▾

Feedback

Traumatic Events and Children's Sleep | Psychology Today

<https://www.psychologytoday.com/us/blog/child...> ▾

Dec 20, 2012 · **Children** who **report troubled sleep** many months after an **event** may need continued help, and some need professional attention. **Daytime problems of children following events** ...

Safe enough to sleep: sleep disruptions associated with ...

<https://pubmed.ncbi.nlm.nih.gov/19836694>

First, there is an association between **traumatic stress** and different components of disrupted **sleep in children and adolescents**. Second, **sleep disruption** appears to be a core feature of other **pediatric anxiety disorders**, and the authors consider if this preexisting **sleep vulnerability** may explain in part why preexisting **anxiety disorders** are a risk factor for developing **posttraumatic stress disorder**

Sleep problems in children and adolescents following traumatic life



ALL

IMAGES

VIDEOS

61,000,000 Results

Any time ▾

First, there is an **association between traumatic stress** and different components of disrupted sleep in children and adolescents. Second, sleep disruption appears to be a core feature of other pediatric anxiety disorders, and the authors consider if this preexisting sleep vulnerability may explain in part why preexisting anxiety disorders are a risk factor for developing posttraumatic stress disorder following a traumatic event.

Author: Anthony Charuvastra, Marylene Cloitre

Cited by: 84

Publish Year: 2009

[Safe enough to sleep: sleep disruptions associated with ...](#)

pubmed.ncbi.nlm.nih.gov/19836694/

Was this helpful? 👍 👎

PEOPLE ALSO ASK

What are the symptoms of anxiety in children? ▾

How to help your child cope with a traumatic event? ▾

Search Tools

Turn off Hover Translation (关闭取词)

激活 Windows
转到“设置”以激活 Windows。



ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

63,300,000 Results

Any time ▾

First, there is an association between traumatic stress and different components of disrupted sleep in children and adolescents. Second, sleep disruption appears to be a core feature of other pediatric anxiety disorders, and the authors consider if this preexisting sleep vulnerability may explain in part why preexisting anxiety disorders are a risk factor for developing **posttraumatic stress disorder** following a traumatic event.

Author: Anthony Charuvastra, Marylene Cloitre

Cited by: 84

Publish Year: 2009

Safe enough to sleep: sleep disruptions associated with ...

➤ pubmed.ncbi.nlm.nih.gov/19836694/

Was this helpful? 👍 👎

Traumatic Events and Children's Sleep | Psychology Today ...

<https://www.psychologytoday.com/au/blog/child...> ▾

Daytime problems of children following events such as emotional dysregulation, acting out, anxiety, and depression may be direct effects of the event, but they can also be caused by poor sleep ...

Traumatic Events and Children's Sleep | Psychology Today

<https://www.psychologytoday.com/us/blog/child...> ▾

Dec 20, 2012 · Children who report troubled sleep many months after an event may need continued help, and some need professional attention. Daytime problems of children following events ...

Safe enough to sleep: sleep disruptions associated with ...

<https://pubmed.ncbi.nlm.nih.gov/19836694>