

Microsoft Bing

国内版 国际版

Predictors of clinical outcomes after non-operative managemen

Sign in

Chat with Bing

ALL IMAGES VIDEOS

59,600 Results Any time

Clinical Outcomes of Nonoperative Treatment for Rotator ...

<https://journals.sagepub.com/doi/10.1177/2325967120967911?icid=int.sj-full-text...>
Background: Patients who sustain a rotator cuff re-tear after arthroscopic rotator cuff repair are generally considered to have worse clinical outcomes compared with patients with an intact rotator c...

Functional outcomes after non-operative treatment of ...

<https://www.sciencedirect.com/science/article/pii/S1877056818302184>
Dec 01, 2018 · Background. Massive rotator cuff tears (RCTs) account for 10% to 40% of all RCTs and over 80% of re-tears. The objectives of this prospective study were to assess functional outcomes 6 and 12 months after starting non-operative therapy for an irreparable massive RCT and to identify predictors of good outcomes of non-operative treatment.
Cited by: 5 Author: Charles Agout, Julien Berhouet, Clément S...
Publish Year: 2018

2013 Neer Award: predictors of failure of nonoperative ...

<https://www.sciencedirect.com/science/article/pii/S1058274616301197>
Aug 01, 2016 · Nonoperative treatment of rotator cuff tears is effective for many patients.1, 18, 26 This is not surprising because rotator cuff tears are prevalent, affecting 10% of persons over age 60 years in the United States. 31 On the basis of 2010 US census data, this would mean that close to 6 million US

Search Tools

Turn off Hover Translation (关闭翻译)

国内版 国际版

Predictors of clinical outcomes after non-operative management of



ALL IMAGES VIDEOS

57,800 Results

Any time ▾

Open links in new tab



[2013 Neer Award: predictors of failure of nonoperative ...](#)

<https://www.sciencedirect.com/science/article/abs/pii/S1058274616301197>

2013 Neer Award: **predictors** of failure of nonoperative **treatment** of chronic, **symptomatic**, full-thickness **rotator cuff tears**. ... All patients with full-thickness **rotator cuff tears** on magnetic resonance imaging were offered participation. Baseline data from this cohort were used to examine risk factors for failing a standard rehabilitation ...

Cited by: [69](#)

Author: Warren R. Dunn, John E. Kuhn, Rosemar...

Publish Year: 2016

[2013 Neer Award: predictors of failure of nonoperative ...](#)

<https://www.sciencedirect.com/science/article/pii/S1058274616301197>

Aug 01, 2016 · Nonoperative treatment of **rotator cuff tears** is effective for many patients.^{1, 18, 26} This is not surprising because **rotator cuff tears** are prevalent, affecting 10% of persons over age 60 years in the United States.³¹ On the basis of 2010 US census data, this would mean that close to 6 million US citizens have **rotator cuff tears**.³⁷ Industry ...

Cited by: [69](#)

Author: Warren R. Dunn, John E. Kuhn, Rosemar...

Publish Year: 2016

Christopher Bush, Joel J Gagnier, James Carpenter, Asheesh Bedi, Bruce Miller

- | | | |
|---|--|-----|
| 1 | Crossref 16 words
Austin J. Ramme, Christopher B. Robbins, Karan A. Patel,
James E. Carpenter, Asheesh Bedi, Joel J. Gagnier, Bruce | <1% |
| 2 | Internet 15 words
crawled on 14-Aug-2020
mafialdoc.com | <1% |
| 3 | Internet 14 words
crawled on 08-Jun-2020
aoj.amegroups.com | <1% |
| 4 | Crossref 14 words
Christopher Kwon, Joel J. Gagnier, Christopher B. Robbins,
s, Asheesh Bedi, James E. Carpenter, Bruce S. Miller, "S ... | <1% |
| 5 | Crossref 13 words
James D. Wylie, Thomas Suter, Michael Q. Potter, Erin K.
Granger, Robert Z. Tashjian, "Mental Health Has a Stronge | <1% |
| 6 | Internet 12 words
crawled on 20-Jul-2019 | <1% |

国内版 国际版

Predictors of clinical outcomes after non-operative management of



ALL IMAGES VIDEOS

59,100 Results Any time ▾

Functional outcomes after non-operative treatment of ...

<https://www.sciencedirect.com/science/article/pii/S1877056818302184>

Dec 01, 2018 · Background. Massive rotator cuff tears (RCTs) account for 10% to 40% of all RCTs and over 80% of re-tears. The objectives of this prospective study were to assess functional outcomes 6 and 12 months after starting non-operative therapy for an irreparable massive RCT and to identify predictors of good outcomes of non-operative treatment.

Cited by: 5 Author: Charles Agout, Julien Berhouet, Clément ...

Publish Year: 2018

2013 Neer Award: predictors of failure of nonoperative ...

<https://www.sciencedirect.com/science/article/abs/pii/S1058274616301197>

2013 Neer Award: predictors of failure of nonoperative treatment of chronic, symptomatic, full-thickness rotator cuff tears. ... All patients with full-thickness rotator cuff tears on magnetic resonance imaging were offered participation. Baseline data from this cohort were used to examine risk factors for failing a standard rehabilitation ...

Cited by: 69 Author: Warren R. Dunn, John E. Kuhn, Rosemar...

Publish Year: 2016

PEOPLE ALSO ASK

What is non operational rotator cuff tear protocol?



What is the treatment for rotator cuff tears?



What is the treatment for partial articular side tears?



What is the function of the anterior cuff in a rotator cuff?



Feedback

2013 Neer Award: predictors of failure of nonoperative ...

<https://www.sciencedirect.com/science/article/pii/S1058274616301197>

Aug 01, 2016 · Nonoperative treatment of rotator cuff tears is effective for many patients.^{1, 18, 26} This is not surprising because rotator cuff tears are prevalent, affecting 10% of persons over age 60 years in the United States.³¹ On the basis of 2010 US census data, this would mean that close to 6 million US