

国内版 国际版

ng

Bilateral Musculocutaneous Neuropathy: A Case Report and Discuss



ALL IMAGES VIDEOS

1,260,000 Results Any time ▾

### [Musculocutaneous neuropathy: case report and discussion](https://pubmed.ncbi.nlm.nih.gov/20013159)

<https://pubmed.ncbi.nlm.nih.gov/20013159>

The **musculocutaneous nerve** arises from the lateral cord of the brachial plexus and contains fibers from the C5, C6, and C7 spinal **nerve** roots. It innervates such muscles as the biceps brachii and brachialis as well as supply branches to the skin over the lateral cubital and forearm regions via the lateral antebrachial cutaneous **nerve**. **Musculocutaneous neuropathy** can arise from exercise, ...

**Cited by:** 14

**Author:** Diana Besleaga, Vincenzo Castellano, C...

**Publish Year:** 2010

### [Musculocutaneous Neuropathy: Case Report and Discussion ...](https://www.researchgate.net/publication/40690584...)

<https://www.researchgate.net/publication/40690584...>

**Musculocutaneous neuropathy** can arise from **exercise**, participating in sports, strenuous activity, cast placement, **trauma**, and **surgery** in addition to other less understood causes such as **Parsonage**...

### [Musculocutaneous Neuropathy: Case Report and Discussion ...](https://europepmc.org/articles/PMC2821488)

[europepmc.org/articles/PMC2821488](https://europepmc.org/articles/PMC2821488)

Discussion: musculocutaneous neuropathy The musculocutaneous nerve arises from the **lateral cord of the brachial plexus and contains fibers from the C5, C6, and C7 spinal nerve roots**. However, the most important contributions come from the C5 and C6 levels [1, 2].

### [Bilateral absence of musculocutaneous nerve: a case report ...](https://europepmc.org/articles/PMC4225871)

<https://europepmc.org/articles/PMC4225871> ▾

Sep 20, 2014 · Musculocutaneous (MC) **nerve** variation is very much common and several studies have been done to see the variations. In the study of Gumusburun & Adiguzel **bilateral** absence of **musculocutaneous nerve** have been shown in which the lateral cord of brachial plexus consisted of

ALL IMAGES VIDEOS

Add the Give with Bing extension

1,630,000 Results Any time

Musculocutaneous neuropathy: case report and discussion

https://pubmed.ncbi.nlm.nih.gov/20013159

Musculocutaneous neuropathy: case report and discussion HSS J. 2010 Feb;6(1):112-6. doi: 10.1007/s11420-009-9143-6. Epub 2009 Dec 15. Authors Diana Besleaga, Vincenzo Castellano, Christopher Lutz, Joseph H Feinberg. PMID: 20013159 PMCID: PMC2821488...

Cited by: 14 Author: Diana Besleaga, Vincenzo Castellano, Chris... Publish Year: 2010

Bilateral absence of musculocutaneous nerve: a case report ...

https://europepmc.org/articles/PMC4225871

Sep 20, 2014. Case Report. During routine dissection of the arm for the undergraduate students absence of musculocutaneous nerve was noted bilaterally. All the flexor muscles of the arm were supplied by the median nerve except the coracobrachialis of left side supplied by a ...

Cited by: 1 Author: Aniruddha Sarkar, Anubha Saha Publish Year: 2014

Isolated Musculocutaneous Neuropathy: A Case Report

https://pubmed.ncbi.nlm.nih.gov/31988537

Isolated Musculocutaneous Neuropathy: A Case Report. Musculocutaneous neuropathy is a rare condition. Recognition of the clinical presentation of this condition is important for early diagnosis and prompt intervention. Musculocutaneous neuropathy is a rare condition.

Author: Jaclyn A Kissel, Cristina Leonardelli Publish Year: 2019

Isolated musculocutaneous neuropathy: a case report

https://www.chiropractic.ca/wp-content/uploads/...

Isolated injury to the musculocutaneous nerve is a rare occurrence. Associated signs and symptoms of an isolated musculocutaneous neuropathy may include weakness in elbow flexion or shoulder flexion, atrophy of the biceps brachii, and pain or paresthesia at the lateral forearm. Pre-vious case studies have reported this condition following

Musculocutaneous Neuropathy: Case Report and Discussion ...

https://www.researchgate.net/publication/40690584...

Isolated Musculocutaneous Neuropathy Secondary to an Immune-Mediated Brachial Plexopathy: A Case Report of a Rare Phenotype With a Side Note on Patterns of Weakness and an Update on Nerve ...

Bilateral Absence of Musculocutaneous Nerve: A Case Report

https://www.researchgate.net/publication/268234959\_Bilateral\_Absence\_of...

www.jcdr.net Aniruddha Sarkar and Anubha Saha, Bilateral Absence of Musculocutaneous Nerve: A Case Report Journal of Clinical and Diagnostic Research. 2014 Sep, Vol-8(9): AD06-AD07 7 7

Case Report ISSN : 0975-7384 CODEN(USA) : JCPRC5

https://www.jocpr.com/articles/bilateral-absence...

During dissection of 58 year old male cadaver, we observed a case of bilateral absence of the musculocutaneous nerve, the lateral root of median nerve on left side pierces and supply the coraco brachialis muscle and then gave three branches, first branch joined the medial root and formed the median nerve, second branch supplied the brachialis muscle and then continued as lateral cutaneous ...

Isolated proximal musculocutaneous nerve palsy: case report.

https://www.semanticscholar.org/paper/Isolated...

Musculocutaneous nerve palsy is important to distinguish in certain differential diagnoses, particularly with C5 or C6 radiculopathy and brachial plexus injury. Isolated musculocutaneous nerve injury is extremely rare. The few reported cases were associated with heavy exercises and violent extension of the forearm.

Bilateral absence of musculocutaneous nerve with unusual ...

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3472148

A 43-year-old female cadaver showed a complete bilateral absence of the musculocutaneous nerve. The anterior compartment muscles of both arms were supplied by median nerve excepting the coracobrachialis which was innervated by a direct branch from the lateral cord of brachial plexus. The median nerve, after supplying the biceps and brachialis muscles, gave onto the lateral cutaneous nerve ...

Case Report BILATERAL MULTIPLE VARIATIONS IN THE ...

https://www.ijmhr.org/ijar.3.4/IJAR.2015.307.pdf

Sonya A Gupta et al. BILATERAL MULTIPLE VARIATIONS IN THE UPPER EXTREMITY OF A HUMAN CADAVER: A CASE REPORT. Type 2: the fibers of medial root of median nerve pass through the musculocutaneous nerve and join the median nerve in the middle of the arm. Type 3: fibers of the lateral root of the median nerve pass through the musculocutaneous nerve

Related searches for Bilateral musculocutaneous neuropathy: A c...

- musculocutaneous nerve neuropathy
musculocutaneous nerve
musculocutaneous nerve injury symptoms
musculocutaneous nerve entrapment
musculocutaneous nerve course
musculocutaneous nerve entrapment symptoms
musculocutaneous nerve dermatome

1 2 3 4 5 >

Musculocutaneous nerve

The musculocutaneous nerve arises from the lateral cord of the brachial plexus, opposite the lower border of the pectoralis major, its fibers being derived from C5, C6 and C7.

Wikipedia

People also search for: Radial nerve - Median nerve - Axillary nerve - Ulnar nerve - Brachial plexus - Suprascapular nerve - Lateral pectoral nerve

Data from: Wikipedia

Suggest an edit

Search Tools

Turn off Hover Translation (关闭取词)



Name of Journal: *World Journal of Clinical Cases*  
Manuscript NO: 61344  
Manuscript Type: CASE REPORT

**Bilateral musculoscutaneous neuropathy: A case report**

Jung JW *et al.* Bilateral musculoscutaneous neuropathy

Ji-Won Jung, Yu-Chan Park, Jae-Young Lee, Jae-Hyeon Park, Seong-Ho Jang

**Abstract**

**BACKGROUND**

Isolated musculoscutaneous nerve injury is a rare condition. Herein, we report the first case of bilateral musculoscutaneous neuropathy after vigorous stretching of both upper extremities with normal results of sensory nerve action potential. Clinicians should be aware of this rare condition that can appear bilaterally. In addition, the interpretation of the aberrant electrodiagnostic study results of this case was discussed.

**Match Overview**

1	Crossref 36 words "Neuromuscular Disorders in Clinical Practice", Springer Science and Business Media LLC, 2014	1%
2	Internet 36 words crawled on 26-Aug-2020 www.wjnet.com	1%
3	Crossref 31 words Michael J. DeFranco, Mark S. Schickendantz, "Isolated Musculoscutaneous Nerve Injury in a Professional Fast-Pit ...	1%
4	Crossref 25 words Maulner, K., "Musculoscutaneous Nerve Injury After Simulated Freefall in a Vertical Wind-Tunnel: A Case Report", A	1%
5	Internet 14 words crawled on 30-Sep-2016 www.scribd.com	1%
6	Internet 12 words crawled on 13-May-2019 maladoc.com	<1%
7	Internet 12 words crawled on 30-Jul-2020 jrep.bmj.com	<1%
8	Crossref 10 words Monique M. Ryan, H. Royden Jones, "Mononeuropathies", Elsevier BV, 2015	<1%

国内版 国际版

Bilateral musculocutaneous neuropathy: A case report



ALL IMAGES VIDEOS

1,650,000 Results Any time ▾

### Musculocutaneous neuropathy: case report and discussion

<https://pubmed.ncbi.nlm.nih.gov/20013159>

**Musculocutaneous neuropathy: case report** and discussion HSS J. 2010 Feb;6(1):112-6. doi: 10.1007/s11420-009-9143-6. Epub 2009 Dec 15. Authors Diana Besleaga, Vincenzo Castellano, Christopher Lutz, Joseph H Feinberg. PMID: 20013159 PMCID: PMC2821488 ...

**Cited by:** 14 **Author:** Diana Besleaga, Vincenzo Castellano, C...

**Publish Year:** 2010

### Bilateral absence of musculocutaneous nerve: a case report ...

<https://europepmc.org/articles/PMC4225871> ▾

Sep 20, 2014 · **Case Report.** During routine dissection of the arm for the undergraduate students absence of **musculocutaneous nerve** was noted bilaterally. All the flexor muscles of the arm were supplied by the median **nerve** except the coracobrachialis of left side supplied by a twig from the lateral cord of the brachial plexus.

**Cited by:** 3 **Author:** Aniruddha Sarkar, Anubha Saha

**Publish Year:** 2014

### Isolated Musculocutaneous Neuropathy: A Case Report

<https://pubmed.ncbi.nlm.nih.gov/31988537>

Isolated Musculocutaneous Neuropathy: A Case Report. Musculocutaneous neuropathy is a rare condition. **Recognition of the clinical presentation of this condition is important for early diagnosis and prompt intervention.** Musculocutaneous neuropathy is a rare condition.

**Author:** Jaclyn A Kissel, Cristina Leonardelli **Publish Year:** 2019

### [PDF] Isolated musculocutaneous neuropathy: a case report

[https://www.chiropractic.ca/wp-content/uploads/2020/01/116577-1\\_Chiro\\_63\\_3e\\_Kissel.pdf](https://www.chiropractic.ca/wp-content/uploads/2020/01/116577-1_Chiro_63_3e_Kissel.pdf)

Isolated injury to the musculocutaneous nerve is a rare occurrence. **Associated signs and symptoms** of an isolated musculocutaneous neuropathy may include **weakness in elbow flexion or**