

国内版 国际版

Solitary bone plasmacytoma of the upper cervical spine: A case rep



ALL

IMAGES

VIDEOS

49,500 Results

Any time ▾

## PLASMACYTOMA OF THE CERVICAL SPINE: A CASE STUDY

[https://chiro.org/cases/ABSTRACTS/Plasmacytoma\\_of\\_the\\_Cervical\\_Spine.shtml](https://chiro.org/cases/ABSTRACTS/Plasmacytoma_of_the_Cervical_Spine.shtml) ▾

A **plasmacytoma** is considered to be a **solitary** form of **multiple myeloma**. [ 1] These lesions are typically found in the vertebral bodies of the thoracic and lumbar spine in patients with an average onset age of 50 years. This is in contrast to the average onset age for **multiple myeloma**, which is 60 to 70 years.

## C2 Solitary Bone Plasmacytoma Curettage and Vertebral ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5748137>

Surgically, **solitary bone plasmacytoma** (SBP) of the **craniocervical junction** (CCJ) is typically treated with cement augmentation and occipital-cervical stabilization (OCS). In the orthopedic **spine literature**, various surgical treatment options have been described for SBP, but only a few studies exist describing SBP of the CCJ with treatment involving cement augmentation alone.

Author: Matthew J. Yousif, Taha A. Faruqi, Rake... Publish Year: 2017

## Plasmacytoma of the Cervical Spine: A Case Study ...

<https://www.sciencedirect.com/science/article/pii/S1556370715000875>

Jun 01, 2017 · Men are slightly more likely than women to develop both **plasmacytoma** and **multiple myeloma**. 3 Cervical spine involvement is found in only 8% of **cases**, 4 and pedicle involvement occurs in approximately 20% of **cases**. 5 The disease can progress fairly rapidly, but when **plasmacytoma** and **multiple myeloma** (or both) present in younger patients, they typically follow a more indolent course. 6 The median overall survival rate for **solitary plasmacytoma** ...

Cited by: 2

Author: Richard Pashayan, Wesley M. Cavanaugh, ...

Publish Year: 2017

## C2 Solitary Bone Plasmacytoma Curettage and Vertebral ...

Microsoft Bing

国内版

国际版

Solitary bone plasmacytoma of the upper cervica

ALLIMAGESVIDEOS

49,900 ResultsAny time

PLASMACYTOMA OF THE CERVICAL SPINE: A CASE STUDY

[https://chiro.org/cases/ABSTRACTS/Plasmacytoma\\_of\\_the\\_Cervical\\_Spine.shtml](https://chiro.org/cases/ABSTRACTS/Plasmacytoma_of_the_Cervical_Spine.shtml)

A plasmacytoma is considered to be a solitary form of multiple myeloma. [ 1] These lesions are typically found in the vertebral bodies of the thoracic and lumbar spine in patients with an average onset age of 50 years. This is in contrast to the average onset age for multiple myeloma, which is 60 to 70 years.

C2 Solitary Bone Plasmacytoma Curettage and Vertebral ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5748137>

Surgically, solitary bone plasmacytoma (SBP) of the craniocervical junction (CCJ) is typically treated with cement augmentation and occipital-cervical stabilization (OCS). In the orthopedic spine literature, various surgical treatment options have been described for SBP; but only a few studies exist describing SBP of the CCJ with treatment involving cement augmentation alone.

Author: Matthew J. Yousif, Taha A. Faruqi, Rake... Publish Year: 2017

Plasmacytoma of the Cervical Spine: A Case Study ...

<https://www.sciencedirect.com/science/article/pii/S1556370715000875>

Jun 01, 2017 - Men are slightly more likely than women to develop both plasmacytoma and multiple myeloma. 3 Cervical spine involvement is found in only 8% of cases, and pedicle involvement occurs in

Chat with Bing

Am I the most chatty search engine you have ever used?

Say something...

Turn on H...MAYBE LATERYES


激活 Windows

转到“设置”以激活 Windows。

20-Jan-2021 11:29PM

1553 words • 5 matches • 4 sources

FAQ

iThenticate

61394-Manuscript-File-revision.docx

Quotes Included  
Bibliography Included  
6%  
CROSSREF

### Solitary bone plasmacytoma of the upper cervical spine: A case report and literature review

#### Abstract

#### BACKGROUND

Solitary bone plasmacytoma (SBP) of the upper cervical spine is a rare diagnosis. The exact role of surgery for SBP remains unclear.

#### CASE SUMMARY

We present the first case of solitary bone plasmacytoma (SBP) of the C2. A 69-year-old Chinese woman presented with severe neck pain and limitation of rotative activity for 2 mo (months). She underwent anterior one-stage

Match Overview

1

Crossref 36 words  
Derek T. Cawley, Joseph S. Butler, Adam Benton, Farhaan Itaf et al. "Managing the cervical spine in multiple myeloma p

2%

2

Internet 33 words  
crawled on 23-Apr-2020  
www.vjgnet.com

2%

3

Crossref 15 words  
Nicolas H van der Horst, Sven Kevin Tschöke, Jens Gulow, Anna Voelker, Udo Siebels, Christoph-Eckhard Heyde, Tot

1%

4

Crossref 12 words  
Wending Huang "Solitary Plasmacytoma of Cervical Spin...  
Treatment and Prognosis in Patients With Neurological Lesi

1%

PAGE: 1 OF 6

激活 Windows  
转到“设置”以激活 Windows。 转到“设置”以激活 Windows。  
Test-Only Report

国内版 国际版

Solitary bone plasmacytoma of the upper cervical spine: A case repc



ALL IMAGES VIDEOS

54,400 Results

Any time ▾

## PLASMACYTOMA OF THE CERVICAL SPINE: A CASE STUDY

[https://chiro.org/cases/ABSTRACTS/Plasmacytoma\\_of...](https://chiro.org/cases/ABSTRACTS/Plasmacytoma_of...) ▾

A **plasmacytoma** is considered to be a **solitary** form of **multiple myeloma**. [ 1] These lesions are typically found in the vertebral bodies of the thoracic and lumbar spine in patients with an average onset age of 50 years. This is in contrast to the average onset age for **multiple myeloma**, which is ...

## C2 Solitary Bone Plasmacytoma Curettage and Vertebral ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5748137>

We report the case of an 83-year-old female found to have C2 SBP that was successfully treated with curettage and cement augmentation alone. 1. Introduction. **Solitary bone plasmacytoma (SBP)** is a localized plasma cell tumor accounting for 2–5% of plasma cell malignancies. The median age of SBP ...

Author: Matthew J. Yousif, Taha A. Faruqi, Ra... Publish Year: 2017

## Plasmacytoma of the Cervical Spine: A Case Study ...

<https://www.sciencedirect.com/science/article/pii/S1556370715000875>

Jun 01, 2017 · Men are slightly more likely than women to develop both **plasmacytoma** and **multiple myeloma**. 3 Cervical spine involvement is found in only 8% of cases, 4 and pedicle involvement occurs in approximately 20% of cases. 5 The disease can progress fairly rapidly, but when **plasmacytoma** and **multiple myeloma** (or both) present in younger patients, they typically follow a more indolent course. 6 The median overall survival rate for **solitary plasmacytoma of bone** ...

Cited by: 2

Author: Richard Pashayan, Wesley M. Cavanaugh...

Publish Year: 2017

## C2 Solitary Bone Plasmacytoma Curettage and Vertebral ...

<https://www.hindawi.com/journals/crior/2017/5692402> ▾

We report the case of an 83-year-old female found to have C2 SBP that was successfully treated with curettage and cement augmentation alone. 1. Introduction. **Solitary bone plasmacytoma (SBP)** is a localized plasma cell tumor accounting for 2–5% of plasma cell malignancies. The median age of SBP ...

Author: Matthew J. Yousif, Taha A. Faruqi, Ra... Publish Year: 2017

## Solitary spinal extradural plasmacytoma: MR imaging ...

<https://www.sciencedirect.com/science/article/pii/S0899707114002538>

Jan 01, 2015 · **Solitary plasmacytoma** is an uncommon form of plasma cell disorder. This kind of