

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 61522

Manuscript Type: CASE REPORT

Interstitial lung disease induced by the roots of *achyranthes japonica* nakai: Three case reports

Moon DS *et al.* *Achyranthes japonica* nakai induced interstitial lung disease

Do-Sik Moon, Sung-Ho Yoon, Seung-Il Lee, Sang-Gon Park, Yong-Sub Na

Match Overview

1	Internet 45 words crawled on 21-Sep-2020 journals.lww.com	2%
2	Crossref 26 words Rikuta Hamaya, Yuko Ono, Yasuyuki Chida, Ryota Inokuchi, Ken Kikuchi, Tadanobu Tameda, Choichiro Tase, Kazuaki S	1%
3	Internet 21 words respiratory-research.biomedcentral.com	1%
4	Internet 18 words crawled on 07-Dec-2020 synapse.koreamed.org	1%
5	Internet 15 words crawled on 22-Feb-2015 www.alhadapedia.com	1%
6	Crossref 14 words Masanori Akira, Hideo Ishikawa, Satoru Yamamoto: "Drug ... nduced Pneumonitis: Thin-Section CT Findings in 60 Patie	1%
7	Internet 14 words crawled on 23-Oct-2020 www.spandidos-publications.com	1%
8	Internet 12 words crawled on 19-Jun-2020 bmcinfectdis.biomedcentral.com	1%

0K/s
0K/s

58%
1%

ALL

IMAGES

VIDEOS

18,600 Results

Any time ▼

Drug-induced lung diseases | Request PDF

https://www.researchgate.net/publication/6905382_Drug-induced_lung_diseases

Article · **Literature Review** ... includes 14 **reports** of **interstitial lung disease** caused by LDV/ SOF from 2015 to 2019. The mechanisms for the development of **drug-induced lung diseases** are ...

Inhibition of the production and effects of interleukins-1 ...

<https://onlinelibrary.wiley.com/doi/10.1002/art.1780380202>

Il-Hwa Hong, Ji-Young Choi, Ah-Young Kim, Eun-Mi Lee, Jun-Han Kim, Jin Hong Park, Sang-Won Choi and Kyu-Shik Jeong, Anti-rheumatoid arthritic effect of fermented Adlay and **Achyranthes japonica Nakai** on collagen-induced arthritis in mice , Food and Agricultural Immunology, 10.1080/09540105.2016.1202207, 28, 1, (14-26), (2016).

Cited by: 1413

Author: William P. Arend, Jean-Michel Dayer

Publish Year: 1995

Screening of Stat3 inhibitory effects of Korean herbal ...

europepmc.org/articles/PMC5481713

Jun 01, 2014 · **Achyranthes japonica Nakai**: **root**: *Alisma orientale* Juzepzuk: rhizome: ... colon, kidney, and stomach) and **three** human primary cell lines from **lung** and colon origins were selected for a comparison of Stat3 activation levels. Each cell line was transfected either with a Stat3-responsive luciferase construct or a noninducible negative control ...

Cited by: 5

Author: Jong-Shik Park, Ok-Sun Bang, Jinhee Kim

Publish Year: 2014

Prostaglandins and Inflammation: The Cyclooxygenase ...

<https://www.researchgate.net/publication/12132686...>

Chikusetsusaponin iva methyl ester isolated from the **roots of achyranthes japonica** suppresses LPS-Induced iNOS, TNF- α , IL-6, and IL-1 β Expression by NF- κ B and AP-1 Inactivation Article May 2016

The role of Chinese herbal medicine in the management of ...

<https://www.sciencedirect.com/science/article/pii/S0944711319304520>

Mar 01, 2020 · S. InokumaLeflunomide-induced **interstitial** pneumonitis might be a representative of **disease**-modifying antirheumatic drug-induced **lung** injury Expert Opin. Drug Saf., 10 (2011), pp. 603-611, 10.1517/14740338.2011.560835

Cited by: 3

Author: Wanying Wang, Hua Zhou, Liang Liu

Publish Year: 2020

The treatment of rheumatoid arthritis using Chinese ...

Interstitial lung disease induced by the roots of *Achyranthes japonica*

ALL

IMAGES

VIDEOS

19,400 Results

Any time ▾

Open links in new tab



[Drug-induced lung diseases | Request PDF](#)

https://www.researchgate.net/publication/6905382_Drug-induced_lung_diseases

The Japanese Adverse Drug Event Report database includes 14 **reports** of **interstitial lung disease** caused by LDV/ SOF from 2015 to 2019. The mechanisms for the development of drug-induced lung ...

[Inhibition of the production and effects of interleukins-1 ...](#)

<https://onlinelibrary.wiley.com/doi/10.1002/art.1780380202>

Il-Hwa Hong, Ji-Young Choi, Ah-Young Kim, Eun-Mi Lee, Jun-Han Kim, Jin Hong Park, Sang-Won Choi and Kyu-Shik Jeong, Anti-rheumatoid arthritic effect of fermented *Achlyanthes japonica* Nakai on collagen-induced arthritis in mice , Food and Agricultural Immunology, 10.1080/09540105.2016.1202207, 28, 1, (14-26), (2016).

Cited by: 1435**Author:** William P. Arend, Jean-Michel Dayer**Publish Year:** 1995

[Achyranthes japonica exhibits anti-inflammatory effect via ...](#)

<https://www.researchgate.net/publication/230847962...>

The **roots** of *Achyranthes japonica* Nakai have been used in traditional herbal medicine for the treatment of edema and arthritis in Korea. In this study, we investigated the molecular mechanism ...

[Nutrients | Free Full-Text | Anti-Osteoarthritic Effects ...](#)

<https://www.mdpi.com/2072-6643/12/3/852/htm> ▾

Achyranthes japonica Nakai (AR) has been commonly used to treat osteodynia of the knee and lumbar region, as well as spasm and flaccidity of the limbs, in traditional Korean medicine . The bioactive compounds in AR, including inokosterone, ecdysterone, oleanolic acid, bisdesmoside, and saponins scavenge free radicals [39,40].

Author: Beom-Rak Choi, Su-Jin Kang, Jong-...**Publish Year:** 2020

ALL

IMAGES

VIDEOS

17,400 Results

Any time ▾

Drug-induced lung diseases | Request PDF

https://www.researchgate.net/publication/6905382_Drug-induced_lung_diseases

The Japanese Adverse Drug Event Report database includes 14 reports of interstitial lung disease caused by LDV/ SOF from 2015 to 2019. The mechanisms for the development of drug-induced lung ...

Inhibition of the production and effects of interleukins-1 ...

<https://onlinelibrary.wiley.com/doi/10.1002/art.1780380202>

Il-Hwa Hong, Ji-Young Choi, Ah-Young Kim, Eun-Mi Lee, Jun-Han Kim, Jin Hong Park, Sang-Won Choi and Kyu-Shik Jeong, Anti-rheumatoid arthritic effect of fermented Adlay and *Achyranthes japonica* Nakai on collagen-induced arthritis in mice, Food and Agricultural Immunology, 10.1080/09540105.2016.1202207, 28, 1, (14-26), (2016).

Cited by: 1434

Author: William P. Arend, Jean-Michel Dayer

Publish Year: 1995

Achyranthes japonica exhibits anti-inflammatory effect via ...

<https://www.researchgate.net/publication/230847962...>

The roots of *Achyranthes japonica* Nakai have been used in traditional herbal medicine for the treatment of edema and arthritis in Korea. In this study, we investigated the molecular mechanism ...

The role of Chinese herbal medicine in the management of ...

<https://www.sciencedirect.com/science/article/pii/S0944711319304520>

Mar 01, 2020 · S. Inokuma Leflunomide-induced interstitial pneumonitis might be a representative of disease-modifying antirheumatic drug-induced lung injury Expert Opin. Drug Saf., 10 (2011), pp. 603-611, 10.1517/14740338.2011.560835

Cited by: 3

Author: Wanying Wang, Hua Zhou, Liang Liu

Publish Year: 2020

Nutrients | Free Full-Text | Anti-Osteoarthritic Effects ...

<https://www.mdpi.com/2072-6643/12/3/852/htm> ▾

Achyranthes japonica Nakai (AR) has been commonly used to treat osteodynia of the knee and lumbar region, as well as spasm and flaccidity of the limbs, in traditional Korean medicine. The bioactive compounds in AR, including inokosterone, ecdysterone, oleanolic acid, bisdesmoside, and saponins scavenge free radicals [39,40].

Author: Beom-Rak Choi, Su-Jin Kang, Jong-L...

Publish Year: 2020

Anti-inflammatory and anti-osteoarthritis effects of ...

https://www.researchgate.net/publication/225271001_Anti-inflammatory_and_anti

Search Tools

Turn off Hover Translation (关闭取词)