

Match Overview

1	Crossref 26 words Ashgan R. Ali, Sameh A. Sakr, Ahmed Shawky M.A. Rahman. "Bilateral sphenopalatine ganglion block as adjuvant to gen€...	1%
2	Internet 25 words crawled on 17-Nov-2020 bmcanesthesiol.biomedcentral.com	1%
3	Internet 15 words crawled on 03-Jul-2020 www.hindawi.com	<1%
4	Internet 12 words crawled on 22-Jul-2020 pesquisa.bvsalud.org	<1%

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 61532

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Ultrasound-guided, direct suprainguinal injection for fascia iliaca block for total hip arthroplasty: A retrospective study

Suprainguinal fascia iliaca block for THA

Abstract

BACKGROUND

Peripheral regional block combined with general anesthesia might be a preferable anesthetic regimen for elderly patients undergoing total hip arthroplasty.

AIM

To investigate whether ultrasound-guided direct suprainguinal injection for fascia

Ultrasound-guided, direct suprainguinal injection for fascia iliaca blc



ALL

IMAGES

VIDEOS

6,020 Results

Any time ▼

Ultrasound-Guided Suprainguinal Fascia Iliaca Technique ...

<https://onlinelibrary.wiley.com/doi/full/10.7863/ultra.16.03012>

Dec 10, 2016 · This case series, which was approved by the Duke University Institutional Review Board, comprised 5 patients receiving an **ultrasound guided suprainguinal fascia iliaca nerve block** as an analgesic adjunct for total hip arthroplasty.

Cited by: 9

Author: W. Michael Bullock, Suraj M. Yalamuri, ...

Publish Year: 2017

Ultrasound-guided suprainguinal fascia iliaca compartment ...

<https://rapm.bmj.com/content/44/2/206> ▼

Feb 01, 2019 · Background and objectives **Fascia iliaca** compartment **block (FICB)** has been shown to provide excellent pain relief in patients undergoing **total hip arthroplasty (THA)**. However, the analgesic efficacy **of FICB**, in comparison with periarticular infiltration (PAI) for THA, has not been evaluated.

Cited by: 7

Author: Irina Gasanova, John C Alexander, Ken...

Publish Year: 2019

[Online First](#) · [Table of Contents](#)

PEOPLE ALSO ASK

Is suprainguinal fascia iliaca an analgesic adjunct? ▼

How is analgesia performed after hip arthroplasty? ▼

ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

5,990 Results

Any time ▾

Ultrasound-Guided Suprainguinal Fascia Iliaca Technique ...

<https://onlinelibrary.wiley.com/doi/full/10.7863/ultra.16.03012>

Dec 10, 2016 · This case series, which was approved by the Duke University Institutional Review Board, comprised 5 patients receiving an **ultrasound guided suprainguinal fascia iliaca nerve block** as an analgesic adjunct for total hip arthroplasty.

Cited by: 9**Author:** W. Michael Bullock, Suraj M. Yalamuri, Step...**Publish Year:** 2017

[PDF] Ultrasound Guided Suprainguinal Fascia Iliaca (SIFI) Nerve ...

<https://anesthesiology.duke.edu/wp-content/uploads/...>

1. Goyal N PA, Austin M. Pain management after **total joint arthroplasty**. Elsevier 2008:226-30. 2. Vandebroek A, Vertommen M, IM Huyghe M, Van Houwe P. Ultrasound guided femoral nerve **block** and lateral femoral cutaneous nerve **block** for postoperative pain control after primary **hip arthroplasty: a retrospective study**.

File Size: 1011KB**Page Count:** 1

PEOPLE ALSO ASK

Is suprainguinal fascia iliaca an analgesic adjunct? ▾

How is analgesia performed after hip arthroplasty? ▾

What is fascia iliaca compartment block? ▾

What is femoral nerve analgesic block? ▾

[Feedback](#)

Ultrasound guided supra-inguinal Fascia Iliaca Compartment ...

<https://www.sciencedirect.com/science/article/pii/S0735675719300890>

Feb 01, 2020 · During the **study** period, application of ultrasound-guided supra-inguinal FICB for acute **hip** fracture patients was being introduced at the Emergency Department and a subset of **hip** fracture patients received these nerve blocks, as this depended on availability of staff, capable of performing the nerve **block**.

Cited by: 1**Author:** M. L. Bidderikhof, E. De Kruif, M. E. Stevens