



## PEER-REVIEW REPORT

**Name of journal:** World Journal of Gastroenterology

**Manuscript NO:** 61555

**Title:** Stapled transperineal repair for low- and mid-level rectovaginal fistulas: A 5-year experience and comparison with sutured repair

**Reviewer's code:** 05556094

**Position:** Peer Reviewer

**Academic degree:** MD

**Professional title:** Doctor

**Reviewer's Country/Territory:** China

**Author's Country/Territory:** China

**Manuscript submission date:** 2021-01-04

**Reviewer chosen by:** AI Technique

**Reviewer accepted review:** 2021-01-13 10:41

**Reviewer performed review:** 2021-01-13 12:06

**Review time:** 1 Hour

<b>Scientific quality</b>	<input type="checkbox"/> Grade A: Excellent <input checked="" type="checkbox"/> Grade B: Very good <input type="checkbox"/> Grade C: Good <input type="checkbox"/> Grade D: Fair <input type="checkbox"/> Grade E: Do not publish
<b>Language quality</b>	<input type="checkbox"/> Grade A: Priority publishing <input checked="" type="checkbox"/> Grade B: Minor language polishing <input type="checkbox"/> Grade C: A great deal of language polishing <input type="checkbox"/> Grade D: Rejection
<b>Conclusion</b>	<input type="checkbox"/> Accept (High priority) <input checked="" type="checkbox"/> Accept (General priority) <input type="checkbox"/> Minor revision <input type="checkbox"/> Major revision <input type="checkbox"/> Rejection
<b>Re-review</b>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
<b>Peer-reviewer statements</b>	Peer-Review: <input type="checkbox"/> Anonymous <input checked="" type="checkbox"/> Onymous Conflicts-of-Interest: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No



**Baishideng  
Publishing  
Group**

7041 Koll Center Parkway, Suite  
160, Pleasanton, CA 94566, USA  
**Telephone:** +1-925-399-1568  
**E-mail:** [bpgoffice@wjgnet.com](mailto:bpgoffice@wjgnet.com)  
**https://**[www.wjgnet.com](https://www.wjgnet.com)

#### **SPECIFIC COMMENTS TO AUTHORS**

In Table 4 Multivariate analysis of risk factors for Fistula recurrence, some items had no data, and if they did not, the situation should be explained



## RE-REVIEW REPORT OF REVISED MANUSCRIPT

**Name of journal:** World Journal of Gastroenterology

**Manuscript NO:** 61555

**Title:** Stapled transperineal repair for low- and mid-level rectovaginal fistulas: A 5-year experience and comparison with sutured repair

**Reviewer's code:** 05556094

**Position:** Peer Reviewer

**Academic degree:** MD

**Professional title:** Doctor

**Reviewer's Country/Territory:** China

**Author's Country/Territory:** China

**Manuscript submission date:** 2021-01-04

**Reviewer chosen by:** Chen-Chen Gao

**Reviewer accepted review:** 2021-01-31 07:11

**Reviewer performed review:** 2021-01-31 07:36

**Review time:** 1 Hour

<b>Scientific quality</b>	<input type="checkbox"/> Grade A: Excellent <input checked="" type="checkbox"/> Grade B: Very good <input type="checkbox"/> Grade C: Good <input type="checkbox"/> Grade D: Fair <input type="checkbox"/> Grade E: Do not publish
<b>Language quality</b>	<input checked="" type="checkbox"/> Grade A: Priority publishing <input type="checkbox"/> Grade B: Minor language polishing <input type="checkbox"/> Grade C: A great deal of language polishing <input type="checkbox"/> Grade D: Rejection
<b>Conclusion</b>	<input checked="" type="checkbox"/> Accept (High priority) <input type="checkbox"/> Accept (General priority) <input type="checkbox"/> Minor revision <input type="checkbox"/> Major revision <input type="checkbox"/> Rejection
<b>Peer-reviewer statements</b>	Peer-Review: <input type="checkbox"/> Anonymous <input checked="" type="checkbox"/> Onymous Conflicts-of-Interest: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

### SPECIFIC COMMENTS TO AUTHORS



**Baishideng  
Publishing  
Group**

7041 Koll Center Parkway, Suite  
160, Pleasanton, CA 94566, USA

**Telephone:** +1-925-399-1568

**E-mail:** [bpgoffice@wjgnet.com](mailto:bpgoffice@wjgnet.com)

**https://**[www.wjgnet.com](https://www.wjgnet.com)

This study evaluated the efficacy and safety of stapled transperineal repair in treating RVF, and it will provide reference for future surgical treatment of RVF.