



61556_Auto_Edited.docx

Quotes Excluded
Bibliography Excluded5%
SIMILAR

9 Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 61556

Manuscript Type: ORIGINAL ARTICLE

Observational Study

Risk factors for postoperative delayed gastric emptying in ovarian cancer treated with cytoreductive surgery and hyperthermic intraperitoneal chemotherapy

Cui GX *et al.* Risk factors for DGE in CRS + HIPEC

Guang-Xia Cui, Zi-Jun Wang, Jin Zhao, Ping Gong, Shuai-Hong Zhao, Xiao-Xue Wang, Wen-Pei Bai, Yan Li

Match Overview

1	Internet 24 words crawled on 11-Oct-2020 worldwidescience.org	1%
2	Internet 18 words crawled on 16-Dec-2019 gynecologycongress.blogspot.com	1%
3	Crossref 18 words Jie Hua, Zhigang He, Daohai Qian, Hongbo Meng, Bo Zhou, Zhenshun Song. "Duct-to-Mucosa Versus Invagination P	1%
4	Crossref 17 words Cascales Campos, P., Jose Gil, and Pascual Parrilla. "Morbidity and mortality outcomes of cytoreductive surgery and	<1%
5	Internet 15 words crawled on 03-Jan-2020 pssjournal.biomedcentral.com	<1% >
6	Internet 14 words crawled on 07-Mar-2021 bmpublichealth.biomedcentral.com	<1%

Risk factors for postoperative delayed gastric emptying in ovarian ca



ALL

IMAGES

VIDEOS

26,100 Results

Any time ▾

Peritoneal Cancer Guidelines: Guidelines Summary

<https://emedicine.medscape.com/article/281107-guidelines> ▾

The Enhanced Recovery After **Surgery** Society (ERAS) has published clinical practice guidelines on perioperative care in **cytoreductive surgery** for peritoneal malignancy. [] ERAS notes that **cytoreductive surgery**, with or without the addition of **hyperthermic intraperitoneal chemotherapy**, (CRS ± HIPEC) has become a treatment standard for peritoneal surface malignancies.

Postoperative paralytic ileus after cytoreductive surgery ...

<https://www.researchgate.net/publication/337212752...>

Background Patients with peritoneal malignancy **treated** by **cytoreductive surgery** (CRS) combined with **hyperthermic intraperitoneal chemotherapy** (HIPEC) are prone to develop postoperative paralytic ...

Guidelines for Perioperative Care in Cytoreductive Surgery ...

<https://www.sciencedirect.com/science/article/pii/S074879832030665X>

Dec 01, 2020 · **Risk factors** for prolonging **gastric emptying** time for solids are smoking, functional dyspepsia, psychological stress, female hormones [98,101,102] but not obesity . Some data show that diabetic patients with neuropathy may have **delayed gastric emptying** for solids but no conclusive data is available concerning fluids .

Cited by: 3

Author: Martin Hübner, Shigeki Kusamura, Laur...

Publish Year: 2020

Delayed Presentation of Major Complications in Patients ...

<https://www.researchgate.net/publication/270294727...>

To evaluate the value of **intraperitoneal hyperthermic perfusion** (IHP) in the treatment of **gastric cancer**. **Gastric cancer** (GC) is a malignancy with poor prognosis, recent years have demonstrated ...

ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

26,200 Results

Any time ▾

Open links in new tab



Guidelines for Perioperative Care in Cytoreductive Surgery ...

<https://www.sciencedirect.com/science/article/pii/S0748798320306983>

Dec 01, 2020 · Summary and recommendation: Early oral intake resumption after CRS ± HIPEC, aiming for clear liquids on the day of **surgery** and solid food from postoperative day 1, in the absence of **risk factors** for **delayed gastric emptying** (resection of lesser omentum), is recommended to improve mortality, anastomotic dehiscence, resumption of bowel function ...

Cited by: 3

Author: Martin Hübner, Shigeki Kusamura, Laurent ...

Publish Year: 2020

Guidelines for Perioperative Care in Cytoreductive Surgery ...

<https://www.sciencedirect.com/science/article/pii/S074879832030665X>

Dec 01, 2020 · **Risk factors** for prolonging **gastric emptying** time for solids are smoking, functional dyspepsia, psychological stress, female hormones [98,101,102] but not obesity . Some data show that diabetic patients with neuropathy may have **delayed gastric emptying** for solids but no conclusive data is available concerning fluids .

Cited by: 4

Author: Martin Hübner, Shigeki Kusamura, Laurent ...

Publish Year: 2020

Medscape | World J Surg Oncol - Publication Information

https://www.medscape.com/viewpublication/19134_2 ▾

Analysis of **risk factors** and prevention strategies for functional **delayed gastric emptying** in 1243 patients with distal **gastric cancer**. November 19, 2020 [MEDLINE Abstract]

World Journal of Surgical Oncology | Articles

<https://wjso.biomedcentral.com/articles?tab=citation> ▾

Analysis of **risk factors** and prevention strategies for functional **delayed gastric emptying** in 1243 patients with distal **gastric cancer**. Analysis of the **risk factors** associated with functional **delayed gastric emptying** after distal **gastric cancer surgery** to provide a basis for further reduction of the incidence of this complication.

Postoperative paralytic ileus after cytoreductive surgery ...

<https://www.researchgate.net/publication/337212752...>

Background Patients with peritoneal malignancy **treated** by **cytoreductive surgery** (CRS) combined with