

国内版国际版

Microsoft Bing

Device closure of left lower pulmonary artery to left atrial fistula usir

ALLIMAGESVIDEOS

36,500 ResultsAny time ▾

Late Presentation of Pulmonary Artery-Left Atrial ...

<https://www.sciencedirect.com/science/article/pii/S2666084920302461>

May 01, 2020 · Late Presentation of Pulmonary Artery-Left Atrial Appendage Fistula Formation After Left Atrial Appendage Device Closure. ... et al. Close proximity between pulmonary artery and left atrial appendage leading to perforation of the artery, tamponade and death after appendage closure using cardiac plug device.

Author: Wayne H. Miller, Sandhya Dhruva... Publish Year: 2020

Percutaneous closure of large pulmonary artery to left ...

<https://www.sciencedirect.com/science/article/pii/S1878540920300542>

Oct 01, 2020 · Pulmonary artery (PA) to left atrial (LA) communication is a unique and rare

Add the Give v

Make a diffe simply by se

MAYBE LAT

pulmonary circ deoxygenated of the heart to pulmonary arte artery or pulmc and the smalle which lead to ti surround the p

Late Presentation of Pulmonary Artery-Left Atrial ...

<https://www.sciencedirect.com/science/article/pii/S2666084920302461>

May 01, 2020 · Late Presentation of **Pulmonary Artery-Left Atrial Appendage Fistula** Formation After **Left Atrial Appendage Device Closure**. ... et al. Close proximity between **pulmonary artery** and **left atrial appendage** leading to perforation of the **artery**, tamponade and death after appendage closure using cardiac **plug device**.

Author: Wayne H. Miller, Sandhya Dhruvakumar,... Publish Year: 2020

Pulmonary artery-to-left atrial fistula discovered after ...

<https://pubmed.ncbi.nlm.nih.gov/29922023>

A case of the right **pulmonary artery-to- left atrial fistula** with atrial septal defect (ASD) is presented. The fistula was detected after the patient developed desaturation following surgical closure of the ASD. It was managed with a transcatheter (trans-RPA route) closure of the **fistula using a 12-** ...

Cited by: 3

Author: Akshay Chauhan, Saket Agarwal, Utsav Gu...

Publish Year: 2018

PEOPLE ALSO ASK

What causes an arteriovenous fistula in the lungs? ▾

How does blood flow through arteriovenous fistula? ▾

How to tell if you have a fistula in your lungs? ▾

When do you need an arteriovenous fistula for dialysis? ▾

Name of Journal: *World Journal of Cardiology*

Manuscript NO: 61594

Manuscript Type: CASE REPORT

Device closure of left lower pulmonary artery to left atrial fistula using a vascular plug: A case report

Device closure of left lower pulmonary artery to left atrial fistula using a vascular plug

Abstract

BACKGROUND

Pulmonary artery to left atrial fistula is a variant of pulmonary arterio-venous fistula and is a developmental anomaly. Delayed presentation, cyanosis and effort intolerance are some of the important features. Diagnosis is confirmed by computed tomography or pulmonary artery angiogram. Catheter based closure is preferred to surgery.

Match Overview

1	Crossref 39 words Anil Kumar Singh, Rana Rathod Roy, Anab De, Ezaj Ahmad Bari, Raman Krishna Kumar: "Percutaneous closure of large..."	2%
2	Internet 16 words crawled on 18-May-2020 journals.sagepub.com	1%
3	Crossref 15 words K Krishnamoorthy: "Pulmonary artery to left atrial fistula", <i>Eur open Journal of Cardio-Thoracic Surgery</i> , 2001	1%

国内版 国际版

Device closure of fistula from lower left pulmonary artery to left atri



ALL

IMAGES

VIDEOS

23,200 Results

Any time ▾

[Percutaneous closure of large pulmonary artery to left ...](#)

<https://www.sciencedirect.com/science/article/pii/S1878540920300542>

Oct 01, 2020 · **Pulmonary artery (PA) to left atrial (LA) communication** is a unique and rare disease. It usually presents in adult age with symptoms of exertional dyspnea along with cyanosis although in newborns it can present with heart failure. We describe our experience with two cases of percutaneous closure of large **pulmonary artery to the left atrial fistula**.

Author: Anil Kumar Singhi, Rana Rathod Roy, ... Publish Year: 2020

[Rare case of pulmonary arteriovenous fistula simulating ...](#)

<https://www.ncbi.nlm.nih.gov/pubmed/15736259>

Transcatheter **fistula closure** with coils was performed successfully. This case underlines that the existence of an isolated **pulmonary arteriovenous fistula** as a right-to-left shunt in patients with cryptogenic stroke should not be overlooked, even if a PFO is present and **pulmonary arteriovenous fistula** is not suggested by the initial physical ...

Cited by: 10

Author: Bjoern Peters, P. Ewert, S. Schubert, H. ...

Publish Year: 2005

PEOPLE ALSO ASK

What causes an arteriovenous fistula in the lungs? ▾

What are the signs and symptoms of arteriovenous fistula? ▾

When do you need an arteriovenous fistula for dialysis? ▾

How to tell if you have a fistula in your lungs? ▾

Feedback

[Pulmonary artery-to-left atrial fistula discovered after ...](#)

<https://www.annalspc.com/article.asp?issn=0974...>

The **fistula** was detected after the patient developed desaturation following surgical closure of the ASD. It was managed with a transcatheter (trans-RPA route) closure of the **fistula** using a 12-mm Amplatzer ventricular septal defect closure device. Keywords: Atrial septal defect, **device closure**, **pulmonary artery-to-left atrial fistula**