

Supplementary Table 1 Average age-standardized type 1 diabetes incidence (*per 100000 per year*) in children from 19 European countries in different time periods, according to available evidence

Country	Time period	Age range (years)	Type 1 diabetes incidence	Ref.
Austria	1990-1994	0-14	9.6	[1]
	1994-1998	0-15	9.9	[2]
	1999-2003	0-15	13.3	[2]
	2004-2008	0-15	17.5	[2]
	2009-2013	0-14	19.7	[3]
Croatia	1995-2003	0-15	9.1	[4]
	2004-2012	0-14	17.2	[5]
Cyprus	1990-1994	0-15	10.5	[6]
	1995-1999	0-15	10.5	[6]
	1999-2004	0-15	14.9	[6]
	2001-2016	0-16	17.2	[7]
Czech Republic	1994-1998	0-15	11.5	[2]
	1999-2003	0-15	17	[2]
	2004-2008	0-15	19.3	[2]
	2009-2013	0-14	21,8	[3]
Denmark	1999-2003	0-15	22.6	[2]
	2004-2008	0-15	25.1	[2]
	2009-2013	0-14	27	[3]
Estonia	1990-1994	0-14	10.5	[1]
	1991-1998	0-14	12.3	[8]
	1999-2006	0-15	17.2	[9]
	2006-2011	0-14	17.1	[10]
Finland	1990-1994	0-14	36.5	[1]
	1991-1998	0-14	40.8	[8]
	2003-2006	0-14	57.9	[11]
	2009-2013	0-14	60.9	[3]
	2015-2018	0-14	52.2	[11]

Germany	1999-2003	0-14	19.4	[12]
	2004-2008	0-14	22.9	[12]
	2006-2011	0-14	18	[10]
Ireland	2004-2008	0-14	27.5	[3]
	2009-2013	0-14	27.5	[3]
	2011-2016	0-14	31.7	[13]
Latvia	1990-1992	0-14	5.9	[1]
	1991-1998	0-14	7.4	[8]
	2006-2011	0-14	7.5	[10]
Lithuania	1990-1994	0-14	7.4	[1]
	1991-1998	0-14	7.8	[8]
	1994-1998	0-15	8.2	[2]
	1999-2003	0-15	10.3	[2]
	2004-2008	0-15	14.2	[2]
	2006-2011	0-14	7.8	[10]
	2009-2013	0-14	19.9	[3]
Luxembourg	1989-1993	0-14	11.4	[3]
	1994-1998	0-14	12.3	[3]
	1999-2003	0-14	15.7	[3]
	2004-2008	0-14	18.4	[3]
	2009-2013	0-14	18.6	[3]
Malta	2006-2010	0-14	21.86	[14]
Norway	1996-2004	0-15	28.4	[15]
	2004-2008	0-15	32.8	[2]
	2009-2013	0-14	33.6	[3]
Slovakia	1990-1994	0-14	8.5	[1]
Slovenia	1990-1994	0-14	7.9	[1]
	1994-1998	0-15	9.2	[2]
	1999-2003	0-15	11.1	[2]
	2004-2008	0-15	14.6	[2]
	2009-2013	0-14	16.3	[3]

Sweden	1990-1994	0-14	27.5	[1]
	1993-1995	0-14,9	29.9	[16]
	1996-1998	0-14,9	32.7	[16]
	1999-2001	0-14,9	35.4	[16]
	2002-2004	0-14,9	42.5	[16]
	2005-2007	0-14,9	43.9	[16]
	2006-2011	0-14	44.1	[10]
Switzerland	1994-1998	0-15	8.3	[2]
	1999-2003	0-15	11	[2]
	2004-2008	0-15	13.1	[2]
	2009-2013	0-14	13.4	[3]
The Netherlands	1996-1999	0-14	18.6	[17]
	2010-2011	0-14	21.4	[18]

Supplementary Table 2 List of the 19 European countries considered in the analysis, and time periods considered for assessing the incidence of type 1 diabetes in pediatric age in each country

	First year	Last year	Total period (years)
Austria	1990	2013	23
Croatia	1995	2012	17
Cyprus	1990	2016	26
Czech Republic	1994	2013	19
Denmark	1999	2013	14
Estonia	1990	2011	21
Finland	1990	2018	28
Germany	1999	2011	12
Ireland	2004	2016	12
Latvia	1990	2011	21
Lithuania	1990	2013	23
Luxembourg	1994	2013	19
Malta	2006	2010	4
Norway	1996	2013	17
Slovakia	1990	1994	4
Slovenia	1990	2013	23
Sweden	1990	2011	21
Switzerland	1994	2013	19
The Netherlands	1996	2011	15

Supplementary Table 3 List of the 19 European countries considered in the analysis, with corresponding categorization according to tertiles of particulates < 10 µm, nitrogen oxides and volatile compounds emissions (total sector of emissions for each pollutant in each country), and range of type 1 diabetes incidences recorded in the same time period, in each country

	PM10	NO	VOCs	Type 1 diabetes incidence range
Austria	II	II	II	9.6-19.7
Croatia	II	II	II	9.1-17.2
Cyprus	I	I	I	10.5-17.2
Czech Republic	III	III	II	11.5-21.8
Denmark	II	II	I	22.6-27
Estonia	II	I	I	10.5-17.1
Finland	II	II	II	36.5-60.9
Germany	III	III	III	18-19.4
Ireland	I	II	III	27.5-31.7
Latvia	II	I	I	5.9-7.5
Lithuania	I	II	I	7.4-19.9
Luxembourg	I	I	I	11.4-18.6
Malta	I	I	I	21.8
Norway	III	II	II	28.4-33.6
Slovakia	III	II	II	8.5
Slovenia	I	I	I	7.9-16.3
Sweden	III	III	II	27.5-44.1
Switzerland	II	II	I	8.3-13.4
The Netherlands	II	I	II	18.6-21.4

PM10: Particulates < 10 µm; NO: nitrogen oxides; VOCs: Volatile compounds.

SUPPLEMENTARY REFERENCES

- 1 **Karvonen M**, Viik-Kajander M, Moltchanova E, Libman I, LaPorte R, Tuomilehto J. Incidence of childhood type 1 diabetes worldwide. Diabetes Mondiale (DiaMond) Project Group. *Diabetes Care* 2000; **23**: 1516-1526 [PMID: 11023146 DOI: 10.2337/diacare.23.10.1516]
- 2 **Patterson CC**, Gyürüs E, Rosenbauer J, Cinek O, Neu A, Schober E, Parslow RC, Joner G, Svensson J, Castell C, Bingley PJ, Schoenle E, Jarosz-Chobot P, Urbonaité B, Rothe U, Krzisnik C, Ionescu-Tirgoviste C, Weets I, Kocova M, Stipancic G, Samardzic M, de Beaufort CE, Green A, Dahlquist GG, Soltész G. Trends in childhood type 1 diabetes incidence in Europe during 1989-2008: evidence of non-uniformity over time in rates of increase. *Diabetologia* 2012; **55**: 2142-2147 [PMID: 22638547 DOI: 10.1007/s00125-012-2571-8]
- 3 **Patterson CC**, Harjutsalo V, Rosenbauer J, Neu A, Cinek O, Skrivarhaug T, Rami-Merhar B, Soltesz G, Svensson J, Parslow RC, Castell C, Schoenle EJ, Bingley PJ, Dahlquist G, Jarosz-Chobot PK, Marčiulionytė D, Roche EF, Rothe U, Bratina N, Ionescu-Tirgoviste C, Weets I, Kocova M, Cherubini V, Rojnic Putarek N, deBeaufort CE, Samardzic M, Green A. Trends and cyclical variation in the incidence of childhood type 1 diabetes in 26 European centres in the 25 year period 1989-2013: a multicentre prospective registration study. *Diabetologia* 2019; **62**: 408-417 [PMID: 30483858 DOI: 10.1007/s00125-018-4763-3]
- 4 **Stipancić G**, La Grasta Sabolić L, Pozgaj Sepec M, Radica A, Skrabić V, Severinski S, Kujundžić Tiljak M. Regional differences in incidence and clinical presentation of type 1 diabetes in children aged under 15 years in Croatia. *Croat Med J* 2012; **53**: 141-148 [PMID: 22522992 DOI: 10.3325/cmj.2012.53.141]
- 5 **Juszczak A**, Pavić T, Vučković F, Bennett AJ, Shah N, Pape Medvidović E, Groves CJ, Šekerija M, Chandler K, Burrows C, Rojnić Putarek N, Vučić Lovrenčić M, Ćuća Knežević J, James TJ, Gloyn AL, Lauc G, McCarthy MI, Owen KR, Gornik O. Plasma Fucosylated Glycans and C-Reactive Protein as Biomarkers of HNF1A-MODY in Young Adult-Onset Nonautoimmune Diabetes. *Diabetes Care* 2019; **42**: 17-26 [PMID: 30455330 DOI: 10.2337/dc18-0422]
- 6 **Toumba M**, Savva SC, Bacopoulou I, Apsioutou T, Georgiou T, Stavrou S, Skordis N. Rising incidence of type 1 diabetes mellitus in children and adolescents in Cyprus in 2000-2004. *Pediatr Diabetes* 2007; **8**: 374-376 [PMID: 18036063 DOI: 10.1111/j.1399-5448.2007.00262.x]

- 7 **Mousa U**, Sav H, Köseoğluları O, Şahin A, Akcan N, Soytaç İnançlı S, Bundak R. The Incidence and Demographic Distribution of Type 1 Diabetes Mellitus in Children Aged 16 or Younger Between 2000 and 2016 in Cyprus *J Clin Res Pediatr Endocrinol* 2020; **12**: 175-179 [PMID: 31552726 DOI: 10.4274/jcrpe.galenos.2019.2019.0109]
- 8 **Podar T**, Solntsev A, Karvonen M, Padaiga Z, Brigitte G, Urbonaitė B, Viik-Kajander M, Reunanen A, Tuomilehto J. Increasing incidence of childhood-onset type I diabetes in 3 Baltic countries and Finland 1983-1998. *Diabetologia* 2001; **44 Suppl 3**: B17-B20 [PMID: 11724410 DOI: 10.1007/pl00002947]
- 9 **Teeäär T**, Liivak N, Heilman K, Kool P, Sor R, Paal M, Einberg U, Tillmann V. Increasing incidence of childhood-onset type 1 diabetes mellitus among Estonian children in 1999-2006. Time trend analysis 1983-2006. *Pediatr Diabetes* 2010; **11**: 107-110 [PMID: 19496966 DOI: 10.1111/j.1399-5448.2009.00535.x]
- 10 **Samuelsson U**, Westerberg L, Aakesson K, Birkebaek NH, Bjarnason R, Drivvoll AK, Skrivarhaug T, Svensson J, Thorsson A, Hanberger L; Nordic Childhood Diabetes Registry Study Group, NordicDiabKids. Geographical variation in the incidence of type 1 diabetes in the Nordic countries: A study within NordicDiabKids. *Pediatr Diabetes* 2020; **21**: 259-265 [PMID: 31702838 DOI: 10.1111/pedi.12943]
- 11 **Parviaainen A**, But A, Siljander H, Knip M; Finnish Pediatric Diabetes Register. Decreased Incidence of Type 1 Diabetes in Young Finnish Children. *Diabetes Care* 2020; **43**: 2953-2958 [PMID: 32998988 DOI: 10.2337/dc20-0604]
- 12 **Bendas A**, Rothe U, Kiess W, Kapellen TM, Stange T, Manuwald U, Salzsieder E, Holl RW, Schoffer O, Stahl-Pehe A, Giani G, Ehehalt S, Neu A, Rosenbauer J. Trends in Incidence Rates during 1999-2008 and Prevalence in 2008 of Childhood Type 1 Diabetes Mellitus in Germany--Model-Based National Estimates. *PLoS One* 2015; **10**: e0132716 [PMID: 26181330 DOI: 10.1371/journal.pone.0132716]
- 13 **Gajewska KA**, Biesma R, Sreenan S, Bennett K. Prevalence and incidence of type 1 diabetes in Ireland: a retrospective cross-sectional study using a national pharmacy claims data from 2016. *BMJ Open* 2020; **10**: e032916 [PMID: 32312725 DOI: 10.1136/bmjopen-2019-032916]

- 14 **Formosa N**, Calleja N, Torpiano J. Incidence and modes of presentation of childhood type 1 diabetes mellitus in Malta between 2006 and 2010. *Pediatr Diabetes* 2012; **13**: 484-488 [PMID: 22151907 DOI: 10.1111/j.1399-5448.2011.00839.x]
- 15 **Skrivarhaug T**, Stene LC, Drivvoll AK, Strøm H, Joner G; Norwegian Childhood Diabetes Study Group. Incidence of type 1 diabetes in Norway among children aged 0-14 years between 1989 and 2012: has the incidence stopped rising? Results from the Norwegian Childhood Diabetes Registry. *Diabetologia* 2014; **57**: 57-62 [PMID: 24149838 DOI: 10.1007/s00125-013-3090-y]
- 16 **Berhan Y**, Waernbaum I, Lind T, Möllsten A, Dahlquist G; Swedish Childhood Diabetes Study Group. Thirty years of prospective nationwide incidence of childhood type 1 diabetes: the accelerating increase by time tends to level off in Sweden. *Diabetes* 2011; **60**: 577-581 [PMID: 21270269 DOI: 10.2337/db10-0813]
- 17 **van Wouwe JP**, Mattiazzo GF, el Mokadem N, Reeser HM, Hirasing RA. [The incidence and initial symptoms of diabetes mellitus type 1 in 0-14-year-olds in the Netherlands, 1996-1999]. *Ned Tijdschr Geneesk* 2004; **148**: 1824-1829 [PMID: 15495512]
- 18 **Spaans EA**, Gusdorf LM, Groenier KH, Brand PL, Veeze HJ, Reeser HM, Bilo HJ, Kleefstra N. The incidence of type 1 diabetes is still increasing in the Netherlands, but has stabilised in children under five (Young DUDEs-1). *Acta Paediatr* 2015; **104**: 626-629 [PMID: 25640447 DOI: 10.1111/apa.12949]