



PEER-REVIEW REPORT

Name of journal: World Journal of Clinical Oncology

Manuscript NO: 61882

Title: Comments on the evaluation of the fifth generation, 5G, for wireless communication and cancer risks by the Health Council of the Netherlands

Reviewer's code: 00068967

Position: Editorial Board

Academic degree: MSc, PhD

Professional title: Academic Research, Professor

Reviewer's Country/Territory: China

Author's Country/Territory: Sweden

Manuscript submission date: 2020-12-22

Reviewer chosen by: Lian-Sheng Ma

Reviewer accepted review: 2020-12-22 23:49

Reviewer performed review: 2020-12-23 03:20

Review time: 3 Hours

| | |
|---------------------------------|---|
| Scientific quality | <input type="checkbox"/> Grade A: Excellent <input checked="" type="checkbox"/> Grade B: Very good <input type="checkbox"/> Grade C: Good <input type="checkbox"/> Grade D: Fair <input type="checkbox"/> Grade E: Do not publish |
| Language quality | <input checked="" type="checkbox"/> Grade A: Priority publishing <input type="checkbox"/> Grade B: Minor language polishing <input type="checkbox"/> Grade C: A great deal of language polishing <input type="checkbox"/> Grade D: Rejection |
| Conclusion | <input type="checkbox"/> Accept (High priority) <input type="checkbox"/> Accept (General priority) <input type="checkbox"/> Minor revision <input checked="" type="checkbox"/> Major revision <input type="checkbox"/> Rejection |
| Re-review | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No |
| Peer-reviewer statements | Peer-Review: <input checked="" type="checkbox"/> Anonymous <input type="checkbox"/> Onymous Conflicts-of-Interest: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |



**Baishideng
Publishing
Group**

7041 Koll Center Parkway, Suite
160, Pleasanton, CA 94566, USA
Telephone: +1-925-399-1568
E-mail: bpgoffice@wjgnet.com
https://www.wjgnet.com

SPECIFIC COMMENTS TO AUTHORS

Anyhow, radiation exceeding some extent should be harmful to health. As RF radiation applied in 5G technique surely is lack of enough studies and evidence could support its safety at now. Language of this article is good, but the construct is suboptimal, it is need to be re-designed according to the requirements of WJG Press.