

61,100 Results Any time ▾

Inflammatory pseudotumor-like follicular dendritic cell ...<https://onlinelibrary.wiley.com/doi/full/10.1111/pin.12057>

May 28, 2013 · Inflammatory pseudotumor (IPT)-like follicular dendritic cell (FDC) sarcoma is a rare neoplasm typically occurring in the spleen or liver. We present six cases of EBV + IPT-like FDC sarcoma of the spleen among Koreans along with their clinicopathologic features and IHC results.

Cited by: 62 Author: Ji Young Choe, Heounjeong Go, Yoon Ky...

Publish Year: 2013

Inflammatory pseudotumor-like follicular dendritic cell ...<https://onlinelibrary.wiley.com/doi/abs/10.1111/pin.12057>

May 28, 2013 · Inflammatory pseudotumor (IPT)-like follicular dendritic cell (FDC) sarcoma is a rare neoplasm typically occurring in the spleen or liver. We present six cases of EBV + IPT-like FDC sarcoma of the spleen among Koreans along with their clinicopathologic features and IHC results.

Cited by: 62 Author: Ji Young Choe, Heounjeong Go, Yoon Ky...

Publish Year: 2013

Inflammatory pseudotumor-like follicular dendritic cell ...<https://appliedcr.biomedcentral.com/articles/10.1186/s41241-017-0051-7>

Dec 28, 2017 · Follicular dendritic cell (FDC) tumor is an uncommon neoplasm. It generally presents as a slow-growing, painless mass, without systemic symptoms. Histological features usually include low grade spindle cell proliferation. This tumor occurs primarily in lymph nodes, especially cervical and axillary, however, involvement of extranodal sites such as the tonsils, spleen, liver, and ...

Cited by: 2 Author: Aline Caldart Tregnago, Diogo Lago Morb...

Publish Year: 2017

Inflammatory pseudotumor-like follicular dendritic cell ...<https://www.wjnet.com/1948-5204/full/v11/i12/1231.htm>

Inflammatory pseudotumor-like follicular dendritic cell sarcoma: A brief report of two cases ... To date, 48 cases of inflammatory pseudotumor-like FDC sarcoma have been reported in the English-language literature, located in the liver (16/48), spleen (32/48), colon (1/48), and peri-pancreas (1/48), respectively. ... A Case Report and ...

Cited by: 1 Author: Bi-Xi Zhang, Zhi-Hong Chen, Yu Liu, Yuan...

Publish Year: 2019

国内版

国际版

Inflammatory pseudotumor-like follicular dendritic cell sarcoma: Literature



ALL

IMAGES

VIDEOS

60,100 Results

Any time ▾

Inflammatory pseudotumor-like follicular dendritic cell ...

<https://onlinelibrary.wiley.com/doi/full/10.1111/pin.12057>

May 28, 2013 · Inflammatory pseudotumor (IPT)-like follicular dendritic cell (FDC) sarcoma is a rare neoplasm typically occurring in the spleen or liver. We present six cases of EBV + IPT-like FDC sarcoma of the spleen among Koreans along with their clinicopathologic features and IHC results.

Cited by: 62

Author: Ji Young Choe, Heounjeong Go, Yoon Ky...

Publish Year: 2013

Inflammatory pseudotumor-like follicular dendritic cell ...

<https://onlinelibrary.wiley.com/doi/abs/10.1111/pin.12057>

May 28, 2013 · Inflammatory pseudotumor (IPT)-like follicular dendritic cell (FDC) sarcoma is a rare neoplasm typically occurring in the spleen or liver. We present six cases of EBV + IPT-like FDC sarcoma of the spleen among Koreans along with their clinicopathologic features and IHC results.

Cited by: 62

Author: Ji Young Choe, Heounjeong Go, Yoon Ky...

Publish Year: 2013

Inflammatory pseudotumor-like follicular dendritic cell ...

<https://www.wjgnet.com/1948-5204/full/v11/i12/1231.htm> ▾

Inflammatory pseudotumor-like follicular dendritic cell sarcoma: A brief report of two cases ... To date, 48 cases of inflammatory pseudotumor-like FDC sarcoma have been reported in the English-language literature, located in the liver (16/48), spleen (32/48), colon (1/48), and peri-pancreas (1/48), respectively. ... A Case Report and ...

Cited by: 1

Author: Bi-Xi Zhang, Zhi-Hong Chen, Yu Liu, Yuan...

Publish Year: 2019

Inflammatory pseudotumor-like follicular dendritic cell ...

<https://appliedcr.biomedcentral.com/articles/10.1186/s41241-017-0051-7> ▾

Dec 28, 2017 · Follicular dendritic cell (FDC) tumor is an uncommon neoplasm. It generally presents as a slow-growing, painless mass, without systemic symptoms. Histological features usually include low grade spindle cell proliferation. This tumor occurs primarily in lymph nodes, especially cervical and axillary, however, involvement of extranodal sites such as the tonsils, spleen, liver, and ...

Cited by: 2

Author: Aline Caldart Tregnago, Diogo Lago Morb...

Publish Year: 2017