

国内版 国际版

Old unreduced obturator dislocation of the hip: A case report



ALL IMAGES VIDEOS

57,500 Results Any time ▾

Unreduced obturator dislocation of the hip. A case report.

<https://www.ncbi.nlm.nih.gov/pubmed/675427>

Apr 15, 1978 · Unreduced obturator dislocation of the hip. A case report. Scadden WJ, Dennyson WG. A patient with a late unreduced obturator dislocation of the hip is reported and the literature reviewed. The diagnosis was confirmed by vaginal examination. An open reduction was necessary and it is suggested that this is best achieved through an anterior approach.

Cited by: 5 Author: Scadden WJ, Dennyson Wg
Publish Year: 1978

Open Obturator Hip Dislocation: A Case Report and Review ...

<https://journals.lww.com/jbjsc/Abstract/2020/...>

Open obturator dislocations of the hip require a multidisciplinary team. Despite prompt antibiotic therapy and aggressive debridement, patients are at high risk of infection because of the microbial environment in this region. Open obturator hip dislocations are at significant risk of avascular necrosis despite timely reduction.

Old unreduced traumatic anterior dislocation of the hip ...

<https://casereports.bmj.com/content/2013/bcr-2012-008068>

Jan 31, 2013 · Old unreduced anterior dislocations of the hip are extremely rare and are seen when orthopaedic help is not available in acute situations. A review of English language literature produced 17 cases. 2–6 We report one such case which we noticed during a posting in rural India.

Cited by: 5 Author: Avinash Alva, Mahima Shetty, Vishwajeet...
Publish Year: 2013

Case Report: Old unreduced traumatic anterior dislocation ...

europepmc.org/articles/PMC3604526

Old unreduced anterior dislocations of the hip are extremely rare and are seen when orthopaedic help is not available in acute situations. A review of English language literature produced 17 cases. 2–6 We report one such case which we noticed during a posting in rural India.

[PDF] Management of Neglected Obturator Hip Dislocation in ...

<https://bone.imedpub.com/management-of-neglected...>

treated within 72 hours after injury were called as old unreduced dislocation of hip. As the dislocation

网页 图片 视频 学术 词典 地图

检测到您输入了英文，试试切换到国际版？ 搜英文结果更丰富更准确 >

13,200 条结果 时间不限 ▾

Unreduced obturator dislocation of the hip. A case ... 翻译此页

Cited by: 4 Author: Scadden Wj, Dennyson Wg
Publish Year: 1978

1978-4-15 · **Unreduced obturator dislocation of the hip. A case report.** Scadden WJ, Dennyson WG. A patient with a late **unreduced obturator dislocation** of the **hip** is reported and the literature reviewed. The diagnosis was confirmed by vaginal examination. An open reduction was necessary and it is suggested that this is best achieved through an anterior approach.
<https://www.ncbi.nlm.nih.gov/pubmed/675427>

Old unreduced traumatic anterior dislocation of the ... 翻译此页

Cited by: 5 Author: Avinash Alva, Mahima Shetty, Vishwajeet ...
Publish Year: 2013

2021-1-17 · **Case** presentation. A 25-year-old man presented with a history of fall from a tree 5 months previously. Clinically and radiographically (), an **unreduced** anterior **dislocation** of the right **hip** was diagnosed. He had exaggerated lumbar lordosis, and the pelvis was lower on ...
<https://casereports.bmj.com/content/2013/bcr-2012-008068> ▾

Obturator dislocation of the hip | Request PDF 翻译此页

A **case** of a traumatic bilateral **obturator dislocation** of the **hip** and right side acetabular fracture in a 23-year-old man is presented. The patient was managed conservatively. After follow-up time ...
https://www.researchgate.net/publication/12085870_Obturator_dislocation_of_the_hip

Chronically unreduced traumatic anterior dislocation ... 翻译此页

Cited by: 6 Author: O. N. Nagi, Mandeep S. Dhillon, S. S. Gill
Publish Year: 1992

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 62128

Manuscript Type: CASE REPORT

Old unreduced obturator dislocation of the hip: A case report

Wen-Zhao Li, Jun-Jie Wang, Jiang-Dong Ni, De-Ye Song, Mu-Liang Ding, Jun Huang, Guang-Xu He

Abstract

BACKGROUND

Obturator dislocation is a rare type of hip dislocation, accounting for about 2%-5% of all hip dislocations. The occurrence of old unreduced obturator dislocation is even more infrequent, with only 17 cases reported in nine studies, most of which were from the 1950s to 1980s in developing countries.

Match Overview

1	Internet 50 words crawled on 26-Aug-2020 www.wjnet.com	2%
2	Crossref 40 words Amite Farkaj, Minnal Sharma, Vivek Kochar, V. Anand Naik. "Neglected, locked, obturator type of inferior hip dislocatio ..."	1%
3	Internet 16 words crawled on 16-Mar-2019 www.landonline.com	1%
4	Crossref 16 words Anna Domingo. "Unusual traumatic anterior bilateral hip d ... location", <i>European Journal of Orthopaedic Surgery & Trau</i>	1%
5	Crossref 15 words A. Alva, M. Shetty, V. Kumar. "Old unreduced traumatic ante ... rior dislocation of the hip", <i>Case Reports</i> , 2013	1%
6	Crossref 15 words Sandeep Patel, Ranganatha B. Thimmegowda, Rakesh Jo ... hn, T.R. Sunil Kumar, R.H.H. Aijun. "Total hip arthroplasty in	1%
7	Crossref 13 words Mario Riancho. "Irreducible Traumatic Obturator Hip Disloca ... tion with Subcapital Indentation Fracture of the Femoral N ..."	<1%

国内版

国际版

Old unreduced obturator dislocation of the hip: A case report



ALL

IMAGES

VIDEOS

116,000 Results

Any time ▾

Unreduced obturator dislocation of the hip. A case report.

<https://www.ncbi.nlm.nih.gov/pubmed/675427>

Apr 15, 1978 - Unreduced obturator dislocation of the hip. A case report. Scadden WJ, Dennyson WG. A patient with a late unreduced obturator dislocation of the hip is reported and the literature reviewed. The diagnosis was confirmed by vaginal examination. An open reduction was necessary and it is suggested that this is best achieved through an anterior approach.

Cited by: 4

Author: Scadden Wj, Dennyson Wg

Publish Year: 1978

Open Obturator Hip Dislocation: A Case Report and Review ...

<https://journals.lww.com/jbjsc/Abstract/2020/...>

Open obturator dislocations of the hip require a multidisciplinary team. Despite prompt antibiotic therapy and aggressive debridement, patients are at high risk of infection because of the microbial environment in this region. Open obturator hip dislocations are at significant risk of avascular necrosis despite timely reduction.

Old unreduced traumatic anterior dislocation of the hip ...

<https://casereports.bmj.com/content/2013/bcr-2012-008068>

Jan 31, 2013 - Old unreduced anterior dislocations of the hip are extremely rare and are seen when orthopaedic help is not available in acute situations. A review of English language literature produced 17 cases. 2-6 We report one such case which we noticed during a posting in rural India.

Cited by: 5

Author: Avinash Alva, Mahima Shetty, Vishwajeet...

Publish Year: 2013

Case Report: Old unreduced traumatic anterior dislocation ...

europepmc.org/articles/PMC3604526

Old unreduced anterior dislocations of the hip are extremely rare and are seen when orthopaedic help is not available in acute situations. A review of English language literature produced 17 cases. 2-6 We report one such case which we noticed during a posting in rural India.

[PDF] Management of Neglected Obturator Hip Dislocation in ...

<https://bone.imedpub.com/management-of-neglected...>

treated within 72 hours after injury were called as old unreduced dislocation of hip. As the