

Microsoft Bing

国内版 国际版

Chat with Bing

Sign in

Add the Give with Bing extension

Maisonneuve injury with no fibula fracture: A case report and review

ALL IMAGES VIDEOS

102,000 Results Any time Open links in new tab

Maisonneuve Fracture in an Active Duty Sailor: A Case Report
<https://academic.oup.com/milmed/article/183/5-6/e278/4838968>

Feb 05, 2018 · Maisonneuve fractures consist of a medial malleolar fracture or medial ligament rupture, a disruption of the tibiofibular syndesmosis ligaments, and a spiral fracture of the proximal fibula. This injury was classically described by the French surgeon Jules Gilles Maisonneuve and is the result of external rotation force on a pronated, fixed foot ...

Cited by: 1 Author: Ryan R Richmond, Andrew D Henebry
Publish Year: 2018

Maisonneuve Equivalent Injury With Proximal Tibiofibular ...
<https://pubmed.ncbi.nlm.nih.gov/28117256>

Abstract. We report the case of a 31-year-old male who presented with traumatic dislocation of both proximal and distal tibiofibular joints without fibular fracture. The patient underwent closed reduction of the proximal tibiofibular joint and surgical stabilization of the distal tibiofibular joint. An 18-month postoperative evaluation confirmed a very good clinical outcome after anatomic reduction.

Maisonneuve fracture
Spiral Fracture

The Maisonneuve fracture is a spiral fracture of the proximal third of the fibula associated with a tear of the distal tibiofibular syndesmosis and the interosseous membrane. There is an associated fracture of the medial malleolus or rupture of the deep deltoid ligament of the ankle. This type of injury can be difficult to detect.

Wikipedia

ALL IMAGES VIDEOS

18,900 Results Any time ▾ Open links in new tab **Maisonneuve Equivalent Injury With Proximal Tibiofibular ...**<https://pubmed.ncbi.nlm.nih.gov/28117256>

Maisonneuve Equivalent Injury With Proximal Tibiofibular Joint Dislocation: Case Report and Literature Review J Foot Ankle Surg . Mar-Apr 2017;56(2):404-407. doi: 10.1053/j.jfas.2016.10.003.

Cited by: 4 Author: Timothée Bissuel, Florent Gaillard, Lo...

Publish Year: 2017

Maisonneuve Equivalent Injury With Proximal Tibiofibular ...<https://www.ncbi.nlm.nih.gov/pubmed/28117256>

1. J Foot Ankle Surg. 2017 Mar - Apr;56(2):404-407. doi: 10.1053/j.jfas.2016.10.003. Epub 2017 Jan 20. Maisonneuve Equivalent Injury With Proximal Tibiofibular Joint Dislocation: Case Report and Literature Review.

Cited by: 4 Author: Timothée Bissuel, Florent Gaillard, Lo...

Publish Year: 2017

Maisonneuve Equivalent Injury With Proximal Tibiofibular ...<https://www.sciencedirect.com/science/article/pii/S106725161630299X>

Mar 01, 2017 · Combined dislocation of the PTFJ and DTFJ without a fibular fracture is very rare. To the best of our knowledge, it has only been previously reported 3 times. The first case, described by Kumar , was a **Maisonneuve fracture** equivalent with proximal anterolateral tibiofibular dislocation and a medial injury to the deltoid ligamentous complex. The patient underwent closed reduction of the PTFJ, ...

Cited by: 4 Author: Timothée Bissuel, Florent Gaillard, Lo...

Publish Year: 2017

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 62157

Manuscript Type: CASE REPORT

Maisonneuve injury with no fibula fracture: A case report

Maisonneuve injury with no fibula fracture

Abstract

BACKGROUND

Ankle syndesmosis injury is difficult to diagnose accurately at the initial visit. Missed diagnosis or improper treatment can lead to chronic complications. Complete syndesmosis injury with a concomitant rupture of the interosseous membrane (IOM) is more unstable and severe. The relationship between this type of injury and Maisonneuve injury, in which the syndesmosis is also injured, has not been discussed in the literature previously.

Match Overview

Rank	Source	Words	Similarity
1	Internet	36 words crawled on 26-Aug-2020 www.wjnet.com	1%
2	Crossref	28 words Jin-qian He, Xin-kong Ma, Jing-yi Xin, Hong-bin Cao et al. ... anatomy and Injury Mechanism of Typical Maisonneuve	1%
3	Crossref	16 words "The Maisonneuve Injury: A Comprehensive Review", Orthopedics, 2010	1%
4	Crossref	14 words Oliver Cornu, Julie Manon, Karim Tribak, Dan Putineanu. "TR... AUTOMATIC INJURIES OF THE DISTAL TIBIOFIBULAR SYN...	1%
5	Internet	14 words crawled on 15-Feb-2020 publishing.blob.core.windows.net	1%
6	Crossref	13 words R. J. Coletbrander, P. A. A. Strujs, J. M. Ultee. "Bimalleolar ... ankle fracture with proximal fibular fracture", Archives of Ortho...	1%
7	Crossref	12 words Annachiara Beumer. "Chronic instability of the anterior synde... smosis of the ankle", Acta Orthopaedica, 2009	<1%

国内版 国际版

Maisonneuve injury with no fibula fracture: A case report



ALL IMAGES VIDEOS

197,000 Results Any time ▾

Maisonneuve Equivalent Injury With Proximal Tibiofibular ...

<https://pubmed.ncbi.nlm.nih.gov/28117256>

Abstract. We report the case of a 31-year-old male who presented with traumatic dislocation of both proximal and distal tibiofibular joints **without fibular fracture**. The patient underwent closed reduction of the proximal tibiofibular joint and surgical stabilization of the distal tibiofibular joint. An 18-month postoperative evaluation confirmed a very good clinical outcome after anatomic reduction.

Cited by: 5 Author: Timothée Bissuel, Florent Gaillard, Louis ...

Publish Year: 2017

Maisonneuve Fracture in an Active Duty Sailor: A Case Report

<https://academic.oup.com/milmed/article/183/5-6/e278/4838968>

Feb 05, 2018 · **Maisonneuve fractures** consist of a medial malleolar fracture or medial ligament rupture, a disruption of the tibiofibular syndesmosis ligaments, and a spiral fracture of the proximal fibula. This **injury** was classically described by the French surgeon Jules Gilles Maisonneuve and is the result of external rotation force on a pronated, fixed foot ...

Cited by: 1 Author: Ryan R Richmond, Andrew D Henebry

Publish Year: 2018

Maisonneuve fracture: Case report of a missed diagnosis ...

<https://www.sciencedirect.com/science/article/pii/S0196064487805802>

Jul 01, 1987 · CASE REPORT fracture, Maisonneuve, diagnosis Maisonneuve Fracture: Case Report of a Missed Diagnosis We report the case of a Maisonneuve fracture of the fibula in which the diagnosis was initially missed. The patient presented with a chief complaint of medial ankle pain.

Cited by: 13 Author: Terrence R Lock, John J Schaffer, Arthur ...

Publish Year: 1987

[PDF] ATYPICAL MAISONNEUVE'S FRACTURE: A CASE REPORT

<https://ppjp.ulm.ac.id/journal/index.php/jbk/article/download/5331/4513>

Maisonneuve fracture: case report of a missed diagnosis. Ann Emerg Med. 1987; 16: 805-7. 10. Healy WA 3rd, Starkweather KD, Meyer J, Teplitz GA. Triplane fracture associated with a proximal third fibula fracture. Am J Orthop. 1996; 25: 449-51. 11. Hensel KS, Harpstrite JK. Maisonneuve fracture associated with a bimalleolar

Author: Alwi Rachman, Respati Suryanto Dra... Publish Year: 2018