

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 62333

Manuscript Type: CASE REPORT

Delayed diagnosis and comprehensive treatment of cutaneous tuberculosis: A case report

Diagnosis and treatment of cutaneous tuberculosis

Lujue Gao, Zihui Huang, Quanyong Jin, Guoying Zhang, Minxing Gao, Jiayan Qian,
Sixun Zhu, Yang Yu

Match Overview

- | | | |
|---|--|----|
| 1 | Internet 15 words crawled on 20-Apr-2016 www.pjm.microbiology.pl | 1% |
| 2 | Internet 15 words diagnosticpathology.biomedcentral.com | 1% |

激活 Windows
转到“设置”以激活 Windows。

Delayed diagnosis and comprehensive treatment of cutaneous tuberc



ALL

IMAGES

VIDEOS

Add the Give v

936,000 Results

Any time ▾

Cutaneous tuberculosis. Diagnosis and Treatment | Request ...

<https://www.researchgate.net/publication/11304377...>

Cutaneous tuberculosis is an infectious disease mainly caused by *M. tuberculosis*, having exogenous, endogenous, or autoinoculation pathways **of skin** penetration 5,6 .

Diagnostic Delays and Treatment Implications for Patients ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6559270>

Drug-resistant **tuberculosis** (DR-TB) remains one of the greatest public health challenges of the 21 st century []. Isoniazid monoresistance (INH-R) is estimated to occur in 8% of TB **cases** worldwide and is associated with worse **treatment** outcomes [], but it often remains undiagnosed or diagnosed after significant delays [] We describe a patient with a **delayed diagnosis** of INH

Search Toc

Turn off Hover



ALL

IMAGES

VIDEOS

4,340,000 Results

Any time ▾

Managing Cutaneous Tuberculosis: A Case Report

<https://pubmed.ncbi.nlm.nih.gov/28759425>

Treatment for the TB-related lesions, con-comitant cellulitis, and a Stage 2 pressure injury under his 1st right metatarsal head was initiated as well. The patient received local wound care for 40 days that included sharp debridement, of oading for the pressure injury, and pain relief before treatment at the wound care clinic and daily as ...

Author: Bettina M Brown-Gallardo Publish Year: 2017

[Cutaneous tuberculosis: case report].

<https://www.ncbi.nlm.nih.gov/pubmed/24862824>

Cutaneous tuberculosis is a chronic infectious disease caused by Mycobacterium tuberculosis. It is not very frequent and particularly difficult to diagnose. Its incidence ranges between 1.5 and 4% of all extrapulmonary tuberculosis, according to bibliography.

Author: Elsa Bisero, Graciela Luque, Karina ... Publish Year: 2014

Search Tools

Turn off Hover Translation (关闭取词)

PEOPLE ALSO ASK

When should you suspect tuberculosis? ▾

激活 Windows

转到“设置”以激活 Windows。

ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

4,460,000 Results

Any time ▾

[Managing Cutaneous Tuberculosis: A Case Report](https://pubmed.ncbi.nlm.nih.gov/28759425)

<https://pubmed.ncbi.nlm.nih.gov/28759425>

Treatment for the TB-related lesions, con-comitant cellulitis, and a Stage 2 pressure injury under his rst right metatarsal head was initiated as well. The patient received local wound care for 40 days that...

Cited by: 1

Author: Bettina M Brown-Gallardo

Publish Year: 2017

[\[Cutaneous tuberculosis: case report\].](https://www.ncbi.nlm.nih.gov/pubmed/24862824)

<https://www.ncbi.nlm.nih.gov/pubmed/24862824>

Cutaneous tuberculosis is a chronic infectious disease caused by *Mycobacterium tuberculosis*. It is not very frequent and particularly difficult to diagnose. Its incidence ranges between 1.5 and 4% of all...

Author: Elsa Bisero, Graciela Luque, Karina Meli... Publish Year: 2014

PEOPLE ALSO ASK

Should tuberculosis be tested for drug resistance? ▾

When should you suspect tuberculosis? ▾

Can a chest radiograph diagnose pulmonary TB? ▾

Can an acid fast microscopy diagnose tuberculosis? ▾

Feedback

[Cutaneous tuberculosis. Diagnosis and Treatment | Request PDF](https://www.researchgate.net/publication/11304377...)

<https://www.researchgate.net/publication/11304377...>

Cutaneous tuberculosis is an infectious disease mainly caused by *M. tuberculosis*, having exogenous, endogenous, or autoinoculation pathways of skin penetration 5,6 .

[\[PDF\] Tuberculosis Care - WHO](https://www.who.int/tb/publications/ISTC_3rdEd.pdf)

https://www.who.int/tb/publications/ISTC_3rdEd.pdf

tuberculosis and utilizing appropriate screening methods and preventive interventions in these persons or groups . Standards for **diagnosis** Standard 1 • This is a new standard emphasizing the responsibility of...