

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 62540

Manuscript Type: CASE REPORT

**Therapeutic effect of autologous concentrated growth factors on lower-extremity
chronic refractory wounds: A case report**

Liu P *et al.* CGF on chronic refractory wounds

Po Liu, Yang Liu, Chang-Neng Ke, Wei-Shan Li, Yue-Ming Liu, Shi Xu

Abstract

BACKGROUND

Management of chronic refractory wounds is one of the toughest clinical challenges for

Match Overview

1

Internet 20 words
crawled on 22-Mar-2021
en.wikipedia.org

1%

2

Internet 16 words
crawled on 09-Jun-2020
www.mdpi.com

1%

The therapeutic effect of autologous concentrated growth factors c



ALL

IMAGES

VIDEOS

61,900 Results

Any time ▾

Clinical guideline on topical growth factors for skin ...

<https://academic.oup.com/burnstrauma/article/doi/...> ▾

Sep 28, 2020 · Adverse reactions and precautions for topical **growth factors** for skin **wounds**. So far, no toxic **effects** or adverse reactions have been reported to be caused directly by the application of eGFs onto human skin **wounds** [4, 42, 44, 45, 110–111] (GRADE recommendation: weak; quality of evidence: low). Possible adverse **effects** include local allergic reactions such as redness, swelling, pruritus, transient pain, etc. which will disappear after withdrawal of **growth factors**.

Author: Chun-Mao Han, Biao Cheng, Pan Wu **Publish Year:** 2020

Autologous Platelet-Rich Plasma for Diabetic Foot Ulcer ...

<https://www.sciencedirect.com/science/article/pii/S1043276020302009>

Dec 01, 2020 · The **effect** of PRP on **wound healing** has been mainly attributed to the release of various bioactive molecules including **growth factors**, chemokines, and cytokines, stored in platelets, which could promote angiogenesis, modulate extracellular matrix (ECM), and accelerate cellular recruitment, proliferation, and differentiation .

Author: Shiyong Shao, Ruping Pan, Yong Chen **Publish Year:** 2020

Allogeneic Platelet-Rich Plasma Therapy as an Effective ...

<https://www.sciencedirect.com/science/article/pii/S0022480419306535>

Feb 01, 2020 · PRP is a **concentrated** platelet plasma obtained by separating and concentrating whole blood, which has a **concentration** of at least four times the platelets in whole blood. 4 It contains abundant **growth factors** 5 and has a healing **effect** on **wounds** and tissues. 6 The increasing maturation

Search Tools

Turn on Hover Translation (开启取词)

Therapeutic effect of autologous concentrated growth factors on lo



ALL

IMAGES

VIDEOS

TOOLS ▼

(PDF) Comparison of Allogeneic Platelet-rich Plasma With ...

<https://www.researchgate.net/publication/342016976...>

Lower **extremity** ulcers affect millions of people, ... These findings could provide novel **therapeutic** targets for **refractory wounds**. ... The **growth factors** present in platelet-rich plasma (PRP ...

(PDF) Autologous derived, platelet-rich plasma gel in the ...

<https://www.researchgate.net/publication/233405531...>

There is a growing body of evidence that suggests that wound healing in **chronic** diabetic foot ulcers is **growth factor** dependent and that the **therapeutic** delivery of these **growth factors** to **wounds** ...

PEOPLE ALSO ASK

How are exogenous growth factors used to treat skin wounds? ▼

What are chronic wounds? ▼

Why is chronic wound closure important? ▼

Feedback

Clinical guideline on topical growth factors for skin ...

<https://academic.oup.com/burnstrauma/article/doi/...> ▼

Author: Chun-Mao Han, Biao Cheng, Pan Wu **Publish Year:** 2020

Jan 28, 2020 - Adverse reactions and precautions for topical growth factors for skin wounds. So far no

Search Tools

Turn on Hover Translation (开启取词)

ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

TOOLS ▾

[Comparison of Allogeneic Platelet-rich Plasma With ...](#)

<https://journals.sagepub.com/doi/full/10.1177/0963689720931428>

Abstract. **Autologous** platelet-rich plasma (au-PRP) has been widely used for the management of **refractory chronic wounds**. However, patients with diabetic **lower extremity** ulcers (DLEUs) usually have complicated clinical conditions, and the utility of au-PRP is limited. In this study, the feasibility, effectiveness, and safety of allogeneic platelet-rich plasma (al-PRP) and au-PRP were investigated and ...

Cited by: 1

Author: Min He, Min He, Xuewen Guo, Xuewen Guo,...

Publish Year: 2020

[\(PDF\) Autologous derived, platelet-rich plasma gel in the ...](#)

<https://www.researchgate.net/publication/233405531...>

There is a growing body of evidence that suggests that wound healing in **chronic** diabetic foot ulcers is **growth factor** dependent and that the **therapeutic** delivery of these **growth factors** to **wounds** ...

[Allogeneic Platelet-Rich Plasma Therapy as an Effective ...](#)

<https://www.sciencedirect.com/science/article/pii/S0022480419306535>

Feb 01, 2020 · PRP is a **concentrated** platelet plasma obtained by separating and concentrating whole blood, which has a **concentration** of at least four times the platelets in whole blood. 4 It contains abundant **growth factors** 5 and has a healing **effect** on **wounds** and tissues. 6 The increasing maturation of separation and extraction technologies for PRP has led ...

Cited by: 3

Author: Xuan Liao, Jun-Xian Liang, Sheng-Hong Li, ...

Publish Year: 2020

[Clinical guideline on topical growth factors for skin ...](#)

<https://academic.oup.com/burnstrauma/article/doi/...> ▾

Sep 28, 2020 · Adverse reactions and precautions for topical **growth factors** for skin **wounds**. So far, no toxic **effects** or adverse reactions have been reported to be caused directly by the application of eGFs onto human skin **wounds** [4, 42, 44, 45, 110–111] (GRADE recommendation: weak; quality of evidence: low). Possible adverse **effects** include local allergic reactions such as redness, swelling, pruritus, transient pain, etc. which will disappear after withdrawal of **growth factors**.

Author: Chun-Mao Han, Biao Cheng, Pan Wu

Publish Year: 2020

[\(PDF\) Comparison of Allogeneic Platelet-rich Plasma With ...](#)

<https://www.researchgate.net/publication/342016976...>

Lower extremity ulcers affect millions of people. These findings could provide novel **therapeutic**

See results for

[Diabetic foot ulcer \(Major Complication\)](#)

Diabetic foot ulcer is a major complication of diabetes mellitus, and probably the major component of the diabetic foot. Wound healing is an i...