

ALL IMAGES VIDEOS TOOLS

Treatment options for chylous ascites after major ...

<https://www.sciencedirect.com/science/article/pii/S000296101500327X>

Jan 01, 2016 · Octreotide. Postoperative chylous ascites is a clinical issue of growing importance in abdominal surgery because of the increase in extended resections and lymph node dissections. It is commonly characterized by postoperative accumulation of chyle in the peritoneal cavity, and appearance of milky fluid and elevated triglyceride levels in the surgical drains.1 Direct operative trauma to the main chyle ...

Cited by: 75 Author: Maximilian Weniger, Jan G. D'Haese, Marti...
Publish Year: 2016

Search Tools

Turn on Hover Translation (开启悬停)

Treatment options for chylous ascites after major ...

<https://www.researchgate.net/publication/279213733...>

Chylous ascites due to lymphorrhea is one of the complications following abdominal oncologic surgery. Chylous ascites requires long-term treatment and leads to a delay in additional treatment.

Chylous ascites (Concept Id: CN168801)

<https://www.ncbi.nlm.nih.gov/medgen/506723>

Chylous ascites as a complication of laparoscopic colorectal surgery. Matsuda T, Fujita H, Kunimoto Y, Kimura T, Ogino K. Asian J Endosc Surg 2013 Nov;6(4):279-84. Epub 2013 Aug 13. doi: 10.1111/ases.12057.

Chylous ascites as a complication of laparoscopic

国内版 国际版

Chylous ascites in colorectal surgery-A systematic review



ALL IMAGES VIDEOS

70,000 Results Any time ▾

[Treatment options for chylous ascites after major ...](#)

<https://www.sciencedirect.com/science/article/pii/S000296101500327X>

Jan 01, 2016 · Octreotide. Postoperative **chylous ascites** is a clinical issue of growing importance in **abdominal surgery** because of the increase in extended resections and lymph node dissections. It is commonly characterized by postoperative accumulation of **chyle** in the peritoneal cavity, and appearance of milky fluid and elevated triglyceride levels in the surgical drains.¹ Direct operative trauma to the main **chyle** ...

Cited by: 75 **Author:** Maximilian Weniger, Jan G. D'Haese, Ma...

Publish Year: 2016

[Treatment options for chylous ascites after major ...](#)

<https://pubmed.ncbi.nlm.nih.gov/26117431>

Results: **Chylous ascites** is described with an incidence of up to 11%, especially after pancreatic surgery. The incidence is increasing with the number of lymph nodes harvested. In patients treated with total parenteral nutrition, conservative treatment is demonstrated to be effective in up to 100% of cases. Conclusions: The extent of **abdominal surgery** mainly predicts the risk of **chylous ascites**.

Cited by: 75 **Author:** Maximilian Weniger, Jan G. D'Haese, Ma...

Publish Year: 2016

Name of Journal: *World Journal of Gastrointestinal Surgery*
Manuscript NO: 62787
Manuscript Type: SYSTEMATIC REVIEWS

Chylous ascites in colorectal surgery-A systematic review

Zi Qin Ng, Margaret Han, Han Nien Beh, Simon Keelan

Match Overview

1	Internet 51 words crawled on 18-Aug-2020 mafiadoc.com	1%
2	Crossref 39 words Se-Jin Baek, Seon-Hahn Kim, Jung-Myun Kwak, Jin Kim ... ncidence and risk factors of chylous ascites after colorectal	1%
3	Crossref 29 words Matsuda, Takeru, Hirofumi Fujita, Yukihito Kunimoto, Taisei Kimura, and Kazunori Ogino. "Chylous ascites as a compli	1%
4	Crossref 25 words Zi Qin Ng, Jih Hwei Tan, Henry Chor Lip Tan, Mary Theopj... lus. "Post-colonoscopy diverticulitis: A systematic review",	1%
5	Internet 14 words crawled on 05-Aug-2020 journals.lww.com	<1%

Treatment options for chylous ascites after major ...

<https://www.sciencedirect.com/science/article/pii/S000296101500327X>

Jan 01, 2016 · Octreotide. Postoperative **chylous ascites** is a clinical issue of growing importance in abdominal **surgery** because of the increase in extended resections and lymph node dissections. It is commonly characterized by postoperative accumulation of **chyle** in the peritoneal cavity, and appearance of milky fluid and elevated triglyceride levels in the surgical drains. 1 Direct operative trauma to the main **chyle** ...

Cited by: 79

Author: Maximilian Weniger, Jan G. D'Haese, Mar...

Publish Year: 2016

[PDF] Treatment options for chylous ascites after major ...

www.jaxelection.altervista.org/pancreatic/AscitesPostSurgery2016USA327X.pdf

Chylous ascites is known to cause prolongation of the length of hospital stay and represents a considerable eco-nomic problem, especially in oncologic surgery. Although **chylous ascites** is a widespread issue, evidence is limited to case series and no guidelines or general therapy recommendations exist. Therefore, we performed a **systematic**

Chylous ascites (Concept Id: CN168801)

<https://www.ncbi.nlm.nih.gov/medgen/506723>

Chylous ascites as a complication of laparoscopic colorectal surgery. Matsuda T, Fujita H, Kunimoto Y, Kimura T, Ogino K Asian J Endosc Surg 2013 Nov;6(4):279-84. Epub 2013 Aug 13 doi: 10.1111/ases.12057.

Chylous ascites as a complication of laparoscopic ...

<https://onlinelibrary.wiley.com/doi/abs/10.1111/ases.12057>

Chylous ascites are not a rare complication of laparoscopic colorectal surgery. It was managed conservatively in all cases but was associated with longer hospital stays. We recommend careful tissue dissection at a suitable plane and meticulous clipping during lymphadenectomy to prevent chyle leakage when lymphatic invasion is suspected.

Cited by: 10

Author: Takeru Matsuda, Hirofumi Fujita, Yukihiro ...

Publish Year: 2013

Chylous ascites: A collective review | Request PDF

<https://www.researchgate.net/publication/12271150>