

### Comparison Between Laparoscopic Sleeve Gastrectomy and ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3671102>

Over 90 million patients suffer from diabetes in China, 90 % of whom have T2DM . Morbid obesity is also linked with hypertension, obstructive sleep apnea, and other conditions that cause distress to patients and reduce their quality of life. Obesity also increases the risk of heart attack and death.

Cited by: 28 Author: Sen Wang, Ping Li, Xiao Fang Sun, Nian ...

Publish Year: 2013

### Quality of life after total vs distal gastrectomy with ...

<https://pubmed.ncbi.nlm.nih.gov/28373774>

Results: The patients who underwent TGRY experienced the poorer QOL compared to DGRY in the 15 of 19 main outcome measures of PGSAS-45. Moreover, multiple regression analysis indicated that the type of gastrectomy, TGRY, most strongly and broadly impaired the postoperative QOL among six explanatory variables.

Cited by: 12 Author: Masazumi Takahashi, Masanori Terashim...

Publish Year: 2017

### Long-term quality-of-life comparison of total gastrectomy ...

<https://link.springer.com/article/10.1007/s10120-014-0377-8>

May 07, 2014 · Gastric cancer remains the second leading cause of cancer death in the world and is the most frequent malignancy in Japan, South America, and Eastern Europe [1, 2]. Long-term survivors after radical gastrectomy have been increasing as the result of better early detection and improved surgical techniques [3–5]. The better surgical outcome has led to greater interest in the quality of life (QOL ...

Cited by: 107 Author: Nobuhiro Takiguchi, Masazumi Takahashi...

Publish Year: 2015

### (PDF) Comparison of Postoperative Quality of Life among ...

<https://www.researchgate.net/publication/341981860...>

Long-term quality-of-life comparison of total gastrectomy and proximal gastrectomy by Postgastrectomy Syndrome Assessment Scale (PGSAS-45): ...

### Comparison of Postoperative Quality of Life among Three ...

<https://link.springer.com/article/10.1007/s00268-020-05629-5>

### Quality of life after total vs distal gastrectomy with ...

<https://pubmed.ncbi.nlm.nih.gov/28373774>

Cited by: 13 Author: Masazumi Takahashi, Masanori Terashima, Hir...

Publish Year: 2017

Results: The patients who underwent TGRY experienced the poorer QOL compared to DGRY in the 15 of 19 main outcome measures of PGSA5-45. Moreover, multiple regression analysis indicated that the type of gastrectomy, TGRY, most strongly and broadly impaired the postoperative QOL among six ...

### Long-term quality-of-life comparison of total gastrectomy ...

<https://link.springer.com/article/10.1007/s10120-014-0377-8>

Cited by: 110 Author: Nobuhiro Takiguchi, Masazumi Takahashi, Masa...

Publish Year: 2015

May 07, 2014 · Gastric cancer remains the second leading cause of cancer death in the world and is the most frequent malignancy in Japan, South America, and Eastern Europe [1, 2]. Long-term survivors after radical gastrectomy have been increasing as the result of better early detection and improved surgical techniques [3–5]. The better surgical outcome has led to greater interest in the quality of life (QOL ...

### [PDF] Long-term quality-of-life comparison of total gastrectomy ...

<https://link.springer.com/content/pdf/10.1007/s10120-014-0377-8.pdf>


Cited by: 110 Author: Nobuhiro Takiguchi, Masazumi Takahashi, Masa...

Publish Year: 2015

of total gastrectomy (TG) or PG for such cancers is still controversial. By using the newly developed Postgastrectomy Syndrome Assessment Scale (PGSA5)-45, the quality of life after TG and PG was

### Search Tools

Turn on Hover Translation (开启取词)



**Name of Journal:** *World Journal of Gastrointestinal Surgery*

**Manuscript NO:** 62821

**Manuscript Type:** ORIGINAL ARTICLE

**Observational Study**

**Comparison of effects of six main gastrectomy procedures on patients' quality of life assessed by Postgastrectomy Syndrome Assessment Scale-45**

Nakada K *et al.* Life quality after various gastrectomy procedures

Koji Nakada, Yoshiyuki Kawashima, Shinichi Kinami, Ryoji Fukushima, Hiroshi Yabusaki, Akiyoshi Seshimo, Naoki Hiki, Keisuke Koeda, Mikihiro Kano, Yoshikazu Uenosono, Atsushi Oshio, Yasuhiro Koderu

Match Overview

1 **Crossref** 17 words  
Tatsumu Nishikawa, Naoki Hiki, Shinichi Kinami, Hiroshi Okabe *et al.* "Factors that minimize postgastrectomy symptoms" <1%

国内版 国际版

Comparison of effects of six main gastrectomy procedures on patier



ALL IMAGES VIDEOS

223,000 Results Any time ▾

### Long-term quality-of-life comparison of total gastrectomy ...

<https://link.springer.com/article/10.1007/s10120-014-0377-8> ▾

May 07, 2014 · Gastric cancer remains the second leading cause of cancer death in the world and is the most frequent malignancy in Japan, South America, and Eastern Europe [1, 2]. Long-term survivors after radical gastrectomy have been increasing as the result of better early detection and improved surgical techniques [3–5]. The better surgical outcome has led to greater interest in the quality of life (QOL ...

Cited by: 110 Author: Nobuhiro Takiguchi, Masazumi Takahashi...

Publish Year: 2015

### Quality of life after total vs distal gastrectomy with ...

<https://www.ncbi.nlm.nih.gov/pubmed/28373774>

Mar 21, 2017 · 1. World J Gastroenterol. 2017 Mar 21;23(11):2068-2076. doi: 10.3748/wjg.v23.i11.2068.

Quality of life after total vs distal gastrectomy with Roux-en-Y reconstruction: Use of the Postgastrectomy Syndrome Assessment Scale-45.

Cited by: 13 Author: Masazumi Takahashi, Masanori Terashim...

Publish Year: 2017

### Long-term quality-of-life comparison of total gastrectomy ...

[https://www.researchgate.net/publication/262109610\\_Long-term\\_quality-of-life...](https://www.researchgate.net/publication/262109610_Long-term_quality-of-life...)

Long-term quality-of-life comparison of total gastrectomy and proximal gastrectomy by Postgastrectomy Syndrome Assessment Scale (PGSAS-45): a nationwide multi-institutional study May 2014 Gastric ...

### Postgastrectomy Syndrome Assessment Scale (PGSAS)-45 ...

<https://pubmed.ncbi.nlm.nih.gov/24590434>

Background: Billroth-I (BI) and Roux-en-Y (RY) are well-known reconstruction methods that are conducted following distal gastrectomy. However, the relative merits of these 2 methods are not well documented. The newly developed Postgastrectomy Syndrome Assessment Scale (PGSAS)-45 is an integrated questionnaire consisting of 45 items, including 8 items from the 8-Item Short-Form Health ...

### Comparison of Postoperative Quality of Life among Three ...

<https://link.springer.com/10.1007/s00268-020-05629-5> ▾

Jun 06, 2020 · Proximal gastrectomy (PG) has become an increasingly preferred procedure for early cancer in the upper third of the stomach, owing to reportedly superior quality of life (QOL) after PG