

(PDF) Clinical spectrum of patients presenting with ...<https://www.researchgate.net/publication/23233869...>

A case-control study in which 46 'cases' (patients with active pulmonary tuberculosis: isolation of *Mycobacterium tuberculosis* or clinical and/or radiographic evidence of current pulmonary ...

Tuberculous dacryoadenitis: A rare manifestation of ...<https://www.researchgate.net/publication/10990885...>

Results A retrospective, interventional case series of six patients diagnosed with orbital and adnexal tuberculosis on the basis of clinical, radiological and histopathological evaluations between ...

MDCT of Tracheobronchial Narrowing in Pediatric Patients<https://www.researchgate.net/publication/6119655...>

Download Citation | MDCT of Tracheobronchial Narrowing in Pediatric Patients | Chest radiographs have been useful for the incidental detection and initial imaging evaluation of clinically ...

6 Promoting Adoption of Clinical Practice Guidelines ...[https://www.nap.edu/read/13058/chapter/8 ▾](https://www.nap.edu/read/13058/chapter/8...)

Abstract: Promoting uptake and use of clinical practice guidelines (CPGs) at the point of care delivery represents a final translation hurdle to move scientific findings into practice. Characteristics of the...

Bronchiolitis and Other Intrathoracic Airway Disorders ...[https://thoracickey.com/bronchiolitis-and-other-intrathoracic-airway-disorders ▾](https://thoracickey.com/bronchiolitis-and-other-intrathoracic-airway-disorders...)

Introduction Previous chapters focused on the major diseases affecting primarily the intrathoracic airways. These diseases include asthma, bronchitis, cystic fibrosis, and bronchiectasis. Less common...

Descriptive Epidemiology - an overview | ScienceDirect Topics<https://www.sciencedirect.com/topics/medicine-and...>

E. Albanese, in Handbook of Clinical Neurology, 2016 Relevance of critical appraisal in observational epidemiology. Descriptive epidemiology is used to estimate the number of people affected by a given...

(PDF) Global Strategy for the Diagnosis, Management, and ...<https://www.researchgate.net/publication/230644925>

(PDF) Biopsy and Tracheobronchial Aspirates as Additional ...

<https://www.researchgate.net/publication/345246270...>

Nov 02, 2020 · PDF | On Nov 3, 2020, Anna Didkowska and others published Biopsy and **Tracheobronchial** Aspirates as Additional Tools for the Diagnosis of Bovine **Tuberculosis** in Living European Bison (*Bison bonasus* ...

Promoting Adoption of Clinical Practice Guidelines ...

<https://www.ncbi.nlm.nih.gov/books/n/nap13058/ddd00116>

Abstract: Promoting uptake and use of **clinical practice** guidelines (CPGs) at the point of care delivery represents a final translation hurdle to move scientific findings into **practice**. Characteristics of the intended users and context of **practice** are as important as guideline attributes for promoting adoption of CPG recommendations. The committee's recommendations for individual and ...

Cited by: 1 **Author:** Robin Graham, Michelle Mancher, Dianne ...

Publish Year: 2011

Tuberculous dacryoadenitis: A rare manifestation of ...

<https://www.researchgate.net/publication/10990885...>

Results **A retrospective**, interventional case series of six **patients** diagnosed with orbital and adnexal **tuberculosis** on the basis of **clinical**, radiological and histopathological evaluations between ...

Contemporary Concise Review 2018: Respiratory infections ...

<https://europepmc.org/article/MED/30929315> ▾

Mar 30, 2018 · In a 1:1 propensity score matched analysis of data from a longitudinal health insurance...

Name of Journal: *World Journal of Clinical Cases*
Manuscript NO: 63028
Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Key determinants of misdiagnosis of tracheobronchial tuberculosis among senile patients in contemporary clinical practice: A retrospective analysis

Key determinants to improve diagnosis of TBTB

Abstract

BACKGROUND

Tracheobronchial tuberculosis (TBTB) is a common subtype of pulmonary tuberculosis. Concomitant diseases often obscure the diagnosis of senile TBTB.

AIM

Match Overview

1	Internet 17 words crawled on 04-Jun-2020 www.lanndonline.com	1%
2	Internet 12 words crawled on 17-Feb-2021 academic.oup.com	<1%

国内版

国际版

Key determinants of misdiagnosis of tracheobronchial tuberculosis



ALL

IMAGES

VIDEOS

12,000 Results

Any time ▾

Promoting Adoption of Clinical Practice Guidelines ...

<https://www.ncbi.nlm.nih.gov/books/n/nap13058/ddd00116>

Abstract: Promoting uptake and use of clinical practice guidelines (CPGs) at the point of care delivery represents a final translation hurdle to move scientific findings into practice. Characteristics of the intended users and context of practice are as important as guideline attributes for promoting adoption of CPG recommendations. The committee's recommendations for individual and ...

Cited by: 1

Author: Robin Graham, Michelle Mancher, Dianne...

Publish Year: 2011

Identification of factors contributing to misdiagnosis in ...

<https://posterng.netkey.at/eanm/viewing/index.php...> ▾

Poster: "EANM 16 / EP165 / Identification of factors contributing to misdiagnosis in assessment of lymph node metastases among patients with NSCLC imaged by 18F-FDG PET/CT" by: "J. Teodorczyk, B. Brockhuis, G. Romanowicz, W. Cytawa, I. Wenzel-Duszynska, J. Kozłowska-Gładki, P. Lass; Department of Nuclear Medicine, Medical University of Gdansk, Gdansk, POLAND"

Contemporary Concise Review 2018: Respiratory infections ...

<https://onlinelibrary.wiley.com/doi/full/10.1111/resp.13542>

In a 1:1 propensity score-matched analysis of data from a longitudinal health insurance database in Taiwan, Lin et al. showed 76% reduction in TB risk among 5026 diabetic patients put on metformin as compared with 5026 non-metformin users, after adjusting for co-morbidities, diabetic complications, anti-diabetic therapy type and statin ...

Cited by: 2

Author: David S. Hui, Chi Chiu Leung

Publish Year: 2019

6 Promoting Adoption of Clinical Practice Guidelines ...

<https://www.nap.edu/read/13058/chapter/8> ▾

Abstract: Promoting uptake and use of clinical practice guidelines (CPGs) at the point of care delivery represents a final translation hurdle to move scientific findings into practice. Characteristics of the intended users and context of practice are as important as guideline attributes for promoting adoption of CPG recommendations. The committee's recommendations for individual and ...

(PDF) Clinical spectrum of patients presenting with