

# World Journal of *Clinical Cases*

*World J Clin Cases* 2021 October 26; 9(30): 8953-9319



**REVIEW**

- 8953 Endothelial progenitor cells and coronary artery disease: Current concepts and future research directions  
*Xiao ST, Kuang CY*

**MINIREVIEWS**

- 8967 Regulation of bone metabolism mediated by  $\beta$ -adrenergic receptor and its clinical application  
*Zhong XP, Xia WF*
- 8974 Tricuspid valve endocarditis: Cardiovascular imaging evaluation and management  
*Fava AM, Xu B*

**ORIGINAL ARTICLE****Case Control Study**

- 8985 Novel application of multispectral refraction topography in the observation of myopic control effect by orthokeratology lens in adolescents  
*Ni NJ, Ma FY, Wu XM, Liu X, Zhang HY, Yu YF, Guo MC, Zhu SY*

**Retrospective Cohort Study**

- 8999 Uncertainty in illness and coping styles: Moderating and mediating effects of resilience in stroke patients  
*Han ZT, Zhang HM, Wang YM, Zhu SS, Wang DY*

**Retrospective Study**

- 9011 Development and validation of a prognostic nomogram model for Chinese patients with primary small cell carcinoma of the esophagus  
*Zhang DY, Huang GR, Ku JW, Zhao XK, Song X, Xu RH, Han WL, Zhou FY, Wang R, Wei MX, Wang LD*
- 9023 Preliminary establishment of a spinal stability scoring system for multiple myeloma  
*Yao XC, Shi XJ, Xu ZY, Tan J, Wei YZ, Qi L, Zhou ZH, Du XR*
- 9038 Effect of intrauterine perfusion of granular leukocyte-colony stimulating factor on the outcome of frozen embryo transfer  
*Zhu YC, Sun YX, Shen XY, Jiang Y, Liu JY*
- 9050 "An integrated system, three separated responsibilities", a new fever clinic management model, in prevention and control of novel coronavirus pneumonia  
*Shen J, He Q, Shen T, Wu ZQ, Tan MM, Chen YL, Weng Q, Nie LM, Zhang HF, Zheng B, Zhang J*

**Clinical Trials Study**

- 9059 Single dose dexamethasone prophylaxis of postembolisation syndrome after chemoembolisation in hepatocellular carcinoma patient: A randomised, double-blind, placebo-controlled study  
*Sainamthip P, Kongphanich C, Prasongsook N, Chirapongsathorn S*

**Observational Study**

- 9070 Serum calcium, albumin, globulin and matrix metalloproteinase-9 levels in acute cerebral infarction patients  
*Zhong TT, Wang G, Wang XQ, Kong WD, Li XY, Xue Q, Zou YA*

**SYSTEMATIC REVIEWS**

- 9077 Neoadjuvant radiotherapy dose escalation for locally advanced rectal cancers in the new era of radiotherapy: A review of literature  
*Delishaj D, Fumagalli IC, Ursino S, Cristaudo A, Colangelo F, Stefanelli A, Alghisi A, De Nobili G, D'Amico R, Cocchi A, Ardizzoia A, Soatti CP*

**META-ANALYSIS**

- 9090 Clinical significance of breast cancer susceptibility gene 1 expression in resected non-small cell lung cancer: A meta-analysis  
*Gao Y, Luo XD, Yang XL, Tu D*

**CASE REPORT**

- 9101 Particular tumor of the pancreas: A case report  
*Zhu MH, Nie CF*
- 9108 Dynamic changes in the radiologic manifestation of a recurrent checkpoint inhibitor related pneumonitis in a non-small cell lung cancer patient: A case report  
*Tan PX, Huang W, Liu PP, Pan Y, Cui YH*
- 9114 Spontaneous rupture of a mucinous cystic neoplasm of the liver resulting in a huge biloma in a pregnant woman: A case report  
*Kośnik A, Stadnik A, Szczepankiewicz B, Patkowski W, Wójcicki M*
- 9122 Diagnosis and laparoscopic excision of accessory cavitated uterine mass in a young woman: A case report  
*Hu YL, Wang A, Chen J*
- 9129 Unusual cervical foreign body - a neglected thermometer for 5 years: A case report  
*Yang L, Li W*
- 9134 Long-term survival of a patient with pancreatic cancer and lung metastasis: A case report and review of literature  
*Yang WW, Yang L, Lu HZ, Sun YK*
- 9144 Synchronous diagnosis and treatment of acute myeloid leukemia and chronic lymphocytic leukemia: Two case reports  
*Chen RR, Zhu LX, Wang LL, Li XY, Sun JN, Xie MX, Zhu JJ, Zhou D, Li JH, Huang X, Xie WZ, Ye XJ*

- 9151** Conversion therapy of hepatic artery ligation combined with transcatheter arterial chemoembolization for treating liver cancer: A case report  
*Feng GY, Cheng Y, Xiong X, Shi ZR*
- 9159** Hemophagocytic lymphohistiocytosis secondary to composite lymphoma: Two case reports  
*Shen J, Wang JS, Xie JL, Nong L, Chen JN, Wang Z*
- 9168** Fatal visceral disseminated varicella-zoster virus infection in a renal transplant recipient: A case report  
*Wang D, Wang JQ, Tao XG*
- 9174** Choriocarcinoma misdiagnosed as cerebral hemangioma: A case report  
*Huang HQ, Gong FM, Yin RT, Lin XJ*
- 9182** Rapid progression of colonic mucinous adenocarcinoma with immunosuppressive condition: A case report and review of literature  
*Koseki Y, Kamimura K, Tanaka Y, Ohkoshi-Yamada M, Zhou Q, Matsumoto Y, Mizusawa T, Sato H, Sakamaki A, Umezu H, Yokoyama J, Terai S*
- 9192** Temporary pacemaker protected transjugular intrahepatic portosystemic shunt in a patient with acute variceal bleeding and bradyarrhythmia: A case report  
*Yao X, Li SH, Fu LR, Tang SH, Qin JP*
- 9198** Recurrent pyogenic liver abscess after pancreatoduodenectomy caused by common hepatic artery injury: A case report  
*Xie F, Wang J, Yang Q*
- 9205** Transient ventricular arrhythmia as a rare cause of dizziness during exercise: A case report  
*Gao LL, Wu CH*
- 9211** Successful management of infected right iliac pseudoaneurysm caused by penetration of migrated inferior vena cava filter: A case report  
*Weng CX, Wang SM, Wang TH, Zhao JC, Yuan D*
- 9218** Anterior abdominal abscess - a rare manifestation of severe acute pancreatitis: A case report  
*Jia YC, Ding YX, Mei WT, Xue ZG, Zheng Z, Qu YX, Li J, Cao F, Li F*
- 9228** Monteggia type-I equivalent fracture in a fourteen-month-old child: A case report  
*Li ML, Zhou WZ, Li LY, Li QW*
- 9236** Diagnosis and treatment of primary pulmonary enteric adenocarcinoma: Report of Six cases  
*Tu LF, Sheng LY, Zhou JY, Wang XF, Wang YH, Shen Q, Shen YH*
- 9244** Choroidal metastatic mucinous abscess caused by *Pseudomonas aeruginosa*: A case report  
*Li Z, Gao W, Tian YM, Xiao Y*
- 9255** Diagnosis and treatment of acute graft-versus-host disease after liver transplantation: Report of six cases  
*Tian M, Lyu Y, Wang B, Liu C, Yu L, Shi JH, Liu XM, Zhang XG, Guo K, Li Y, Hu LS*

- 9269** Hepatic portal venous gas without definite clinical manifestations of necrotizing enterocolitis in a 3-day-old full-term neonate: A case report  
*Yuan K, Chen QQ, Zhu YL, Luo F*
- 9276** Emergence of lesions outside of the basal ganglia and irreversible damage to the basal ganglia with severe  $\beta$ -ketothiolase deficiency: A case report  
*Guo J, Ren D, Guo ZJ, Yu J, Liu F, Zhao RX, Wang Y*
- 9285** Skeletal muscle metastasis with bone metaplasia from colon cancer: A case report and review of the literature  
*Guo Y, Wang S, Zhao ZY, Li JN, Shang A, Li DL, Wang M*
- 9295** Biopsy-confirmed fenofibrate-induced severe jaundice: A case report  
*Lee HY, Lee AR, Yoo JJ, Chin S, Kim SG, Kim YS*
- 9302** Missense mutation in *DYNC1H1* gene caused psychomotor developmental delay and muscle weakness: A case report  
*Ding FJ, Lyu GZ, Zhang VW, Jin H*
- 9310** Isolated hepatic tuberculosis associated with portal vein thrombosis and hepatitis B virus coinfection: A case report and review of the literature  
*Zheng SM, Lin N, Tang SH, Yang JY, Wang HQ, Luo SL, Zhang Y, Mu D*

**ABOUT COVER**

Editorial Board Member of *World Journal of Clinical Cases*, Rahul Gupta, MBBS, MCh, MD, Assistant Professor, Chief Doctor, Consultant Physician-Scientist, Surgeon, Department of Gastrointestinal Surgery, Synergy Institute of Medical Sciences, Dehradun 248001, Uttarakhand, India. rahul.g.85@gmail.com

**AIMS AND SCOPE**

The primary aim of *World Journal of Clinical Cases (WJCC, World J Clin Cases)* is to provide scholars and readers from various fields of clinical medicine with a platform to publish high-quality clinical research articles and communicate their research findings online.

*WJCC* mainly publishes articles reporting research results and findings obtained in the field of clinical medicine and covering a wide range of topics, including case control studies, retrospective cohort studies, retrospective studies, clinical trials studies, observational studies, prospective studies, randomized controlled trials, randomized clinical trials, systematic reviews, meta-analysis, and case reports.

**INDEXING/ABSTRACTING**

The *WJCC* is now indexed in Science Citation Index Expanded (also known as SciSearch®), Journal Citation Reports/Science Edition, Scopus, PubMed, and PubMed Central. The 2021 Edition of Journal Citation Reports® cites the 2020 impact factor (IF) for *WJCC* as 1.337; IF without journal self cites: 1.301; 5-year IF: 1.742; Journal Citation Indicator: 0.33; Ranking: 119 among 169 journals in medicine, general and internal; and Quartile category: Q3. The *WJCC*'s CiteScore for 2020 is 0.8 and Scopus CiteScore rank 2020: General Medicine is 493/793.

**RESPONSIBLE EDITORS FOR THIS ISSUE**

Production Editor: *Ji-Hong Lin*, Production Department Director: *Yin-Jie Ma*, Editorial Office Director: *Jin-Lei Wang*.

**NAME OF JOURNAL**

*World Journal of Clinical Cases*

**ISSN**

ISSN 2307-8960 (online)

**LAUNCH DATE**

April 16, 2013

**FREQUENCY**

Thrice Monthly

**EDITORS-IN-CHIEF**

Dennis A Bloomfield, Sandro Vento, Bao-Gan Peng

**EDITORIAL BOARD MEMBERS**

<https://www.wjgnet.com/2307-8960/editorialboard.htm>

**PUBLICATION DATE**

October 26, 2021

**COPYRIGHT**

© 2021 Baishideng Publishing Group Inc

**INSTRUCTIONS TO AUTHORS**

<https://www.wjgnet.com/bpg/gerinfo/204>

**GUIDELINES FOR ETHICS DOCUMENTS**

<https://www.wjgnet.com/bpg/GerInfo/287>

**GUIDELINES FOR NON-NATIVE SPEAKERS OF ENGLISH**

<https://www.wjgnet.com/bpg/gerinfo/240>

**PUBLICATION ETHICS**

<https://www.wjgnet.com/bpg/GerInfo/288>

**PUBLICATION MISCONDUCT**

<https://www.wjgnet.com/bpg/gerinfo/208>

**ARTICLE PROCESSING CHARGE**

<https://www.wjgnet.com/bpg/gerinfo/242>

**STEPS FOR SUBMITTING MANUSCRIPTS**

<https://www.wjgnet.com/bpg/GerInfo/239>

**ONLINE SUBMISSION**

<https://www.f6publishing.com>

# Dynamic changes in the radiologic manifestation of a recurrent checkpoint inhibitor related pneumonitis in a non-small cell lung cancer patient: A case report

Pei-Xin Tan, Wei Huang, Ping-Ping Liu, Yi Pan, Yan-Hai Cui

**ORCID number:** Pei-Xin Tan 0000-0002-3190-7954; Wei Huang 0000-0003-3077-2303; Ping-Ping Liu 0000-0001-6864-621X; Yi Pan 0000-0001-5455-0065; Yan-Hai Cui 0000-0003-4606-4782.

**Author contributions:** Tan PX wrote the manuscript; Huang W, Liu PP and Pan Y collected clinical data; Cui YH reviewed the computed tomography scan images of the patient; and all authors have read and approved the final manuscript.

**Informed consent statement:** The patients provided informed written consent prior to study enrollment.

**Conflict-of-interest statement:** None reported. All authors have declared that there are no financial conflicts of interest with regard to this work.

**CARE Checklist (2016) statement:** The authors have read the CARE Checklist (2016), and the manuscript was prepared and revised according to the CARE Checklist (2016).

**Open-Access:** This article is an open-access article that was selected by an in-house editor and fully peer-reviewed by external

Pei-Xin Tan, Wei Huang, Ping-Ping Liu, Yi Pan, Yan-Hai Cui, Department of Radiation Oncology, Guangdong Provincial People's Hospital and Guangdong Academy of Medical Sciences, Guangzhou 510080, Guangdong Province, China

**Corresponding author:** Yan-Hai Cui, MD, Professor, Department of Radiology, Guangdong Provincial People's Hospital and Guangdong Academy of Medical Sciences, No. 106 Zhongshan Er Road, Guangzhou 510080, Guangdong Province, China.

[cuiyanhai\\_gpgh@163.com](mailto:cuiyanhai_gpgh@163.com)

## Abstract

### BACKGROUND

As immune checkpoint inhibitors (ICIs) have become widely used in lung cancer treatment, immune-related adverse events (irAEs) warrant sufficient attention. Checkpoint inhibitor-related pneumonitis (CIP) is one of the most concerning adverse events as it is uncommon but life threatening.

### CASE SUMMARY

The patient whose case is reported here experienced three episodes of CIP in a span of 4 mon. Interestingly, the three episodes of CIP involved different regions of the lung separately. Taking these pneumonitis areas together makes nearly a whole lung area.

### CONCLUSION

This case showed that recurrent CIPs may occur repeatedly until the whole lung is involved, suggesting that the follow-up period of CIP should be long enough, and the rechallenge of ICI should be done with due caution.

**Key Words:** Checkpoint inhibitor-related pneumonitis; Lung cancer; Radiology; Immune checkpoint inhibitors; Recurrent pneumonitis; Case report

©The Author(s) 2021. Published by Baishideng Publishing Group Inc. All rights reserved.

**Core Tip:** Checkpoint inhibitor-related pneumonitis (CIP) is one of the most concerning

reviewers. It is distributed in accordance with the Creative Commons Attribution NonCommercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>

**Manuscript source:** Unsolicited manuscript

**Specialty type:** Medicine, research and experimental

**Country/Territory of origin:** China

**Peer-review report's scientific quality classification**

Grade A (Excellent): 0  
Grade B (Very good): 0  
Grade C (Good): 0  
Grade D (Fair): 0  
Grade E (Poor): 0

**Received:** January 27, 2021

**Peer-review started:** January 27, 2021

**First decision:** August 18, 2021

**Revised:** August 18, 2021

**Accepted:** September 14, 2021

**Article in press:** September 14, 2021

**Published online:** October 26, 2021

**P-Reviewer:** Mazzei MA

**S-Editor:** Wang JJ

**L-Editor:** A

**P-Editor:** Guo X



adverse events as it is uncommon but life threatening. This is the first case report on the unique dynamic changes in the radiologic features of CIP. This case showed that recurrent CIPs may occur repeatedly until the whole lung is involved, indicating that the follow-up period of CIP should be long enough, and the rechallenge of immune checkpoint inhibitor should be done with due caution.

**Citation:** Tan PX, Huang W, Liu PP, Pan Y, Cui YH. Dynamic changes in the radiologic manifestation of a recurrent checkpoint inhibitor related pneumonitis in a non-small cell lung cancer patient: A case report. *World J Clin Cases* 2021; 9(30): 9108-9113

**URL:** <https://www.wjgnet.com/2307-8960/full/v9/i30/9108.htm>

**DOI:** <https://dx.doi.org/10.12998/wjcc.v9.i30.9108>

## INTRODUCTION

In recent years, immune checkpoint inhibitors (ICIs) have become a rising star in cancer therapy. It has revolutionized the treatment of lung cancer, including non-small cell lung cancer (NSCLC) and small cell lung cancer (SCLC), from the early stages to the advanced stages of the disease[1,2,3]. Currently, clinical trials are still ongoing to investigate the potential clinical benefit of ICI in lung cancer therapy.

As ICIs become widely used in clinical practice, immune-related adverse events (irAEs) should be given sufficient attention. Checkpoint inhibitor-related pneumonitis (CIP) is one of the most concerning adverse events as it is uncommon but life threatening. The incidence rate of CIP in NSCLC is 4.1% in any grade and 0.8% in grade 3 or higher[4], which is slightly higher than in other cancers. Prior thoracic radiotherapy, pulmonary comorbidities, smoking status, and treatment with PD-1 inhibitors may be risk factors of CIP[5]. The timing of onset of CIP can vary from 9 d to 24 mon after the first dose of immunotherapy[6]. The typical symptoms are non-productive cough and unresolving dyspnea, while fever and chest pain are rare[6]. The diagnosis of CIP mainly depends on the combination of clinical symptoms and radiological manifestations. The radiographic patterns present in CIP are diverse, including cryptogenic organizing pneumonia (COP), non-specific interstitial pneumonia, hypersensitivity pneumonitis (HP), and acute interstitial pneumonia[7]. High-dose corticosteroids are recommended for the treatment of CIP greater than grade 2 (CTCAE5.0). Recurrent CIP may occur after steroid treatment with or without continuing ICI. The clinical features and underlying mechanism of CIP are scantily reported. Here, we present a recurrent CIP in a post-operative NSCLC patient with interesting dynamic changes in the radiologic findings in the lungs.


## CASE PRESENTATION

### Chief complaints

A chest computed tomography (CT) scan showed pneumonitis after ten cycles of immune checkpoint inhibitor treatment.

### History of present illness

A 40-year-old man, who has no history of smoking, was diagnosed with locally advanced (pT3N2M0 stage IIIA) left-lower lung adenocarcinoma. The status of driver genes and PD-L1 expression were unknown. He underwent radical left-lower lobe resection plus mediastinal lymph node dissection followed by four cycles of adjuvant chemotherapy with pemetrexed plus cisplatin. After the operation and chemotherapy, he was administered with durvalumab (anti-PD-L1, 1500 mg q4w) as consolidation immunotherapy. After ten cycles of durvalumab injection, pneumonitis with a COP pattern in the left upper lung was detected by CT for regular follow-up (Figures 1A-C). Physical examination showed no positive signs. Considering that the patient did not have a history of interstitial pneumonia and did not complain of any relevant symptoms, he was diagnosed with CIP grade 1. Treatment with durvalumab was continued for two cycles until the patient complained of moderate dry cough. An interesting finding in the chest CT scan was that the pneumonitis in the left upper lobe



**Figure 1** Computed tomography scan images of the patient during checkpoint inhibitor-related pneumonitis presentation and follow-up. A-C: The first episode of checkpoint inhibitor-related pneumonitis (CIP) after 10 cycles of durvalumab; D-F: Chest computed tomography showed that the changes of the former CIP in the left upper lobe disappeared after 12 cycles of durvalumab; G-I: The second episode of CIP after 12 cycles of durvalumab; J-L: A significant improvement in the CIP at 1 wk after starting methylprednisolone; M-O: The third episode of CIP at completion of methylprednisolone tapering; P-R: Resolution of CIP at 5 mon after completion of methylprednisolone tapering.

completely disappeared (Figures 1D-F) without any anti-CIP treatment. In addition, new consolidations and ground-glass opacities representing again a COP pattern in combination with an HP pattern were newly observed in multifocal distributions in

the rest of the lung (Figures 1G-I). The values of  $\beta$ -D glucan and procalcitonin were normal, which indicated that it was a non-infectious pneumonia. He was therefore diagnosed with recurrent CIP grade 2 and was treated with intravenous injection of methylprednisolone (1 mg/kg/d). After a week of methylprednisolone treatment, the dry cough was significantly improved and CT showed resolution of consolidations and ground-glass opacities (Figures 1J-L). Methylprednisolone was tapered slowly over 8 wk. After oral corticosteroid treatment, a chest CT was performed for routine follow-up. Again, interestingly, in the absence of durvalumab retreatment, new diffuse ground-glass and consolidative opacities appeared in the lung exactly where the first and second episode pneumonitis were not involved (Figures 1M-O). With only radiographic changes, the patient was again diagnosed with recurrent CIP grade 1. He refused to restart the steroid treatment. Durvalumab was discontinued permanently because of recurrent CIP.

### **History of past illness**

The patient had on history of past illness.

### **Personal and family history**

The patient had no notable personal or family history.

### **Physical examination**

Physical examination showed no positive signs.

### **Laboratory examinations**

The values of  $\beta$ -D glucan and procalcitonin were normal.

### **Imaging examinations**

CT scan images of the patient during CIP presentation and follow-up in Figure 1. The first episode of CIP in Figures 1A-C; chest CT showed that the changes of the former in Figures 1D-I; CIP in the left upper lobe disappeared in Figures 1D-F; the second episode of CIP in Figures 1G-I; a significant improvement in the CIP in Figures 1J-L; the third episode of CIP in Figures 1M-O; resolution of CIP in Figures 1P-R.

---

## **FINAL DIAGNOSIS**

---

CIP.

---

## **TREATMENT**

---

At the second episode of CIP, Methylprednisolone (1 mg/kg/d) was administrated and was tapered slowly over 8 wk.

---

## **OUTCOME AND FOLLOW-UP**

---


A follow-up CT scan performed 5 mon later showed that the CIP was completely cured without any treatment (Figures 1P-R). The patient harboring EGFR exon 19 mutations is administered osimertinib because of disease progression with bilateral lungs and multiple brain metastases. No symptoms or side effects were observed.

---

## **DISCUSSION**

---

The most interesting aspect of this case is the dynamic changes in radiographic findings. The first episode of CIP was limited to the left lung, while the second episode of CIP was distributed to the rest of the left lung and peripheral area of the right lung. As for the third episode of CIP, the radiologic changes were mainly localized in the central area of the right lung. Obviously, the areas of the three CIPs involved in the lung were different from each other. Interestingly, taking these pneumonitis areas together makes nearly a whole lung area (Figure 2). The dynamic radiographic changes in this case are different from those of the other cases reported in recurrent



**Figure 2 A three-dimensional reconstruction of the pneumonitis areas for three episodes.** The red, blue, and yellow areas show the first, second, and third episodes of checkpoint inhibitor-related pneumonitis, respectively, taking the pneumonitis areas all together makes nearly a whole lung.

CIP, as most of the CIP cases were recurrent in the former pneumonitis area or in different areas overlapping the former[8].

It was reported that half of the patients had recurrent CIP in the absence of ICI retreatment[9]. Recurrent CIP, which is considered to be related to the persistent response after ICI discontinuation, is a unique phenomenon for ICI treatment and may be explained by the durable nature of the effect of ICI[8]. In this case, the patient suffered from a second recurrent CIP just at the end of steroid tapering, which indicated the durable effect of durvalumab continued for at least 8 wk. What is more interesting is that the third episode of CIP started after the whole oral corticosteroid treatment and that it was relieved completely without any anti-ICI treatment. This observation indicates that some types of CIP may be resistant to steroids, and that wait-and-see may be a choice for them.

The mechanism of CIP remains to be investigated. By targeting the PD-L1 expressed on cancer cells, anti-PD-L1 inhibitors are considered to cause fewer irAEs, especially immune-related pneumonitis, than anti-PD-1 inhibitors[10]. Based on the dynamic changes of radiologic findings in our case, a possible mechanism of CIP is that some specific immune factors targeting antigens expressed on the surface of normal lung cells are generated. This may provoke the immune system to attack normal lung cells until the whole lung is involved. It may be some kind of reversible self-healing allergic reaction.

---

## CONCLUSION

---

This is the first case report on the unique dynamic changes in the radiologic features of CIP. This case showed that recurrent CIPs may occur repeatedly until the whole lung is involved, indicating that the follow-up period of CIP should be long enough, and the rechallenge of ICI should be done with due caution.

---

## REFERENCES

---

- 1 **Gandhi L**, Rodríguez-Abreu D, Gadgeel S, Esteban E, Felip E, De Angelis F, Domine M, Clingan P, Hochmair MJ, Powell SF, Cheng SY, Bischoff HG, Peled N, Grossi F, Jennens RR, Reck M, Hui R, Garon EB, Boyer M, Rubio-Viqueira B, Novello S, Kurata T, Gray JE, Vida J, Wei Z, Yang J, Raftopoulos H, Pietanza MC, Garassino MC; KEYNOTE-189 Investigators. Pembrolizumab plus Chemotherapy in Metastatic Non-Small-Cell Lung Cancer. *N Engl J Med* 2018; **378**: 2078-2092 [PMID: 29658856 DOI: 10.1056/NEJMoa1801005]
- 2 **Antonia SJ**, Villegas A, Daniel D, Vicente D, Murakami S, Hui R, Kurata T, Chiappori A, Lee KH,

- de Wit M, Cho BC, Bourhaba M, Quantin X, Tokito T, Mekhail T, Planchard D, Kim YC, Karapetis CS, Hiret S, Ostoros G, Kubota K, Gray JE, Paz-Ares L, de Castro Carpeño J, Faivre-Finn C, Reck M, Vansteenkiste J, Spigel DR, Wadsworth C, Melillo G, Taboada M, Dennis PA, Özgüroğlu M; PACIFIC Investigators. Overall Survival with Durvalumab after Chemoradiotherapy in Stage III NSCLC. *N Engl J Med* 2018; **379**: 2342-2350 [PMID: 30280658 DOI: 10.1056/NEJMoa1809697]
- 3 **Paz-Ares L**, Dvorkin M, Chen Y, Reinmuth N, Hotta K, Trukhin D, Statsenko G, Hochmair MJ, Özgüroğlu M, Ji JH, Voitko O, Poltoratskiy A, Ponce S, Verderame F, Havel L, Bondarenko I, Kazarnowicz A, Losonczy G, Conev NV, Armstrong J, Byrne N, Shire N, Jiang H, Goldman JW; CASPIAN investigators. Durvalumab plus platinum-etoposide versus platinum-etoposide in first-line treatment of extensive-stage small-cell lung cancer (CASPIAN): a randomised, controlled, open-label, phase 3 trial. *Lancet* 2019; **394**: 1929-1939 [PMID: 31590988 DOI: 10.1016/S0140-6736(19)32222-6]
  - 4 **Nishino M**, Giobbie-Hurder A, Hatabu H, Ramaiya NH, Hodi FS. Incidence of Programmed Cell Death 1 Inhibitor-Related Pneumonitis in Patients With Advanced Cancer: A Systematic Review and Meta-analysis. *JAMA Oncol* 2016; **2**: 1607-1616 [PMID: 27540850 DOI: 10.1001/jamaoncol.2016.2453]
  - 5 **Khunger M**, Rakshit S, Pasupuleti V, Hernandez AV, Mazzone P, Stevenson J, Pennell NA, Velcheti V. Incidence of Pneumonitis With Use of Programmed Death 1 and Programmed Death-Ligand 1 Inhibitors in Non-Small Cell Lung Cancer: A Systematic Review and Meta-Analysis of Trials. *Chest* 2017; **152**: 271-281 [PMID: 28499515 DOI: 10.1016/j.chest.2017.04.177]
  - 6 **Naidoo J**, Wang X, Woo KM, Iyriboz T, Halpenny D, Cunningham J, Chaff JE, Segal NH, Callahan MK, Lesokhin AM, Rosenberg J, Voss MH, Rudin CM, Rizvi H, Hou X, Rodriguez K, Albano M, Gordon RA, Leduc C, Rekhman N, Harris B, Menzies AM, Guminski AD, Carlino MS, Kong BY, Wolchok JD, Postow MA, Long GV, Hellmann MD. Pneumonitis in Patients Treated With Anti-Programmed Death-1/Programmed Death Ligand 1 Therapy. *J Clin Oncol* 2017; **35**: 709-717 [PMID: 27646942 DOI: 10.1200/JCO.2016.68.2005]
  - 7 **Nishino M**, Ramaiya NH, Awad MM, Sholl LM, Maattala JA, Taibi M, Hatabu H, Ott PA, Armand PF, Hodi FS. PD-1 Inhibitor-Related Pneumonitis in Advanced Cancer Patients: Radiographic Patterns and Clinical Course. *Clin Cancer Res* 2016; **22**: 6051-6060 [PMID: 27535979 DOI: 10.1158/1078-0432.CCR-16-1320]
  - 8 **de Jong C**, Peters BJM, Schramel FMNH. Recurrent Episodes of Nivolumab-Induced Pneumonitis after Nivolumab Discontinuation and the Time Course of Carcinoembryonic Antigen Levels: A Case of a 58-Year-Old Woman with Non-Small Cell Lung Cancer. *Chemotherapy* 2018; **63**: 272-277 [PMID: 30572331 DOI: 10.1159/000494841]
  - 9 **Nishino M**, Chambers ES, Chong CR, Ramaiya NH, Gray SW, Marcoux JP, Hatabu H, Jänne PA, Hodi FS, Awad MM. Anti-PD-1 Inhibitor-Related Pneumonitis in Non-Small Cell Lung Cancer. *Cancer Immunol Res* 2016; **4**: 289-293 [PMID: 26865455 DOI: 10.1158/2326-6066.CIR-15-0267]
  - 10 **Brahmer JR**, Tykodi SS, Chow LQ, Hwu WJ, Topalian SL, Hwu P, Drake CG, Camacho LH, Kauh J, Odunsi K, Pitot HC, Hamid O, Bhatia S, Martins R, Eaton K, Chen S, Salay TM, Alaparthi S, Grosso JF, Korman AJ, Parker SM, Agrawal S, Goldberg SM, Pardoll DM, Gupta A, Wigginton JM. Safety and activity of anti-PD-L1 antibody in patients with advanced cancer. *N Engl J Med* 2012; **366**: 2455-2465 [PMID: 22658128 DOI: 10.1056/NEJMoa1200694]



Published by **Baishideng Publishing Group Inc**  
7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA  
**Telephone:** +1-925-3991568  
**E-mail:** [bpgoffice@wjgnet.com](mailto:bpgoffice@wjgnet.com)  
**Help Desk:** <https://www.f6publishing.com/helpdesk>  
<https://www.wjgnet.com>

